



**INFORME DE BÚSQUEDA SISTEMÁTICA DE EVIDENCIA DE LOS EFECTOS
DESEABLES E INDESEABLES**

Guía de Práctica Clínica Retinopatía Diabética - 2017

ÍNDICE

TABLA RESUMEN	2
ESTRATEGIA DE BÚSQUEDA	3
CRITERIOS DE INCLUSIÓN	3
RECOLECCIÓN, ANÁLISIS Y SÍNTESIS DE DATOS	4
Selección de las revisiones	4
Mapeo de la evidencia	4
Actualización – “Living”	4
Anexo 1. Estrategias de búsqueda	5
Anexo 2. Diagrama de flujo PRISMA	7
Anexo 3. Referencias seleccionadas	8

TABLA RESUMEN

Problema de salud	Retinopatía diabética
ICD10	E11.3
Fecha de entrega	29/11/2017
Investigador responsable	Gabriel Rada Giacaman
Número de revisiones sistemáticas	209
Número de preguntas	70
L-OVE	Diabetic retinopathy
L-OVE URL	https://love.epistemonikos.org/#/diseases/diabetic_retinopathy/about

ESTRATEGIA DE BÚSQUEDA

Se realizaron búsquedas en Epistemonikos, una base de datos exhaustiva de revisiones sistemáticas relevantes para la toma de decisiones en salud. No se aplican restricciones en base al idioma o estado de publicación. La búsqueda de evidencia fue realizada en las siguientes bases de datos¹ con las estrategias descritas en el Anexo 1.

1. Cochrane database of systematic reviews (CDSR)
2. Database of Abstracts of Reviews of Effectiveness (DARE)
3. HTA Database
4. PubMed
5. LILACS
6. CINAHL.
7. PsychINFO.
8. EMBASE.
9. EPPI-Centre Evidence Library
10. 3ie Systematic Reviews and Policy Briefs Campbell Library
11. Clinical Evidence.
12. SUPPORT Summaries
13. WHO Institutional Repository for Information Sharing
14. NICE public health guidelines and systematic reviews
15. ACP Journal Club.
16. Evidencias en Pediatría
17. The JBI Database of Systematic Reviews and Implementation Reports

CRITERIOS DE INCLUSIÓN

Consideramos todas las revisiones sistemáticas que están sintetizando estudios primarios (tanto experimentales como observacionales) de acuerdo a la definición empleada por la Colaboración Cochrane y la declaración PRISMA².

Una revisión elegible debe cumplir con los siguientes criterios operacionales:

1. Reporta una búsqueda en al menos una base de datos electrónica.
2. Reporta al menos uno de los siguientes criterios inclusión de los estudios:
 - **Tipo de participantes:** Se incluyen todas las revisiones sistemáticas que resuman estudios que respondan la pregunta acerca de intervenciones para el alivio del dolor por cáncer avanzado y cuidados paliativos en humanos.

¹ La actualización se realiza de manera semanal. Se encuentra disponible en la plataforma digital un sistema de alerta que permite informar a través de correo electrónico la publicación de nuevos estudios que dan respuesta a las preguntas definidas, de manera de mantener continuamente actualizada la evidencia.

² “Una revisión sistemática intenta recopilar toda la evidencia empírica para responder a una pregunta de investigación específica, que cumple con criterios previamente definidos. Utiliza métodos explícitos y sistemáticos, que se eligen con miras a minimizar el sesgo, de manera de entregar hallazgos confiables que permitan sacar conclusiones y tomar decisiones”.

- **Tipo de desenlaces:** Se incluyen revisiones que presentan una síntesis (cuantitativa o cualitativa) de al menos un desenlace importante para el paciente u otra información relevante para tomar decisiones poblacionales o individuales acerca de intervenciones para el alivio del dolor por cáncer avanzado y cuidados paliativos en humanos.

RECOLECCIÓN, ANÁLISIS Y SÍNTESIS DE DATOS

SELECCIÓN DE LAS REVISIONES

Al menos dos revisores, de manera independiente, realizaron el cribado de los títulos y resúmenes para identificar los artículos relevantes. El texto completo de las revisiones potencialmente elegibles fue recuperado y evaluado, de manera independiente, para su inclusión final. Un tercer investigador resolvió cualquier discrepancia que pudiera haberse provocado entre los distintos revisores.

MAPEO DE LA EVIDENCIA

Con el objetivo de generar un listado exhaustivo de todas las posibles preguntas relacionadas con el tópico del L·OVE: Diabetic retinopathy³, se realiza la agrupación de las revisiones resultantes en formato PICO, es decir: población, intervención, comparación y desenlace [*outcome*]) utilizamos las siguientes fuentes:

1. Guías y documentos
2. Criterios de inclusión de las revisiones sistemáticas identificadas
3. Consulta con expertos
4. Retroalimentación de los usuarios

Como resultado final la plataforma incluye toda la evidencia disponible en revisiones sistemáticas y sus estudios primarios incluidos, segregada por nodos de evidencia que representan cada una de las preguntas priorizadas para actualización de la guía (Ver “Diagrama de flujo PRISMA” en Anexo 2 y “Referencia Seleccionada” en Anexo 3).

ACTUALIZACIÓN – “LIVING”

Todas las búsquedas a través de esta plataforma se mantienen continuamente actualizada gracias a la tecnología implementada en el buscador de Epistemonikos y sus distintos colaboradores. Por lo cual, tanto la cantidad de revisiones, preguntas, entre otros datos cambian continuamente. Los datos presentados en este informe son los correspondientes a la fecha de entrega.

³Ver resultados de la búsqueda en:

https://love.epistemonikos.org/#/diseases/diabetic_retinopathy/about

ANEXO 1. ESTRATEGIAS DE BÚSQUEDA

Cochrane Library - Cochrane database of systematic reviews (CDSR)

<http://www.thecochranelibrary.com>

(diabet* AND retinopat*), in Title, Abstract, Keywords: Cochrane Reviews (Reviews NOT protocols)

Medline/PubMed - US National Library of Medicine

<http://www.ncbi.nlm.nih.gov/pubmed/>

(diabet* AND retinopat*) AND (MEDLINE[Title/Abstract] OR (systematic[Title/Abstract] AND review[Title/Abstract]) OR meta analysis[Publication Type])

EMBASE (Excerpta Medica dataBASE)

<http://www.embase.com>

Frequency of search: weekly

(diabet* AND retinopat*) AND meta-analysis.tw. OR systematic review.tw

CINAHL (Cumulative Index to Nursing and Allied Health Literature)

<https://www.ebscohost.com/nursing/products/cinahl-databases/the-cinahl-database>

(diabet* AND retinopat*) AND ((TI meta analys* or AB meta analys*) or (TI systematic review or AB systematic review))

PsycINFO

<http://www.apa.org/pubs/databases/psycinfo>

(diabet* AND retinopat*) AND (meta-analysis OR search*)

LILACS (Literatura Latinoamericana y del Caribe en Ciencias de la Salud)

<http://lilacs.bvsalud.org/en/>

(diabet* AND retinopat*) AND (tw:"revision sistematica" or tw:"revisao sistematica" or tw:"systematic review") or ((MH:"Literatura de Revision como asunto" OR MH:"Metanalisis como asunto" OR PT:Revision OR PT:Metanalisis) and (TW:Metaanal\$ OR TW:"Meta-analysis" OR TW:"Meta-analise" OR TW:"Meta-analysis" OR TI:overview\$ or TW:"estudio sistematico" OR TW:"systematic study" OR TW:"estudo sistematico" OR TI:review OR TI:revisao OR TI:revision))

DARE (Database of Abstracts of Reviews of Effectiveness) - Centre for Reviews and Dissemination, University of York

<http://www.crd.york.ac.uk/CRDWeb/>

(diabet* AND retinopat*), in Any field: CRD assessed review (bibliographic)/ CRD assessed review (full abstract)

HTA Database

<http://www.crd.york.ac.uk/CRDWeb/>

(diabet* AND retinopat*), in Any field

The Campbell Collaboration Online Library

<https://www.campbellcollaboration.org/library.html>

(diabet* AND retinopat*), in Title: Review

JBI Database of Systematic Reviews and Implementation Reports

<http://journals.lww.com/jbisrir/pages>


(diabet* AND retinopat*) AND (review OR meta*), in All fields

EPPI-Centre Evidence Library

<http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=56>

(diabet* AND retinopat*) All records in chronological list
(<http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=62>)

ANEXO 2. DIAGRAMA DE FLUJO PRISMA



ANEXO 3. REFERENCIAS SELECCIONADAS

1. Liu L, Wu X, Geng J, Yuan Z, Chen L. IVTA as adjunctive treatment to PRP and MPC for PDR and macular edema: a meta-analysis. *PloS one*. 2012;7(9):e44683.
2. Taylor-Phillips S, Mistry H, Leslie R, Todkill D, Tsertsvadze A, Connock M, Clarke A. Extending the diabetic retinopathy screening interval beyond 1 year: systematic review. *The British journal of ophthalmology*. 2015;100(1):105-14.
3. Crosby-Nwaobi R, Sivaprasad S, Forbes A. A systematic review of the association of diabetic retinopathy and cognitive impairment in people with Type 2 diabetes. *Diabetes research and clinical practice*. 2012;96(2):101-10.
4. Raj AG, de Verteuil R. Systematic review of the effectiveness of the single, two and three field digital retinal photography for screening diabetic retinopathy. *JB library of systematic reviews*. 2009;7(8 Suppl):1-13.
5. Régnier S, Malcolm W, Allen F, Wright J, Bezlyak V. Efficacy of anti-VEGF and laser photocoagulation in the treatment of visual impairment due to diabetic macular edema: a systematic review and network meta-analysis. *PloS one*. 2014;9(7):e102309.
6. Wilkinson JT, Fraunfelder FW. Use of herbal medicines and nutritional supplements in ocular disorders: an evidence-based review. *Drugs*. 2011;71(18):2421-34.
7. Leasher, Janet L., Bourne, Rupert R. A., Flaxman, Seth R., Jonas, Jost B., Keeffe, Jill, Naidoo, Kovin, Pesudovs, Konrad, Price, Holly, White, Richard A., Wong, Tien Y., Resnikoff, Serge, Taylor, Hugh R.. Global Estimates on the Number of People Blind or Visually Impaired by Diabetic Retinopathy: A Meta-analysis From 1990 to 2010. *Diabetes Care*. 2016;39(9):1643-1649.
8. Burgess PI, MacCormick IJ, Harding SP, Bastawrous A, Beare NA, Garner P. Epidemiology of diabetic retinopathy and maculopathy in Africa: a systematic review. *Diabetic medicine : a journal of the British Diabetic Association*. 2013;30(4):399-412.
9. Qiu M, Xiong W, Liao H, Li F. VEGF -634G>C polymorphism and diabetic retinopathy risk: a meta-analysis. *Gene*. 2013;518(2):310-5.
10. Ma ZJ, Chen R, Ren HZ, Guo X, Guo J, Chen LM. Association between eNOS 4b/a polymorphism and the risk of diabetic retinopathy in type 2 diabetes mellitus: a meta-analysis. *Journal of diabetes research*. 2014;2014(no pagination):549747.
11. Fan WY, Liu NP. Meta-analysis of association between K469E polymorphism of the ICAM-1 gene and retinopathy in type 2 diabetes. *International journal of ophthalmology*. 2015;8(3):603-7.
12. Simoes P.W., Gabriel Dos Passos M., Toniazzo De Abreu L.L., Garcia D., Cabral Moro Barra C.M., Lopes A., Souza Pires M.M., Martins P.J., Bisognin Ceretta L.. Accuracy of decision support systems for diagnostic diabetic retinopathy. *European Journal of Epidemiology*. 2016;:S188-S189.
13. de Groot M, Anderson R, Freedland KE, Clouse RE, Lustman PJ. Association of depression and diabetes complications: a meta-analysis. *Psychosomatic medicine*. 2001;63(4):619-30.
14. Wong TY, Mwamburi M, Klein R, Larsen M, Flynn H, Hernandez-Medina M, Ranganathan G, Wirostko B, Pleil A, Mitchell P. Rates of Progression in Diabetic Retinopathy During Different Time Periods: A systematic review and meta-analysis. *Diabetes care*. 2009;32(12):2307-13.
15. Virk S., Donaghue K., Wong T., Craig M.. Prevention of retinopathy in type 1 diabetes: A systematic review and meta-analysis. *International Journal of Pediatric Endocrinology*. 2015;
16. Song Z.-D., Tao Y., Han N., Wu Y.-Z.. Association of the Aldose Reductase-106TT Genotype with Increased Risk for Diabetic Retinopathy in the Chinese Han Population: An Updated Meta-Analysis. *Current Eye Research*. 2016;41(8):1087-1091.
17. Ford JA, Elders A, Shyangdan D, Royle P, Waugh N. The relative clinical effectiveness of ranibizumab and bevacizumab in diabetic macular oedema: an indirect comparison in a systematic review. *BMJ (Clinical research ed.)*. 2012;345(7874):e5182.
18. Yu W., Yang J., Sui W., Qu B., Huang P., Chen Y.. Association of genetic variants in the receptor for advanced glycation end products gene with diabetic retinopathy A meta-analysis. *Medicine (United States)*. 2016;95(39):e4463.

19. Bachmann MO, Nelson SJ. Impact of diabetic retinopathy screening on a British district population: case detection and blindness prevention in an evidence-based model. *Journal of epidemiology and community health*. 1998;52(1):45-52.
20. Hosseini S.M., Boright A.P., Sun L., Canty A.J., Bull S.B., Klein B.E.K., Klein R., The Dcct/Edic Research Group, Paterson A.D.. The association of previously reported polymorphisms for microvascular complications in a meta-analysis of diabetic retinopathy. *Human Genetics*. 2015;134((Hosseini S.M., mohsen.hosseini@utoronto.ca; Paterson A.D., andrew.paterson@utoronto.ca) Genetics and Genome Biology Program, The Hospital for Sick Children, Toronto, Canada):247-257.
21. Li J., Xu G.-X.. Efficacy and safety of adjuvant intravitreal injection of anti-vascular endothelial growth factors prior to vitrectomy in the treatment of proliferative diabetic retinopathy: A Meta-analysis. *International Eye Science*. 2017;17(8):1446-1456.
22. Sharma N, Ooi JL, Ong J, Newman D. The use of fenofibrate in the management of patients with diabetic retinopathy: an evidence-based review. *Australian family physician*. 2015;44(6):367-70.
23. Rahimi Z., Moradi M., Nasri H.. A systematic review of the role of renin angiotensin aldosterone system genes in diabetes mellitus, Diabetic retinopathy and diabetic neuropathy. *Journal of Research in Medical Sciences*. 2014;19(11):1090-1098.
24. Wu H, Wu H, Shi L, Yuan X, Yin Y, Yuan M, Zhou Y, Hu Q, Jiang K, Dong J. The Association of Haptoglobin Gene Variants and Retinopathy in Type 2 Diabetic Patients: A Meta-Analysis. *Journal of diabetes research*. 2017;2017:2195059.
25. Zhu B, Wu X, Bi Y, Yang Y. Effect of bilirubin concentration on the risk of diabetic complications: A meta-analysis of epidemiologic studies. *Scientific reports*. 2017;7:41681.
26. Hall V, Thomsen RW, Henriksen O, Lohse N. Diabetes in Sub Saharan Africa 1999-2011: epidemiology and public health implications. A systematic review. *BMC public health*. 2011;11:564.
27. Rodríguez AJ, Nunes Vdos S, Mastronardi CA, Neeman T, Paz-Filho GJ. Association between circulating adipocytokine concentrations and microvascular complications in patients with type 2 diabetes mellitus: A systematic review and meta-analysis of controlled cross-sectional studies. *Journal of diabetes and its complications*. 2016;30(2):357-67.
28. Luo BA, Gao F, Qin LL. The Association between Vitamin D Deficiency and Diabetic Retinopathy in Type 2 Diabetes: A Meta-Analysis of Observational Studies. *Nutrients*. 2017;9(3).
29. Bos DC, de Ranitz-Greven WL, de Valk HW. Advanced glycation end products, measured as skin autofluorescence and diabetes complications: a systematic review. *Diabetes technology & therapeutics*. 2011;13(7):773-9.
30. Meng N, Liu J, Zhang Y, Ma J, Li H, Qu Y. Color Doppler Imaging Analysis of Retrobulbar Blood Flow Velocities in Diabetic Patients Without or With Retinopathy: A Meta-analysis. *Journal of ultrasound in medicine : official journal of the American Institute of Ultrasound in Medicine*. 2014;33(8):1381-9.
31. Anusha Govinda Raj, Robyn de Verteuil. Systematic review of the diagnostic accuracy of the single, two and three field digital retinal photography for screening diabetic retinopathy. *JBI Library of Systematic Reviews*. 2011;9(16):491-537.
32. Sun L., Zhang Y., Xiong Y.. GSTM1 and GSTT1 null genotype and diabetic retinopathy: A meta-analysis. *International Journal of Clinical and Experimental Medicine*. 2015;8(2):1677-1683.
33. Echouffo-Tcheugui JB, Ali MK, Roglic G, Hayward RA, Venkat Narayan KM. Screening intervals for diabetic retinopathy and incidence of visual loss: a systematic review. *Diabetic medicine : a journal of the British Diabetic Association*. 2013;30(11):1272-92.
34. Meng N, Zhang Y, Li H, Ma J, Qu Y. Association of tumor necrosis factor alpha promoter polymorphism (TNF- α 238 G/A and TNF- α 308 G/A) with diabetes mellitus, diabetic retinopathy and diabetic nephropathy: a meta-analysis. *Current eye research*. 2014;39(2):194-203.

35. Sudchada P, Scarpace K. Transcription factor 7-like 2 polymorphisms and diabetic retinopathy: a systematic review. *Genetics and molecular research : GMR*. 2014;13(3):5865-72.
36. Abhary S, Hewitt AW, Burdon KP, Craig JE. A systematic meta-analysis of genetic association studies for diabetic retinopathy. *Diabetes*. 2009;58(9):2137-47.
37. Naqshbandi M, Harris SB, Esler JG, Antwi-Nsiah F, Centre for Studies in Family Medicine, Schulich School of Medicine and Dentistry, The University of Western Ontario, London, Ontario, Canada. Global complication rates of type 2 diabetes in Indigenous peoples: a comprehensive review. *Diabetes Research & Clinical Practice*. 2008;82(1):1-17.
38. Virk SA, Donaghue KC, Wong TY, Craig ME. Interventions for Diabetic Retinopathy in Type 1 Diabetes: Systematic Review and Meta-Analysis. *American journal of ophthalmology*. 2015;160(5):1055-1064.e4.
39. Kawaguchi A, Sharafeldin N, Sundaram A, Campbell S, Tennant M, Rudnisky C, Weis E, Damji KF. Tele-ophthalmology for Age-Related Macular Degeneration and Diabetic Retinopathy Screening: A Systematic Review and Meta-analysis. *Telemedicine journal and e-health : the official journal of the American Telemedicine Association*. 2017;
40. Wang S., Xu Q., Du Y., Wu X.. Does phacoemulsification speed the progression of diabetic retinopathy? A meta-analysis. *International Journal of Clinical and Experimental Medicine*. 2016;9(6):8874-8882.
41. Bergerhoff K, Clar C, Richter B. Aspirin in diabetic retinopathy. A systematic review. *Endocrinology and metabolism clinics of North America*. 2002;31(3):779-93.
42. Guan G, Zang J. Meta-analysis of the effect of perioperative injection of Lucentis on intraoperative bleeding in patients with proliferative diabetic retinopathy. *Eye science*. 2015;30(4):171-5.
43. Su X, Chen X, Liu L, Chang X, Yu X, Sun K. Intracellular adhesion molecule-1 K469E gene polymorphism and risk of diabetic microvascular complications: a meta-analysis. *PloS one*. 2013;8(7):e69940.
44. Zhang T, Pang C, Li N, Zhou E, Zhao K. Plasminogen activator inhibitor-1 4G/5G polymorphism and retinopathy risk in type 2 diabetes: a meta-analysis. *BMC medicine*. 2013;11(1):1.
45. Wang B., Wang F., Zhang Y., Zhao S.-H., Zhao W.-J., Yan S.-L., Wang Y.-G.. Effects of RAS inhibitors on diabetic retinopathy: A systematic review and meta-analysis. *The Lancet Diabetes and Endocrinology*. 2015;3(4):263-274.
46. Huang, Wenjing, Bao, Qi, Jin, De, Lian, Fengmei. Compound Danshen Dripping Pill for Treating Nonproliferative Diabetic Retinopathy: A Meta-Analysis of 13 Randomized Controlled Trials. *Evidence-based Complementary & Alternative Medicine (eCAM)*. 2017;2017(no pagination):1-10.
47. Bedard C, Sherry Liu S, Patterson C, Gerstein H, Griffith L. Systematic review: Can non-mydratiac cameras accurately detect diabetic retinopathy?. *Diabetes research and clinical practice*. 2017;129:154-159.
48. Yuan D, Yuan D, Liu Q. Association of the receptor for advanced glycation end products gene polymorphisms with diabetic retinopathy in type 2 diabetes: a meta-analysis. *Ophthalmologica. Journal international d'ophthalmologie. International journal of ophthalmology. Zeitschrift für Augenheilkunde*. 2012;227(4):223-32.
49. Amini M, Parvaresh E, Endocrine and Metabolism Research Centre, Isfahan University of Medical Sciences, Isfahan, Iran. Prevalence of macro- and microvascular complications among patients with type 2 diabetes in Iran: a systematic review. *Diabetes Research & Clinical Practice*. 2009;83(1):18-25.
50. Tracey ML, Gilmartin M, O'Neill K, Fitzgerald AP, McHugh SM, Buckley CM, Canavan RJ, Kearney PM. Epidemiology of diabetes and complications among adults in the Republic of Ireland 1998-2015: a systematic review and meta-analysis. *BMC public health*. 2016;16(1):132.

51. Kramer CK, Rodrigues TC, Canani LH, Gross JL, Azevedo MJ. Diabetic Retinopathy Predicts All-Cause Mortality and Cardiovascular Events in Both Type 1 and 2 Diabetes: Meta-analysis of observational studies. *Diabetes care*. 2011;34(5):1238-44.
52. Cheung D, Switzer NJ, Ehmann D, Rudnisky C, Shi X, Karmali S. The Impact of Bariatric Surgery on Diabetic Retinopathy: A Systematic Review and Meta-Analysis. *Obesity surgery*. 2014;25(9):1604-9.
53. Han L, Zhang L, Xing W, Zhuo R, Lin X, Hao Y, Wu Q, Zhao J. The associations between VEGF gene polymorphisms and diabetic retinopathy susceptibility: a meta-analysis of 11 case-control studies. *Journal of diabetes research*. 2014;2014(no pagination):805801.
54. Bittner M, Faes L, Boehni SC, Bachmann LM, Schlingemann RO, Schmid MK. Colour Doppler analysis of ophthalmic vessels in the diagnosis of carotid artery and retinal vein occlusion, diabetic retinopathy and glaucoma: systematic review of test accuracy studies. *BMC ophthalmology*. 2016;16(1):214.
55. Mattila TK, de Boer A. Influence of intensive versus conventional glucose control on microvascular and macrovascular complications in type 1 and 2 diabetes mellitus. *Drugs*. 2010;70(17):2229-45.
56. Wang W., He M., Huang W.. Association of monocyte chemoattractant protein-1 gene 2518A/G polymorphism with diabetic retinopathy in type 2 diabetes mellitus: A meta-analysis. *Diabetes Research and Clinical Practice*. 2016;120:40-46.
57. Govinda A, de Verteuil R. Systematic review of the diagnostic accuracy of the single, two and three field digital retinal photography for screening diabetic retinopathy. *JBIC library of systematic reviews*. 2011;9(16):491-537.
58. Zintzaras E, Chatzoulis DZ, Karabatsas CH, Stefanidis I. The relationship between C677T methylenetetrahydrofolate reductase gene polymorphism and retinopathy in type 2 diabetes: a meta-analysis. *Journal of human genetics*. 2005;50(6):267-75.
59. Keel S, Koklanis C, Vukicevic M, Itsiopoulos C, Brazionis L. Diabetes, Diabetic Retinopathy, and Retinal Vascular Alterations: A Systematic Review. *Asia-Pacific journal of ophthalmology (Philadelphia, Pa.)*. 2015;3(3):164-71.
60. Naidoo K, Gichuhi S, Basáñez MG, Flaxman SR, Jonas JB, Keeffe J, Leasher JL, Pesudovs K, Price H, Smith JL, Turner HC, White RA, Wong TY, Resnikoff S, Taylor HR, Bourne RR, on behalf of the Vision Loss Expert Group of the Global Burden of Disease Study. Prevalence and causes of vision loss in sub-Saharan Africa: 1990-2010. *The British journal of ophthalmology*. 2014;98(5):612-8.
61. Qiao G, Guo HK, Dai Y, Wang XL, Meng QL, Li H, Chen XH, Chen ZL. Sub-threshold micro-pulse diode laser treatment in diabetic macular edema: A Meta-analysis of randomized controlled trials. *International journal of ophthalmology*. 2016;9(7):1020-7.
62. Liu L, Jiao J, Wang Y, Wu J, Huang D, Teng W, Chen L. TGF-beta1 gene polymorphism in association with diabetic retinopathy susceptibility: a systematic review and meta-analysis. *PLoS one*. 2014;9(4):e94160.
63. Simunovic M.P., Maberley D.A.L.. ANTI-vascular endothelial growth factor therapy for proliferative diabetic retinopathy. *Retina*. 2015;35(10):1931-1942.
64. Kee AR, Wong TY, Li LJ. Retinal vascular imaging technology to monitor disease severity and complications in type 1 diabetes mellitus: A systematic review. *Microcirculation (New York, N.Y. : 1994)*. 2016;24(2).
65. Ma J, Li Y, Zhou F, Xu X, Guo G, Qu Y. Meta-analysis of association between the Pro12Ala polymorphism of the peroxisome proliferator-activated receptor- γ 2 gene and diabetic retinopathy in Caucasians and Asians. *Molecular vision*. 2012;18:2352-60.
66. Zhu B., Wu X., Ning K., Jiang F., Zhang L.. The negative relationship between bilirubin level and diabetic retinopathy: A meta-analysis. *PLoS ONE*. 2016;11(8):e0161649.
67. Jonathan M Smith, David HW Steel. Anti-vascular endothelial growth factor for prevention of postoperative vitreous cavity haemorrhage after vitrectomy for proliferative diabetic retinopathy. *Cochrane Database of Systematic Reviews*. 2015;8(8):CD008214.

68. Orlewska K., Orlewska E.. GSTM1 and GSTT1 null genotype and diabetic retinopathy: A meta-analysis. *International Journal of Clinical and Experimental Medicine*. 2016;9(2):4925-4926.
69. Flaxman SR, Bourne RRA, Resnikoff S, Ackland P, Braithwaite T, Cicinelli MV, Das A, Jonas JB, Keeffe J, Kempen JH, Leasher J, Limburg H, Naidoo K, Pesudovs K, Silvester A, Stevens GA, Tahhan N, Wong TY, Taylor HR, Vision Loss Expert Group of the Global Burden of Disease Study. Global causes of blindness and distance vision impairment 1990-2020: a systematic review and meta-analysis. *The Lancet. Global health*. 2017;5(12):e1221-e1234.
70. Zhang Y., Yan X., Liao Y., Jia L.-Y., Liu Z., Liu J.-P.. Chinese herbal formula qiming granule for diabetic retinopathy: A systematic review and meta-analysis of randomized clinical trials. *Journal of Alternative and Complementary Medicine*. 2016;:A43.
71. Lu Y, Ge Y, Shi Y, Yin J, Huang Z. Two polymorphisms (rs699947, rs2010963) in the VEGFA gene and diabetic retinopathy: an updated meta-analysis. *BMC ophthalmology*. 2013;13:56.
72. Maria José Martínez-Zapata, Arturo J Martí-Carvajal, Ivan Solà, José I Pijoán, José A Buil-Calvo, Josep A Cordero, Jennifer R Evans. Anti-vascular endothelial growth factor for proliferative diabetic retinopathy. *Cochrane Database of Systematic Reviews*. 2014;11(11):CD008721.
73. Wiecezorek A., Marcisz A., Rys P., Skrzekowska-Baran I., Plisko R., Wladysiuk M.. Glycated haemoglobin as a surrogate marker for the appearance and progression of retinopathy in type-1 diabetes mellitus: Systematic review and meta-analysis. *Value in Health*. 2009;:A403.
74. Luo D, Zheng Z, Xu X, Fan Y, Zhu B, Liu K, Wang F, Sun X, Zou H, Xia X. Systematic review of various laser intervention strategies for proliferative diabetic retinopathy. *Expert review of medical devices*. 2014;12(1):1-9.
75. Benson W.B.. Micronutrients and diabetic retinopathy: A systematic review. *Evidence-Based Ophthalmology*. 2010;11(2):100-101.
76. Hemmingsen B, Lund SS, Gluud C, Vaag A, Almdal T, Hemmingsen C, Wetterslev J. Intensive glycaemic control for patients with type 2 diabetes: systematic review with meta-analysis and trial sequential analysis of randomised clinical trials. *BMJ (Clinical research ed.)*. 2011;343:d6898.
77. Hutchinson A, McIntosh A, Peters J, O'Keeffe C, Khunti K, Baker R, Booth A. Effectiveness of screening and monitoring tests for diabetic retinopathy--a systematic review. *Diabetic medicine : a journal of the British Diabetic Association*. 2000;17(7):495-506.
78. Huang L, Lyu J, Liu QP, Chen C, Wang T. MnSOD Val16Ala polymorphism associated with retinopathy risk in diabetes: a PRISMA-compliant Meta-analysis of case-control studies. *International journal of ophthalmology*. 2017;10(4):639-645.
79. Carlos César Lopes de Jesus, Álvaro N Atallah, Orsine Valente, Virginia Fernandes Moça Trevisani. Pentoxifylline for diabetic retinopathy. *Cochrane database of systematic reviews (Online)*. 2008;(2):CD006693.
80. Zeng Z.-H., Zhong L., Wang M., Lei C.-L.. Association between eNOS gene a/b polymorphism and diabetic retinopathy susceptibility: A meta-analysis. *Chinese Journal of Evidence-Based Medicine*. 2015;15(8):898-906.
81. Weltermann B, Reinders S, Bettin M, Gesenhues S, Hermann M. [Screening for diabetic retinopathy in type 2 diabetes: a critical review of an annual routine]. *Zeitschrift fur Evidenz, Fortbildung und Qualitat im Gesundheitswesen*. 2013;107(6):403-9.
82. Song J, Chen S, Liu X, Duan H, Kong J, Li Z. Relationship between C-Reactive Protein Level and Diabetic Retinopathy: A Systematic Review and Meta-Analysis. *PLoS one*. 2015;10(12):e0144406.
83. Guo VY, Cao B, Wu X, Lee JJ, Zee BC. Prospective Association between Diabetic Retinopathy and Cardiovascular Disease-A Systematic Review and Meta-analysis of Cohort Studies. *Journal of stroke and cerebrovascular diseases : the official journal of National Stroke Association*. 2016;25(7):1688-95.

84. Tikhomirov A., Grassi M.A., Ramalingam S., Below J.E., Cox N.J., Nicolae D.L.. Genome-wide association study meta-analysis identifies novel susceptibility loci for severe diabetic retinopathy. *Genetic Epidemiology*. 2010;:954-955.
85. Liu L, Wu X, Liu L, Geng J, Yuan Z, Shan Z, Chen L. Prevalence of diabetic retinopathy in mainland China: a meta-analysis. *PloS one*. 2012;7(9):e45264.
86. Mannucci E, Monami M, Lamanna C, Adalsteinsson JE. Post-prandial glucose and diabetic complications: systematic review of observational studies. *Acta diabetologica*. 2012;49(4):307-14.
87. Zhou M, Zhang P, Xu X, Sun X. The Relationship Between Aldose Reductase C106T Polymorphism and Diabetic Retinopathy: An Updated Meta-Analysis. *Investigative ophthalmology & visual science*. 2015;56(4):2279-89.
88. Simo R, Ballarini S, Cunha-Vaz J, Ji L, Haller H, Zimmet P, Wong TY. Non-traditional systemic treatments for diabetic retinopathy: an evidence-based review. *Current medicinal chemistry*. 2015;22(21):2580-9.
89. Gong JY, Sun YH. Association of VEGF gene polymorphisms with diabetic retinopathy: a meta-analysis. *PloS one*. 2013;8(12):e84069.
90. Grassi MA, Tikhomirov A, Ramalingam S, Below JE, Cox NJ, Nicolae DL. Genome-wide meta-analysis for severe diabetic retinopathy. *Human molecular genetics*. 2011;20(12):2472-81.
91. Sun H, Cong X, Sun R, Wang C, Wang X, Liu Y. Association between the ICAM-1 K469E polymorphism and diabetic retinopathy in Type 2 diabetes mellitus: a meta-analysis. *Diabetes research and clinical practice*. 2014;104(2):e46-9.
92. Lagani V, Koumakis L, Chiarugi F, Lakasing E, Tsamardinos I. A systematic review of predictive risk models for diabetes complications based on large scale clinical studies. *Journal of diabetes and its complications*. 2013;27(4):407-13.
93. Xie J, Ikram MK, Cotch MF, Klein B, Varma R, Shaw JE, Klein R, Mitchell P, Lamoureux EL, Wong TY. Association of Diabetic Macular Edema and Proliferative Diabetic Retinopathy With Cardiovascular Disease: A Systematic Review and Meta-analysis. *JAMA ophthalmology*. 2017;135(6):586-593.
94. Leong WB, Jadhakhan F, Taheri S, Chen YF, Adab P, Thomas GN. Effect of obstructive sleep apnoea on diabetic retinopathy and maculopathy: a systematic review and meta-analysis. *Diabetic medicine : a journal of the British Diabetic Association*. 2015;33(2):158-68.
95. Chen X, Nie C, Gong Y, Zhang Y, Jin X, Wei S, Zhang M. Peripapillary retinal nerve fiber layer changes in preclinical diabetic retinopathy: a meta-analysis. *PloS one*. 2015;10(5):e0125919.
96. Fu Y., Geng D., Liu H., Che H.. Myopia and/or longer axial length are protective against diabetic retinopathy: A meta-analysis. *Acta Ophthalmologica*. 2016;94(4):346-352.
97. Fan X, Wu Q, Li Y, Hao Y, Ning N, Kang Z, Cui Y, Liu R, Han L. Association between adiponectin concentrations and diabetic retinopathy in patients with type 2 diabetes: a meta analysis. *Chinese medical journal*. 2014;127(4):765-71.
98. Zhao LQ, Zhu H, Zhao PQ, Hu YQ. A systematic review and meta-analysis of clinical outcomes of vitrectomy with or without intravitreal bevacizumab pretreatment for severe diabetic retinopathy. *The British journal of ophthalmology*. 2011;95(9):1216-22.
99. Virgili, Gianni, Parravano, Mariacristina, Evans, Jennifer R, Gordon, Iris, Lucenteforte, Ersilia. Anti-vascular endothelial growth factor for diabetic macular oedema: a network meta-analysis. *Cochrane Database of Systematic Reviews*. 2017;6:CD007419.
100. Zeng Y, Dai F, Yang K, Tang Y, Xu M, Zhou Y. Association between a vascular endothelial growth factor gene polymorphism (rs2146323) and diabetic retinopathy: a meta-analysis. *BMC ophthalmology*. 2015;15:163.
101. Zhou Y, Zhang Y, Shi K, Wang C. Body mass index and risk of diabetic retinopathy: A meta-analysis and systematic review. *Medicine*. 2017;96(22):e6754.
102. Jennifer R Evans, Manuele Michelessi, Gianni Virgili. Laser photocoagulation for proliferative diabetic retinopathy. *Cochrane Database of Systematic Reviews*. 2014;11(11):CD011234.

103. Sáenz Calvo A, Fernández Esteban I, Mataix Sanjuán A, Ausejo Segura M, Roqué M, Moher D. [Metformin for type-2 diabetes mellitus. Systematic review and meta-analysis]. *Atencion primaria / Sociedad Española de Medicina de Familia y Comunitaria*. 2005;36(4):183-91.
104. Wang PH, Lau J, Chalmers TC. Metaanalysis of the effects of intensive glycemic control on late complications of type I diabetes mellitus. *The Online journal of current clinical trials*. 1993;Doc No 60:[5023 words; 37 paragraphs].
105. Zhao C, Wang W, Xu D, Li H, Li M, Wang F. Insulin and risk of diabetic retinopathy in patients with type 2 diabetes mellitus: data from a meta-analysis of seven cohort studies. *Diagnostic pathology*. 2014;9:130.
106. Liew G, Wong VW, Ho IV. Mini Review: Changes in the Incidence of and Progression to Proliferative and Sight-Threatening Diabetic Retinopathy Over the Last 30 Years. *Ophthalmic epidemiology*. 2017;24(2):1-8.
107. Seshadri Reddy V, Sethi S, Gupta N, Agrawal P, Chander Siwach R. SIGNIFICANCE OF ISCHEMIA-MODIFIED ALBUMIN AS A SIMPLE MEASURE OF OXIDATIVE STRESS AND ITS DISCRIMINATORY ABILITY IN DIABETIC RETINOPATHY: Literature Review and Meta-Analysis. *Retina (Philadelphia, Pa.)*. 2016;36(6):1049-57.
108. Tapp RJ, Svoboda J, Fredericks B, Jackson AJ, Taylor HR. Retinal Photography Screening Programs to Prevent Vision Loss from Diabetic Retinopathy in Rural and Urban Australia: A Review. *Ophthalmic epidemiology*. 2014;22(1):1-8.
109. He F, Xia X, Wu XF, Yu XQ, Huang FX. Diabetic retinopathy in predicting diabetic nephropathy in patients with type 2 diabetes and renal disease: a meta-analysis. *Diabetologia*. 2013;56(3):457-66.
110. Liu J, Jones RE, Zhao J, Zhang J, Zhang F. Influence of uncomplicated phacoemulsification on central macular thickness in diabetic patients: a meta-analysis. *PloS one*. 2015;10(5):e0126343.
111. Gorst C, Kwok CS, Aslam S, Buchan I, Kontopantelis E, Myint PK, Heatlie G, Loke Y, Rutter MK, Mamas MA. Long-term Glycemic Variability and Risk of Adverse Outcomes: A Systematic Review and Meta-analysis. *Diabetes care*. 2015;38(12):2354-69.
112. Prokofyeva E, Zrenner E. Epidemiology of major eye diseases leading to blindness in Europe: a literature review. *Ophthalmic research*. 2012;47(4):171-88.
113. Feng Y, Shan MQ, Bo L, Zhang XY, Hu J. Association of homocysteine with type 1 diabetes mellitus: a meta-analysis. *International journal of clinical and experimental medicine*. 2015;8(8):12529-38.
114. Rys P., Wieczorek A., Marcisz A., Skrzekowska-Baran I., Malecki M.. Glycated haemoglobin as a surrogate marker for diabetic retinopathy in type 1 diabetes mellitus: Systematic review and meta-analysis of randomized, observational and cross-sectional studies. *European Journal of Clinical Investigation*. 2010;9-10.
115. Czupryniak L, Joshi SR, Gogtay JA, Lopez M. Effect of Micronized Fenofibrate on Microvascular Complications of Type 2 Diabetes: A Systematic Review. *Expert opinion on pharmacotherapy*. 2016;17(11):1-11.
116. Luo S., Shi C., Wang F., Wu Z.. Association between the angiotensin-converting enzyme (ACE) genetic polymorphism and diabetic retinopathy-a meta-analysis comprising 10,168 subjects. *International Journal of Environmental Research and Public Health*. 2016;13(11).
117. James S, Gallagher R, Dunbabin J, Perry L. Prevalence of vascular complications and factors predictive of their development in young adults with type 1 diabetes: systematic literature review. *BMC research notes*. 2014;7:593.
118. Donald A Grover, Tianjing Li, Colin CW Chong. Intravitreal steroids for macular edema in diabetes. *Cochrane Database of Systematic Reviews*. 2008;(1):CD005656.
119. Zhang X, Zhao J, Zhao T, Liu H. Effects of intensive glycemic control in ocular complications in patients with type 2 diabetes: a meta-analysis of randomized clinical trials. *Endocrine*. 2014;49(1):78-89.

120. Niu W, Qi Y, Wu Z, Liu Y, Zhu D, Jin W. A meta-analysis of receptor for advanced glycation end products gene: four well-evaluated polymorphisms with diabetes mellitus. *Molecular and cellular endocrinology*. 2012;358(1):9-17.
121. Wang X, Tang L, Gao L, Yang Y, Cao D, Li Y. Myopia and diabetic retinopathy: A systematic review and meta-analysis. *Diabetes research and clinical practice*. 2015;111:1-9.
122. Simunovic MP, Maberley DA. ANTI-VASCULAR ENDOTHELIAL GROWTH FACTOR THERAPY FOR PROLIFERATIVE DIABETIC RETINOPATHY: A Systematic Review and Meta-Analysis. *Retina (Philadelphia, Pa.)*. 2015;35(10):1931-42.
123. Lu Y, Ge Y, Hu Q, Shi Y, Xue C, Shi Y, Chen S, Huang Z. Association between angiotensin-converting enzyme gene polymorphism and diabetic retinopathy in the Chinese population. *Journal of the renin-angiotensin-aldosterone system : JRAAS*. 2012;13(2):289-95.
124. Jotheeswaran AT, Lovakanth N, Nadiga S, Anchala R, Murthy GV, Gilbert CE. Estimating the proportion of persons with diabetes developing diabetic retinopathy in India: A systematic review and meta-analysis. *Indian journal of endocrinology and metabolism*. 2016;20(Suppl 1):S51-8.
125. Raj, Anusha Govinda, de Verteuil, Robyn. Systematic review of the effectiveness of the single, two and three field digital retinal photography for screening diabetic retinopathy. *JBI Library of Systematic Reviews*. 2009;7:11-23.
126. Martínez-Vizcaíno V, Cavero-Redondo I, Álvarez-Bueno C, Rodríguez-Artalejo F. The Accuracy of Diagnostic Methods for Diabetic Retinopathy: A Systematic Review and Meta-Analysis. *PLoS one*. 2016;11(4):e0154411.
127. Buehler AM, Cavalcanti AB, Berwanger O, Figueiro M, Laranjeira LN, Zazula AD, Kioshi B, Bugano DG, Santucci E, Sbruzzi G, Guimaraes HP, Carvalho VO, Bordin SA. Effect of tight blood glucose control versus conventional control in patients with type 2 diabetes mellitus: a systematic review with meta-analysis of randomized controlled trials. *Cardiovascular therapeutics*. 2013;31(3):147-60.
128. Menezes MM, Lopes CT, Nogueira LS. Impact of educational interventions in reducing diabetic complications: a systematic review. *Revista brasileira de enfermagem*. 2016;69(4):773-784.
129. Emdin CA, Rahimi K, Neal B, Callender T, Perkovic V, Patel A. Blood pressure lowering in type 2 diabetes: a systematic review and meta-analysis. *JAMA*. 2015;313(6):603-15.
130. Kim Y.J., Kim B.H., Choi B.M., Sun H.J., Lee S.J., Choi K.S.. Bariatric surgery is associated with less progression of diabetic retinopathy: A systematic review and meta-analysis. *Surgery for Obesity and Related Diseases*. 2017;13(2):352-360.
131. Niu W, Qi Y. An updated meta-analysis of methylenetetrahydrofolate reductase gene 677C/T polymorphism with diabetic nephropathy and diabetic retinopathy. *Diabetes research and clinical practice*. 2012;95(1):110-8.
132. Tian C, Fang S, Du X, Jia C. Association of the C47T polymorphism in SOD2 with diabetes mellitus and diabetic microvascular complications: a meta-analysis. *Diabetologia*. 2011;54(4):803-11.
133. Wang PH, Lau J, Chalmers TC. Meta-analysis of effects of intensive blood-glucose control on late complications of type I diabetes. *Lancet (London, England)*. 1993;341(8856):1306-9.
134. Singer DE, Nathan DM, Fogel HA, Schachat AP. Screening for diabetic retinopathy. *Annals of internal medicine*. 1992;116(8):660-71.
135. Xu C, Wu Y, Liu G, Liu X, Wang F, Yu J. Relationship between homocysteine level and diabetic retinopathy: a systematic review and meta-analysis. *Diagnostic pathology*. 2014;9(1):167.
136. Jones S, Edwards RT. Diabetic retinopathy screening: a systematic review of the economic evidence. *Diabetic medicine : a journal of the British Diabetic Association*. 2010;27(3):249-56.
137. Fortin P, Mintzes B, Innes M. A Systematic Review of Intravitreal Bevacizumab for the Treatment of Diabetic Macular Edema. *CADTH Rapid Response Reports*. 2012;
138. Li J, Dong Y, Wu T, Tong N. Differences between western and Asian type 2 diabetes patients in the incidence of vascular complications and mortality: A systematic review of randomized controlled trials on lowering blood glucose. *Journal of diabetes*. 2015;8(6):824-833.

139. Xu K, Liu X, Yang F, Cui D, Shi Y, Shen C, Tang W, Yang T. PAI-1 -675 4G/5G polymorphism in association with diabetes and diabetic complications susceptibility: a meta-analysis study. *PloS one*. 2013;8(11):e79150.
140. Zhou JB, Yang JK. Angiotensin-converting enzyme gene polymorphism is associated with proliferative diabetic retinopathy: a meta-analysis. *Acta diabetologica*. 2010;47 Suppl 1(SUPPL. 1):187-93.
141. Wiwanitkit V. Angiotensin-converting enzyme gene polymorphism is correlated to diabetic retinopathy: a meta-analysis. *Journal of diabetes and its complications*. 2008;22(2):144-6.
142. McAuley A.K., Sanfilippo P.G., Connell P.P., Wang J.J., Dirani M., Lamoureux E., Hewitt A.W.. Circulating biomarkers of diabetic retinopathy: A systematic review and meta-analysis. *Diabetes Management*. 2012;2(2):157-169.
143. Rodgers M, Hodges R, Hawkins J, Hollingworth W, Duffy S, McKibbin M, Mansfield M, Harbord R, Sterne J, Glasziou P, Whiting P, Westwood M. Colour vision testing for diabetic retinopathy: a systematic review of diagnostic accuracy and economic evaluation. *Health technology assessment (Winchester, England)*. 2009;13(60):1-160.
144. Skrzekowska-Baran I., Rys P., Wiecek A., Marcisz A., Malecki M.T.. Glycated haemoglobin as a surrogate marker for the appearance and progression of retinopathy in type 2 diabetes mellitus: Systematic review and meta-analysis. *Diabetes*. 2010;
145. Sun L, Zhang Y, Xiong Y. GSTM1 and GSTT1 null genotype and diabetic retinopathy: a meta-analysis. *International journal of clinical and experimental medicine*. 2015;8(2):1677-83.
146. Fujisawa T, Ikegami H, Kawaguchi Y, Hamada Y, Ueda H, Shintani M, Fukuda M, Ogihara T. Meta-analysis of association of insertion/deletion polymorphism of angiotensin I-converting enzyme gene with diabetic nephropathy and retinopathy. *Diabetologia*. 1998;41(1):47-53.
147. Carlos César Lopes de Jesus, Álvaro N Atallah, Orsine Valente, Virginia Fernandes Moça Trevisani. Vitamin C and superoxide dismutase (SOD) for diabetic retinopathy. *Cochrane database of systematic reviews (Online)*. 2008;(1):CD006695.
148. Luo S., Wang F., Shi C., Wu Z.. A meta-analysis of association between methylenetetrahydrofolate reductase gene (MTHFR) 677C/T polymorphism and diabetic retinopathy. *International Journal of Environmental Research and Public Health*. 2016;13(8).
149. Sahoo S, Barua A, Myint KT, Haq A, Abas AB, Nair NS. Topical non-steroidal anti-inflammatory agents for diabetic cystoid macular oedema. *Cochrane Database of Systematic Reviews*. 2015;2(2):CD010009.
150. Zhang X, Norris SL, Saadine J, Chowdhury FM, Horsley T, Kanjilal S, Mangione CM, Buhrmann R. Effectiveness of interventions to promote screening for diabetic retinopathy. *American journal of preventive medicine*. 2007;33(4):318-35.
151. Qian-Qian Y, Yong Y, Jing Z, Dong-Hong F, Tian-Hua X, Li Y, Lan L, Jia C, Zhe-Yao G. Association between a 27-bp variable number of tandem repeat polymorphism in intron 4 of the eNOS gene and risk for diabetic retinopathy Type 2 diabetes mellitus: a meta-analysis. *Current eye research*. 2014;39(10):1052-8.
152. Ding Y., Hu Z., Yuan S., Xie P., Liu Q.. Association between transcription factor 7-like 2 rs7903146 polymorphism and diabetic retinopathy in type 2 diabetes mellitus: A meta-analysis. *Diabetes and Vascular Disease Research*. 2015;12(6):436-444.
153. Lin V., Yeh W.S., Kowalski J.. Economic evaluations for screening and treatments of diabetic retinopathy and diabetic macular edema: a systematic review. *Value in Health*. 2011;:A83.
154. Royle P, Mistry H, Auguste P, Shyangdan D, Freeman K, Lois N, Waugh N. Pan-retinal photocoagulation and other forms of laser treatment and drug therapies for non-proliferative diabetic retinopathy: systematic review and economic evaluation. *Health technology assessment (Winchester, England)*. 2015;19(51):v-xxviii, 1-247.
155. Shi L, Wu H, Dong J, Jiang K, Lu X, Shi J. Telemedicine for detecting diabetic retinopathy: a systematic review and meta-analysis. *The British journal of ophthalmology*. 2015;99(6):823-31.

156. Avogaro A, Fadini GP. The effects of dipeptidyl peptidase-4 inhibition on microvascular diabetes complications. *Diabetes care*. 2014;37(10):2884-94.
157. Do DV, Wang X, Vedula SS, Marrone M, Sleilati G, Hawkins BS, Frank RN. Blood pressure control for diabetic retinopathy. *Cochrane Database of Systematic Reviews*. 2015;1:CD006127.
158. Zhang J., Upala S., Sanguankeo A.. Relationship Between Vitamin D Deficiency and Diabetic Retinopathy: A Meta-Analysis. *Canadian Journal of Ophthalmology*. 2016;52(2):219-224.
159. Wang J, Yang MM, Rong SS, Ng TK, Li YB, Liu XM. Association of paraoxonase gene polymorphisms with diabetic nephropathy and retinopathy. *Molecular medicine reports*. 2013;8(6):1845-51.
160. Nalysnyk L, Hernandez-Medina M, Krishnarajah G. Glycaemic variability and complications in patients with diabetes mellitus: evidence from a systematic review of the literature. *Diabetes, obesity & metabolism*. 2010;12(4):288-98.
161. Menezes, Marcela Machado, Lopes, Camila Takáó, Nogueira, Lilia de Souza. Impact of educational interventions in reducing diabetic complications: a systematic review. *Rev Bras Enferm*. 2016;69(4):773-784.
162. Williams GA, Scott IU, Haller JA, Maguire AM, Marcus D, McDonald HR. Single-field fundus photography for diabetic retinopathy screening: a report by the American Academy of Ophthalmology. *Ophthalmology*. 2004;111(5):1055-62.
163. Tricco AC, Ashoor HM, Soobiah C, Hemmelgarn B, Moher D, Hutton B, Yu CH, Majumdar SR, Straus SE. Safety, effectiveness, and cost of long-acting versus intermediate-acting insulin for type 1 diabetes: protocol for a systematic review and network meta-analysis. *Systematic reviews*. 2013;2:73.
164. Dicembrini I, Nreu B, Scatena A, Andreozzi F, Sesti G, Mannucci E, Monami M. Microvascular effects of glucagon-like peptide-1 receptor agonists in type 2 diabetes: a meta-analysis of randomized controlled trials. *Acta diabetologica*. 2017;54(10):1-9.
165. Graham-Rowe E, Lorencatto F, Lawrenson JG, Burr J, Grimshaw JM, Ivers NM, Peto T, Bunce C, Francis JJ, WIDEr-EyeS Project team. Barriers and enablers to diabetic retinopathy screening attendance: Protocol for a systematic review. *Systematic reviews*. 2016;5(1):134.
166. Yau JW, Rogers SL, Kawasaki R, Lamoureux EL, Kowalski JW, Bek T, Chen SJ, Dekker JM, Fletcher A, Grauslund J, Haffner S, Hamman RF, Ikram MK, Kayama T, Klein BE, Klein R, Krishnaiah S, Mayurasakorn K, O'Hare JP, Orchard TJ, Porta M, Rema M, Roy MS, Sharma T, Shaw J, Taylor H, Tielsch JM, Varma R, Wang JJ, Wang N, West S, Xu L, Yasuda M, Zhang X, Mitchell P, Wong TY, Meta-Analysis for Eye Disease (META-EYE) Study Group. Global prevalence and major risk factors of diabetic retinopathy. *Diabetes care*. 2012;35(3):556-64.
167. Rys P., Wieczorek A., Marcisz A., Skrzekowska-Baran I., Malecki M.T.. Glycated haemoglobin as a surrogate marker for the appearance and progression of retinopathy in type 1 diabetes mellitus: systematic review and meta-analysis. *Diabetologia*. 2009;:S438.
168. Zhao S, Li T, Zheng B, Zheng Z. Nitric oxide synthase 3 (NOS3) 4b/a, T-786C and G894T polymorphisms in association with diabetic retinopathy susceptibility: a meta-analysis. *Ophthalmic genetics*. 2012;33(4):200-7.
169. McAuley AK, Sanfilippo PG, Hewitt AW, Liang H, Lamoureux E, Wang JJ, Connell PP. Vitreous biomarkers in diabetic retinopathy: a systematic review and meta-analysis. *Journal of diabetes and its complications*. 2013;28(3):419-25.
170. De Clerck EE, Schouten JS, Berendschot TT, Kessels AG, Nuijts RM, Beckers HJ, Schram MT, Stehouwer CD, Webers CA. New ophthalmologic imaging techniques for detection and monitoring of neurodegenerative changes in diabetes: a systematic review. *The lancet. Diabetes & endocrinology*. 2015;3(8):653-63.
171. Yilmaz T, Weaver CD, Gallagher MJ, Cordero-Coma M, Cervantes-Castaneda RA, Klisovic D, Lavaque AJ, Larson RJ. Intravitreal triamcinolone acetate injection for treatment of refractory diabetic macular edema: a systematic review. *Ophthalmology*. 2009;116(5):902-11; quiz 912-3.

172. Wu J, Yue S, Geng J, Liu L, Teng W, Liu L, Chen L. Relationship between Diabetic Retinopathy and Subclinical Hypothyroidism: a meta-analysis. *Scientific reports*. 2015;5:12212.
173. Guo L., Lyu H.. Meta analysis of the association between vascular endothelial growth factor - 2578 C/A polymorphism and risk for diabetic retinopathy. *Zhonghua Shiyan Yanke Zazhi/Chinese Journal of Experimental Ophthalmology*. 2015;33(1):70-75.
174. Mohamed Q, Gillies MC, Wong TY. Management of diabetic retinopathy: a systematic review. *JAMA*. 2007;298(8):902-16.
175. Kähler P, Grevstad B, Almdal T, Gluud C, Wetterslev J, Vaag A, Hemmingsen B. Targeting intensive versus conventional glycaemic control for type 1 diabetes mellitus: a systematic review with meta-analyses and trial sequential analyses of randomised clinical trials. *BMJ open*. 2014;4(8):e004806.
176. Lee CT, Gayton EL, Beulens JW, Flanagan DW, Adler AI. Micronutrients and diabetic retinopathy a systematic review. *Ophthalmology*. 2010;117(1):71-8.
177. Gianni Virgili, Francesca Menchini, Giovanni Casazza, Ruth Hogg, Radha R Das, Xue Wang, Manuele Michelessi. Optical coherence tomography (OCT) for detection of macular oedema in patients with diabetic retinopathy. *Cochrane Database of Systematic Reviews*. 2015;1(1):CD008081.
178. Maroufizadeh S, Almasi-Hashiani A, Hosseini M, Sepidarkish M, Omani Samani R. Prevalence of diabetic retinopathy in Iran: a systematic review and Meta-analysis. *International journal of ophthalmology*. 2017;10(5):782-789.
179. Rahimi Z, Moradi M, Nasri H. A systematic review of the role of renin angiotensin aldosterone system genes in diabetes mellitus, diabetic retinopathy and diabetic neuropathy. *Journal of research in medical sciences : the official journal of Isfahan University of Medical Sciences*. 2014;19(11):1090-8.
180. Birgit Fullerton, Klaus Jeitler, Mirjam Seitz, Karl Horvath, Andrea Berghold, Andrea Siebenhofer. Intensive glucose control versus conventional glucose control for type 1 diabetes mellitus. *Cochrane Database of Systematic Reviews*. 2014;2(2):CD009122.
181. Govindaraj A., De Verteuil R.. Systematic review of the diagnostic accuracy of the single, two and three field digital retinal photography for screening diabetic retinopathy. *Annals of the Academy of Medicine Singapore*. 2011;:S275.
182. Zhu W, Meng YF, Wu Y, Xu M, Lu J. Association of alcohol intake with risk of diabetic retinopathy: a meta-analysis of observational studies. *Scientific reports*. 2017;7(1):4.
183. Williams R, Airey M, Baxter H, Forrester J, Kennedy-Martin T, Girach A. Epidemiology of diabetic retinopathy and macular oedema: a systematic review. *Eye (London, England)*. 2004;18(10):963-83.
184. Goodwin P.. Management of diabetic retinopathy: A systematic review. *Evidence-Based Ophthalmology*. 2008;9(1):36-37.
185. Larun L, Bjørner T, Fretheim A, Brurberg KG. Use of forms for follow-up of diabetes in general practice. *Tidsskrift for den Norske laegeforening : tidsskrift for praktisk medicin, ny raekke*. 2016;136(5):417-422.
186. Riddell MC, Burr J. Evidence-based risk assessment and recommendations for physical activity clearance: diabetes mellitus and related comorbidities. *Applied physiology, nutrition, and metabolism = Physiologie appliquée, nutrition et métabolisme*. 2011;36 Suppl 1:S154-89.
187. NHS Centre for Reviews and Dissemination. Complications of diabetes: screening for retinopathy management of foot ulcers. *Effective Health Care*. 1999;5:1–12.
188. Zhao T, Zhao J. Association between the -634C/G polymorphisms of the vascular endothelial growth factor and retinopathy in type 2 diabetes: a meta-analysis. *Diabetes research and clinical practice*. 2010;90(1):45-53.
189. Ng DP, Tai BC, Lim XL. Is the presence of retinopathy of practical value in defining cases of diabetic nephropathy in genetic association studies? The experience with the ACE

- insertion/deletion polymorphism in 53 studies comprising 17,791 subjects. *Diabetes*. 2008;57(9):2541-6.
190. Do DV, Wang X, Vedula SS, Marrone M, Sleilati G, Hawkins BS, Frank RN. Blood pressure control for diabetic retinopathy. *São Paulo medical journal = Revista paulista de medicina*. 2015;133(3):278-9.
 191. Bos M, Agyemang C. Prevalence and complications of diabetes mellitus in Northern Africa, a systematic review. *BMC public health*. 2013;13:387.
 192. Rys P., Wieczorek A., Marcisz A., Skrzekowska-Baran I., Malecki M.T.. Glycated haemoglobin as a surrogate marker for the appearance and progression of retinopathy in type 2 diabetes mellitus: Systematic review and meta-analysis. *Diabetologia*. 2010;:S466.
 193. Zhang X, Liu W, Wu S, Jin J, Li W, Wang N. Calcium dobesilate for diabetic retinopathy: a systematic review and meta-analysis. *Science China. Life sciences*. 2014;58(1):101-7.
 194. Raj, Anusha Govinda, de Verteuil, Robyn. Systematic review of the diagnostic accuracy of the single, two and three field digital retinal photography for screening diabetic retinopathy. *JBI Library of Systematic Reviews*. 2011;9(16):491-537.
 195. Karim R, Tang B. Use of anti-vascular endothelial growth factor for diabetic macular edema. *Clinical ophthalmology (Auckland, N.Z.)*. 2010;4:493-517.
 196. Xie X.-J., Yang Y.-M., Jiang J.-K., Lu Y.-Q.. Association between the vascular endothelial growth factor single nucleotide polymorphisms and diabetic retinopathy risk: A meta-analysis. *Journal of Diabetes*. 2016;9(8):738-753.
 197. Wang H, Cheng JW, Zhu LS, Wei RL, Cai JP, Li Y, Ma XY. Meta-analysis of association between the -2578C/A polymorphism of the vascular endothelial growth factor and retinopathy in type 2 diabetes in Asians and Caucasians. *Ophthalmic research*. 2014;52(1):1-8.
 198. Von Ehrlich B., Wadepuhl M.. Enhanced risk for diabetic retinopathy with low serum-magnesium - A meta-analysis and perspectives of an epidemiological association. *Diabetes und Stoffwechsel*. 2003;12(6):285-289.
 199. Virgili G, Menchini F, Dimastrogiovanni AF, Rapizzi E, Menchini U, Bandello F, Chiodini RG. Optical coherence tomography versus stereoscopic fundus photography or biomicroscopy for diagnosing diabetic macular edema: a systematic review. *Investigative ophthalmology & visual science*. 2007;48(11):4963-73.
 200. Zoungas S, Arima H, Gerstein HC, Holman RR, Woodward M, Reaven P, Hayward RA, Craven T, Coleman RL, Chalmers J, Collaborators on Trials of Lowering Glucose (CONTROL) group. Effects of intensive glucose control on microvascular outcomes in patients with type 2 diabetes: a meta-analysis of individual participant data from randomised controlled trials. *The lancet. Diabetes & endocrinology*. 2017;5(6):431-437.
 201. Bragge P, Gruen RL, Chau M, Forbes A, Taylor HR. Screening for presence or absence of diabetic retinopathy: a meta-analysis. *Archives of ophthalmology*. 2011;129(4):435-44.
 202. Merlotti C, Ceriani V, Morabito A, Pontiroli AE. Bariatric surgery and diabetic retinopathy: a systematic review and meta-analysis of controlled clinical studies. *Obesity reviews : an official journal of the International Association for the Study of Obesity*. 2017;18(3):309-316.
 203. Liang S, Zhang XG, Cai GY, Zhu HY, Zhou JH, Wu J, Chen P, Lin SP, Qiu Q, Chen XM. Identifying parameters to distinguish non-diabetic renal diseases from diabetic nephropathy in patients with type 2 diabetes mellitus: a meta-analysis. *PloS one*. 2013;8(5):e64184.
 204. Zhang ZH, Liu HY, Hernandez-Da Mota SE, Romano MR, Falavarjani KG, Ahmadi H, Xu X, Liu K. Vitrectomy with or without preoperative intravitreal bevacizumab for proliferative diabetic retinopathy: a meta-analysis of randomized controlled trials. *American journal of ophthalmology*. 2013;156(1):106-115.e2.
 205. Cheng L, Zhang G, Zhou Y, Lu X, Zhang F, Ye H, Duan J. Systematic review and meta-analysis of 16 randomized clinical trials of radix astragali and its prescriptions for diabetic retinopathy. *Evidence-based complementary and alternative medicine : eCAM*. 2013;2013(no pagination):762783.

206. Sarwar KN, Cliff P, Saravanan P, Khunti K, Nirantharakumar K, Narendran P. Comorbidities, complications and mortality in people of South Asian ethnicity with type 1 diabetes compared with other ethnic groups: a systematic review. *BMJ open*. 2017;7(7):e015005.
207. Kramer C.K., Rodrigues T.C., Canani L.H., Gross J.L., Azevedo M.J.. Diabetic retinopathy predicts all-cause mortality and cardiovascular events in both type 1 and 2 diabetes mellitus: A meta-analysis of observational studies. *Endocrine Reviews*. 2011;
208. Zhang, Yun, Xia, Wei, Lu, Ping, Yuan, Huijuan. The Association between VDR Gene Polymorphisms and Diabetic Retinopathy Susceptibility: A Systematic Review and Meta-Analysis. *BioMed Research International*. 2016;2016(no pagination):1-10.
209. Korobelnik JF, Kleijnen J, Lang SH, Birnie R, Leadley RM, Misso K, Worthy G, Muston D, Do DV. Systematic review and mixed treatment comparison of intravitreal aflibercept with other therapies for diabetic macular edema (DME). *BMC ophthalmology*. 2015;15(1):52.