



**INFORME DE BÚSQUEDA SISTEMÁTICA DE EVIDENCIA DE LOS EFECTOS
DESEABLES E INDESEABLES**

**Guía de Práctica Clínica Síndrome de Dificultad Respiratoria
en el recién nacido - 2017**

ÍNDICE

TABLA RESUMEN	2
ESTRATEGIA DE BÚSQUEDA	3
CRITERIOS DE INCLUSIÓN	3
RECOLECCIÓN, ANÁLISIS Y SÍNTESIS DE DATOS	4
Selección de las revisiones	4
Mapeo de la evidencia	4
Actualización – “Living”	4
Apéndice 1. Estrategias de búsqueda	5
Apéndice 2. Diagrama de flujo PRISMA	7
Apéndice 3. Referencias seleccionadas	8

TABLA RESUMEN

Problema de salud	Síndrome dificultad respiratoria del recién nacido
ICD10	P22
Fecha de entrega	08/10/2017
Investigador responsable	Gabriel Rada Giacaman
Número de revisiones sistemáticas	131
Número de preguntas	109
L-OVE	Respiratory distress of newborn
L-OVE URL	https://love.epistemonikos.org/#/diseases/respiratory_distress_syndrome_of_newborn/about

ESTRATEGIA DE BÚSQUEDA

Se realizaron búsquedas en Epistemonikos, una base de datos exhaustiva de revisiones sistemáticas relevantes para la toma de decisiones en salud. No se aplican restricciones en base al idioma o estado de publicación. La búsqueda de evidencia fue realizada en las siguientes bases de datos¹ con las estrategias descritas en el Apéndice 1.

1. Cochrane database of systematic reviews (CDSR)
2. Database of Abstracts of Reviews of Effectiveness (DARE)
3. HTA Database
4. PubMed
5. LILACS
6. CINAHL.
7. PsychINFO.
8. EMBASE.
9. EPPI-Centre Evidence Library
10. 3ie Systematic Reviews and Policy Briefs Campbell Library
11. Clinical Evidence.
12. SUPPORT Summaries
13. WHO Institutional Repository for Information Sharing
14. NICE public health guidelines and systematic reviews
15. ACP Journal Club.
16. Evidencias en Pediatría
17. The JBI Database of Systematic Reviews and Implementation Reports

CRITERIOS DE INCLUSIÓN

Consideramos todas las revisiones sistemáticas que están sintetizando estudios primarios (tanto experimentales como observacionales) de acuerdo a la definición empleada por la Colaboración Cochrane y la declaración PRISMA².

Una revisión elegible debe cumplir con los siguientes criterios operacionales:

1. Reporta una búsqueda en al menos una base de datos electrónica.
2. Reporta al menos uno de los siguientes criterios inclusión de los estudios:
 - **Tipo de participantes:** Se incluyen todas las revisiones sistemáticas que resuman estudios que respondan la pregunta acerca de intervenciones para el alivio del dolor por cáncer avanzado y cuidados paliativos en humanos.

¹ La actualización se realiza de manera semanal. Se encuentra disponible en la plataforma digital un sistema de alerta que permite informar a través de correo electrónico la publicación de nuevos estudios que dan respuesta a las preguntas definidas, de manera de mantener continuamente actualizada la evidencia.

² “Una revisión sistemática intenta recopilar toda la evidencia empírica para responder a una pregunta de investigación específica, que cumple con criterios previamente definidos. Utiliza métodos explícitos y sistemáticos, que se eligen con miras a minimizar el sesgo, de manera de entregar hallazgos confiables que permitan sacar conclusiones y tomar decisiones”.

- **Tipo de desenlaces:** Se incluyen revisiones que presentan una síntesis (cuantitativa o cualitativa) de al menos un desenlace importante para el paciente u otra información relevante para tomar decisiones poblacionales o individuales acerca de intervenciones para el alivio del dolor por cáncer avanzado y cuidados paliativos en humanos.

RECOLECCIÓN, ANÁLISIS Y SÍNTESIS DE DATOS

SELECCIÓN DE LAS REVISIONES

Al menos dos revisores, de manera independiente, realizaron el cribado de los títulos y resúmenes para identificar los artículos relevantes. El texto completo de las revisiones potencialmente elegibles fue recuperado y evaluado, de manera independiente, para su inclusión final. Un tercer investigador resolvió cualquier discrepancia que pudiera haberse provocado entre los distintos revisores.

MAPEO DE LA EVIDENCIA

Con el objetivo de generar un listado exhaustivo de todas las posibles preguntas relacionadas con el tópico del L-OVE: *Respiratory distress of newborn*³, se realiza la agrupación de las revisiones resultantes en formato PICO, es decir: población, intervención, comparación y desenlace [*outcome*]) utilizamos las siguientes fuentes:

1. Guías y documentos
2. Criterios de inclusión de las revisiones sistemáticas identificadas
3. Consulta con expertos
4. Retroalimentación de los usuarios

Como resultado final la plataforma incluye toda la evidencia disponible en revisiones sistemáticas y sus estudios primarios incluidos, segregada por nodos de evidencia que representan cada una de las preguntas priorizadas para actualización de la guía (Ver “Diagrama de flujo PRISMA” en Apéndice 2 y “Referencia Seleccionada” en Apéndice 3).

ACTUALIZACIÓN – “LIVING”

Todas las búsquedas a través de esta plataforma se mantienen continuamente actualizada gracias a la tecnología implementada en el buscador de Epistemonikos y sus distintos colaboradores. Por lo cual, tanto la cantidad de revisiones, preguntas, entre otros datos cambian continuamente. Los datos presentados en este informe son los correspondientes a la fecha de entrega.

³Ver resultados de la búsqueda en:

https://love.epistemonikos.org/#/diseases/respiratory_distress_syndrome_of_newborn/about

APÉNDICE 1. ESTRATEGIAS DE BÚSQUEDA

Cochrane Library - Cochrane database of systematic reviews (CDSR)

<http://www.thecochranelibrary.com>

((prematu* OR preterm OR pre-term OR "pre term" OR newborn OR infant) AND ((respiratory OR distress OR RDS OR BPD) OR (hyalin* AND membrane OR surfactant))), in Title, Abstract, Keywords: Cochrane Reviews (Reviews NOT protocols)

Medline/PubMed - US National Library of Medicine

<http://www.ncbi.nlm.nih.gov/pubmed/>

((prematu* OR preterm OR pre-term OR "pre term" OR newborn OR infant) AND ((respiratory OR distress OR RDS OR BPD) OR (hyalin* AND membrane OR surfactant))) AND (MEDLINE[Title/Abstract] OR (systematic[Title/Abstract] AND review[Title/Abstract]) OR meta analysis[Publication Type])

EMBASE (Excerpta Medica dataBASE)

<http://www.embase.com>

Frequency of search: weekly
((prematu* OR preterm OR pre-term OR "pre term" OR newborn OR infant) AND ((respiratory OR distress OR RDS OR BPD) OR (hyalin* AND membrane OR surfactant))) AND meta-analysis.tw. OR systematic review.tw

CINAHL (Cumulative Index to Nursing and Allied Health Literature)

<https://www.ebscohost.com/nursing/products/cinahl-databases/the-cinahl-database>

((prematu* OR preterm OR pre-term OR "pre term" OR newborn OR infant) AND ((respiratory OR distress OR RDS OR BPD) OR (hyalin* AND membrane OR surfactant))) AND ((TI meta analys* or AB meta analys*) or (TI systematic review or AB systematic review))

PsycINFO

<http://www.apa.org/pubs/databases/psycinfo>

((prematu* OR preterm OR pre-term OR "pre term" OR newborn OR infant) AND ((respiratory OR distress OR RDS OR BPD) OR (hyalin* AND membrane OR surfactant))) AND (meta-analysis OR search*)

LILACS (Literatura Latinoamericana y del Caribe en Ciencias de la Salud)

<http://lilacs.bvsalud.org/en/>

((prematu* OR preterm OR pre-term OR "pre term" OR newborn OR infant) AND ((respiratory OR distress OR RDS OR BPD) OR (hyalin* AND membrane OR surfactant))) AND (tw:"revision sistematica" or tw:"revisao sistematica" or tw:"systematic review") or ((MH:"Literatura de Revision como asunto" OR MH:"Metanálisis como asunto" OR PT:Revision OR PT:Metanálisis) and (TW:Metaanal\$ OR TW:"Meta-analysis" OR TW:"Meta-analise" OR TW:"Meta-analisis" OR TI:overview\$ or TW:"estudio sistemático" OR TW:"systematic study" OR TW:"estudo sistemático" OR TI:review OR TI:revisao OR TI:revision))

DARE (Database of Abstracts of Reviews of Effectiveness) - Centre for Reviews and Dissemination, University of York

<http://www.crd.york.ac.uk/CRDWeb/>

((prematu* OR preterm OR pre-term OR "pre term" OR newborn OR infant) AND ((respiratory OR distress OR RDS OR BPD) OR (hyalin* AND membrane OR surfactant))), in Any field: CRD assessed review (bibliographic)/ CRD assessed review (full abstract)

HTA Database

<http://www.crd.york.ac.uk/CRDWeb/>

((prematu* OR preterm OR pre-term OR "pre term" OR newborn OR infant) AND ((respiratory OR distress OR RDS OR BPD) OR (hyalin* AND membrane OR surfactant))), in Any field

The Campbell Collaboration Online Library

<https://www.campbellcollaboration.org/library.html>

((prematu* OR preterm OR pre-term OR "pre term" OR newborn OR infant) AND ((respiratory OR distress OR RDS OR BPD) OR (hyalin* AND membrane OR surfactant))), in Title: Review

JBI Database of Systematic Reviews and Implementation Reports

<http://journals.lww.com/jbisrir/pages>


((prematu* OR preterm OR pre-term OR "pre term" OR newborn OR infant) AND ((respiratory OR distress OR RDS OR BPD) OR (hyalin* AND membrane OR surfactant))) AND (review OR meta*), in All fields

EPPI-Centre Evidence Library

<http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=56>

((prematu* OR preterm OR pre-term OR "pre term" OR newborn OR infant) AND ((respiratory OR distress OR RDS OR BPD) OR (hyalin* AND membrane OR surfactant))) All records in chronological list (<http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=62>)

APÉNDICE 2. DIAGRAMA DE FLUJO PRISMA



APÉNDICE 3. REFERENCIAS SELECCIONADAS

1. McNamara HC, Crowther CA, Brown J. Different treatment regimens of magnesium sulphate for tocolysis in women in preterm labour. *Cochrane Database of Systematic Reviews*. 2015;12(12):CD011200.
2. O'Connor E, Rossom RC, Henninger M, Groom HC, Burda BU, Henderson JT, Bigler KD, Whitlock EP. Screening for Depression in Adults: An Updated Systematic Evidence Review for the U.S. Preventive Services Task Force. *U.S. Preventive Services Task Force Evidence Syntheses, formerly Systematic Evidence Reviews*. 2016;
3. Sotiriadis A, Papatheodorou S, Makrydimas G. Perinatal outcome in women treated with progesterone for the prevention of preterm birth: a meta-analysis. *Ultrasound in obstetrics & gynecology : the official journal of the International Society of Ultrasound in Obstetrics and Gynecology*. 2012;40(3):257-66.
4. David A Osborn. Thyroid hormones for preventing neurodevelopmental impairment in preterm infants. *Cochrane Database of Systematic Reviews*. 2009;(4):CD001070.
5. Wang T.F., Dang D., Liu J.Z., Du J.F., Wu H.. Bubble CPAP for preterm infants with respiratory distress: A meta-analysis. *Hong Kong Journal of Paediatrics*. 2016;21(2):86-92.
6. Sim WH, Araujo Júnior E, Da Silva Costa F, Sheehan PM. Maternal and neonatal outcomes following expectant management of preterm prelabour rupture of membranes before viability. *Journal of perinatal medicine*. 2016;45(1):29-44.
7. Crowther CA, Aghajafari F, Askie LM, Asztalos EV, Brocklehurst P, Bubner TK, Doyle LW, Dutta S, Garite TJ, Guinn DA, Hallman M, Hannah ME, Hardy P, Maurel K, Mazumder P, McEvoy C, Middleton PF, Murphy KE, Peltoniemi OM, Peters D, Sullivan L, Thom EA, Voysey M, Wapner RJ, Yelland L, Zhang S, PRECISE Study Group. Repeat prenatal corticosteroid prior to preterm birth: a systematic review and individual participant data meta-analysis for the PRECISE study group (prenatal repeat corticosteroid international IPD study group: assessing the effects using the best level of evidence) - study protocol. *Systematic reviews*. 2012;1(1):12.
8. Abdul Aziz, Arne Ohlsson. Surfactant for pulmonary haemorrhage in neonates. *Cochrane Database of Systematic Reviews*. 2012;7(7):CD005254.
9. Cousens S, Blencowe H, Gravett M, Lawn JE. Antibiotics for pre-term pre-labour rupture of membranes: prevention of neonatal deaths due to complications of pre-term birth and infection. *International journal of epidemiology*. 2010;39 Suppl 1(SUPPL. 1):i134-43.
10. McKinlay CJ, Crowther CA, Middleton P, Harding JE. Repeat antenatal glucocorticoids for women at risk of preterm birth: a Cochrane Systematic Review. *American journal of obstetrics and gynecology*. 2012;206(3):187-94.
11. Singh N, Hawley KL, Viswanathan K. Efficacy of porcine versus bovine surfactants for preterm newborns with respiratory distress syndrome: systematic review and meta-analysis. *Pediatrics*. 2011;128(6):e1588-95.
12. Nicolas Bamat, David Millar, Sanghee Suh, Haresh Kirpalani. Positive end expiratory pressure for preterm infants requiring conventional mechanical ventilation for respiratory distress syndrome or bronchopulmonary dysplasia. *Cochrane Database of Systematic Reviews*. 2012;1(1):CD004500.
13. Ardell S, Pfister RH, Soll R. Animal derived surfactant extract versus protein free synthetic surfactant for the prevention and treatment of respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2015;8:CD000144.
14. Roger Soll, Eren Özek. Prophylactic animal derived surfactant extract for preventing morbidity and mortality in preterm infants. *Cochrane Database of Systematic Reviews*. 2010;(4):CD000511.

15. Meiorowitz NB, Ananth CV, Smulian JC, Vintzileos AM. Value of maintenance therapy with oral tocolytics: a systematic review. *The Journal of maternal-fetal medicine*. 1999;8(4):177-83.
16. Bond DM, Middleton P, Levett KM, van der Ham DP, Crowther CA, Buchanan SL, Morris J. Planned early birth versus expectant management for women with preterm prelabour rupture of membranes prior to 37 weeks' gestation for improving pregnancy outcome. *The Cochrane database of systematic reviews*. 2017;3:CD004735.
17. . Elective high-frequency oscillatory ventilation versus conventional ventilation for acute pulmonary dysfunction in preterm infants. *Neonatology*. 2013;103(1):7-8; discussion 8-9.
18. Ethawi, Yahya H, Abou Mehrem, Ayman, Minski, John, Ruth, Chelsea A, Davis, Peter G. High frequency jet ventilation versus high frequency oscillatory ventilation for pulmonary dysfunction in preterm infants. *Cochrane Database of Systematic Reviews*. 2016;(5):CD010548.
19. Haas DM, Imperiale TF, Kirkpatrick PR, Klein RW, Zollinger TW, Golichowski AM. Tocolytic therapy: a meta-analysis and decision analysis. *Obstetrics and gynecology*. 2009;113(3):585-94.
20. Aldana-Aguirre JC, Pinto M, Featherstone RM, Kumar M. Less invasive surfactant administration versus intubation for surfactant delivery in preterm infants with respiratory distress syndrome: a systematic review and meta-analysis. *Archives of disease in childhood. Fetal and neonatal edition*. 2016;102(1):F17-F23.
21. Zhang ZQ, Huang XM, Lu H. [Ambroxol for the prevention of respiratory distress syndrome in preterm infants: a meta analysis]. *Zhongguo dang dai er ke za zhi = Chinese journal of contemporary pediatrics*. 2010;12(11):858-63.
22. de Kort EH, Reiss IK, Simons SH. Sedation of newborn infants for the INSURE procedure, are we sure?. *BioMed research international*. 2013;2013(no pagination):892974.
23. Alejandro G Gonzalez Garay, Ludovic Reveiz, Liliana Velasco Hidalgo, Cecilia Solis Galicia. Ambroxol for women at risk of preterm birth for preventing neonatal respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2014;10(10):CD009708.
24. Fiona C Brownfoot, Daniela I Gagliardi, Emily Bain, Philippa Middleton, Caroline A Crowther. Different corticosteroids and regimens for accelerating fetal lung maturation for women at risk of preterm birth. *Cochrane Database of Systematic Reviews*. 2013;8(8):CD006764.
25. Cools F, Offringa M, Askie LM. Elective high frequency oscillatory ventilation versus conventional ventilation for acute pulmonary dysfunction in preterm infants. *Cochrane Database of Systematic Reviews*. 2015;3(3):CD000104.
26. Ho JJ, Subramaniam P, Davis PG. Continuous distending pressure for respiratory distress in preterm infants. *Cochrane Database of Systematic Reviews*. 2015;7(7):CD002271.
27. Antonio G De Paoli, Peter G Davis, Brenda Faber, Colin J Morley. Devices and pressure sources for administration of nasal continuous positive airway pressure (NCPAP) in preterm neonates. *Cochrane database of systematic reviews (Online)*. 2008;(1):CD002977.
28. Malhotra A, Sasi A, Miller SL, Jenkin G, Polglase GR. The Efficacy of Surfactant Replacement Therapy in the Growth-Restricted Preterm Infant: What is the Evidence?. *Frontiers in pediatrics*. 2014;2:118.
29. Park CK, Isayama T, McDonald SD. Antenatal Corticosteroid Therapy Before 24 Weeks of Gestation: A Systematic Review and Meta-analysis. *Obstetrics and gynecology*. 2016;127(4):715-25.
30. Deshmukh M, Patole S. Antenatal corticosteroids for neonates born before 25 Weeks-A systematic review and meta-analysis. *PloS one*. 2017;12(5):e0176090.
31. Cui D, Zhong Y, Zhang L, Du H. Bile acid levels and risk of adverse perinatal outcomes in intrahepatic cholestasis of pregnancy: A meta-analysis. *The journal of obstetrics and gynaecology research*. 2017;43(9):1411-1411.

32. Feng Y, Yang H. Metformin-a potentially effective drug for gestational diabetes mellitus: a systematic review and meta-analysis. *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*. 2016;30(15):1-27.
33. Tang S, Zhao J, Shen J, Hu Z, Shi Y. Nasal intermittent positive pressure ventilation versus nasal continuous positive airway pressure in neonates: a systematic review and meta-analysis. *Indian pediatrics*. 2013;50(4):371-6.
34. Alka Kaushal, Conor G McDonnell, Mark W Davies. Partial liquid ventilation for the prevention of mortality and morbidity in paediatric acute lung injury and acute respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2013;2(2):CD003845.
35. David J Henderson-Smart, Andrew R Wilkinson, Camille H Raynes-Greenow. Mechanical ventilation for newborn infants with respiratory failure due to pulmonary disease. *Cochrane Database of Systematic Reviews*. 2010;(4):CD002770.
36. Peltoniemi OM, Kari MA, Hallman M. Repeated antenatal corticosteroid treatment: a systematic review and meta-analysis. *Acta obstetrica et gynecologica Scandinavica*. 2011;90(7):719-27.
37. Howlett A, Ohlsson A, Plakkal N. Inositol in preterm infants at risk for or having respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2015;2(2):CD000366.
38. Zhang ZQ, Wu QQ, Huang XM, Lu H. Prevention of respiratory distress syndrome in preterm infants by antenatal ambroxol: a meta-analysis of randomized controlled trials. *American journal of perinatology*. 2013;30(7):529-36.
39. Felicia L Bahadue, Roger Soll. Early versus delayed selective surfactant treatment for neonatal respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2012;11(4):CD001456.
40. Moresco, Luca, Bruschetti, Matteo, Cohen, Amnon, Gaiero, Alberto, Calevo, Maria Grazia. Salbutamol for transient tachypnea of the newborn. *Cochrane Database of Systematic Reviews*. 2016;(5):CD011878.
41. Cools F, Askie LM, Offringa M, tPrevention of Ventilator Induced Lung Injury Collaborative Study Group (PreVILIG Collaboration). Elective high-frequency oscillatory ventilation in preterm infants with respiratory distress syndrome: an individual patient data meta-analysis. *BMC pediatrics*. 2009;9(no pagination):33.
42. Abdel-Latif ME, Osborn DA, Challis D. Intra-amniotic surfactant for women at risk of preterm birth for preventing respiratory distress in newborns. *Cochrane database of systematic reviews (Online)*. 2010;(1):CD007916.
43. Singh, Neetu, Halliday, Henry L, Stevens, Timothy P, Suresh, Gautham, Soll, Roger, Rojas-Reyes, Maria Ximena. Comparison of animal-derived surfactants for the prevention and treatment of respiratory distress syndrome in preterm infants. *Cochrane Database of Systematic Reviews*. 2015;12(12):CD010249.
44. Ali E, Abdel Wahed M, Alsalami Z, Abouseif H, Gottschalk T, Rabbani R, Zarychanski R, Abou-Setta AM. New modalities to deliver surfactant in premature infants: a systematic review and meta-analysis. *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*. 2016;29(21):1-6.
45. Dirk Bassler, David Millar, Barbara Schmidt. Antithrombin for respiratory distress syndrome in preterm infants. *Cochrane database of systematic reviews (Online)*. 2006;(4):CD005383.
46. Utama, Debby P, Crowther, Caroline A. Transplacental versus direct fetal corticosteroid treatment for accelerating fetal lung maturation where there is a risk of preterm birth. *Cochrane Database of Systematic Reviews*. 2011;9(9):CD008981.

47. Tushar Bhuta, David J Henderson-Smart. Elective high frequency jet ventilation versus conventional ventilation for respiratory distress syndrome in preterm infants. *Cochrane Database of Systematic Reviews*. 2009;(2):CD000328.
48. Zhang L, Cao HY, Zhao S, Yuan LJ, Han D, Jiang H, Wu S, Wu HM. Effect of exogenous pulmonary surfactants on mortality rate in neonatal respiratory distress syndrome: A network meta-analysis of randomized controlled trials. *Pulmonary pharmacology & therapeutics*. 2015;34:46-54.
49. Jacqueline J Ho, David J Henderson-Smart, Peter G Davis. Early versus delayed initiation of continuous distending pressure for respiratory distress syndrome in preterm infants. *Cochrane Database of Systematic Reviews*. 2010;(2):CD002975.
50. Saifon Chawanpaiboon, Malinee Laopaiboon, Pisake Lumbiganon, Ussanee S Sangkomkamhang, Therese Dowswell. Terbutaline pump maintenance therapy after threatened preterm labour for reducing adverse neonatal outcomes. *Cochrane Database of Systematic Reviews*. 2014;3(3):CD010800.
51. Audra Stewart, Luc P Brion, Roger Soll. Diuretics for respiratory distress syndrome in preterm infants. *Cochrane database of systematic reviews (Online)*. 2011;12(12):CD001454.
52. Filip Cools, Martin Offringa. Neuromuscular paralysis for newborn infants receiving mechanical ventilation. *Cochrane Database of Systematic Reviews*. 2009;(2):CD002773.
53. Rojas-Reyes MX, Orrego-Rojas PA. Rescue high-frequency jet ventilation versus conventional ventilation for severe pulmonary dysfunction in preterm infants. *Cochrane Database of Systematic Reviews*. 2015;10(10):CD000437.
54. Timothy P. Stevens, Mats Blennow, Eliza H Myers, Roger Soll. Early surfactant administration with brief ventilation vs. selective surfactant and continued mechanical ventilation for preterm infants with or at risk for respiratory distress syndrome. *Cochrane database of systematic reviews (Online)*. 2007;(4):CD003063.
55. Donna Gillies, Deborah Wells, Abhishta P Bhandari. Positioning for acute respiratory distress in hospitalised infants and children. *Cochrane Database of Systematic Reviews*. 2012;7(7):CD003645.
56. Roger Soll, Eren Özek. Digoxin for preventing or treating neonatal respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2011;1(1):CD001080.
57. Gautham Suresh, Jonathan M Davis, Roger Soll. Superoxide dismutase for preventing chronic lung disease in mechanically ventilated preterm infants. *Cochrane Database of Systematic Reviews*. 2009;(1):CD001968.
58. Magann EF, Haram K, Ounpraseuth S, Mortensen JH, Spencer HJ, Morrison JC. Use of antenatal corticosteroids in special circumstances: a comprehensive review. *Acta obstetrica et gynecologica Scandinavica*. 2017;96(4):395-409.
59. Sanchez-Ramos L, Kaunitz AM, Delke I. Progestational agents to prevent preterm birth: a meta-analysis of randomized controlled trials. *Obstetrics and gynecology*. 2005;105(2):273-9.
60. Sankar MJ, Gupta N, Jain K, Agarwal R, Paul VK. Efficacy and safety of surfactant replacement therapy for preterm neonates with respiratory distress syndrome in low- and middle-income countries: a systematic review. *Journal of perinatology : official journal of the California Perinatal Association*. 2016;36 Suppl 1(S1):S36-48.
61. Grigoriadis S, VonderPorten EH, Mamisashvili L, Eady A, Tomlinson G, Dennis CL, Koren G, Steiner M, Mousmanis P, Cheung A, Ross LE. The effect of prenatal antidepressant exposure on neonatal adaptation: a systematic review and meta-analysis. *The Journal of clinical psychiatry*. 2013;74(4):e309-20.
62. Srinivasjois R, Silva D. Antenatal steroid administration in medically uncomplicated pregnancy beyond 37 weeks of gestation for the prevention of neonatal morbidities prior to elective

- caesarean section: A systematic review and metaanalysis of randomised controlled trials". The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians. 2016;30(10):1-18.
63. Clark RH, Dykes FD, Bachman TE, Ashurst JT. Intraventricular hemorrhage and high-frequency ventilation: a meta-analysis of prospective clinical trials. *Pediatrics*. 1996;98(6 Pt 1):1058-61.
 64. Leitich H, Egarter C, Reisenberger K, Kaider A, Berghammer P. Concomitant use of glucocorticoids: a comparison of two metaanalyses on antibiotic treatment in preterm premature rupture of membranes. *American journal of obstetrics and gynecology*. 1998;178(5):899-908.
 65. Cui YP, Tong XM, Ye HM, Wang B, Tang YN. [A meta-analysis of nasal intermittent positive pressure ventilation in treatment of respiratory distress syndrome in premature infants]. *Zhonghua er ke za zhi. Chinese journal of pediatrics*. 2009;47(7):532-6.
 66. Saccone G, Rust O, Althuisius S, Roman A, Berghella V. Cerclage for short cervix in twin pregnancies: systematic review and meta-analysis of randomized trials using individual patient-level data. *Acta obstetrica et gynecologica Scandinavica*. 2015;94(4):352-358.
 67. Li W, Long C, Zhangxue H, Jinning Z, Shifang T, Juan M, Renjun L, Yuan S. Nasal intermittent positive pressure ventilation versus nasal continuous positive airway pressure for preterm infants with respiratory distress syndrome: A meta-analysis and up-date. *Pediatric pulmonology*. 2014;50(4):402-409.
 68. Cools F, Offringa M. Meta-analysis of elective high frequency ventilation in preterm infants with respiratory distress syndrome. *Archives of disease in childhood. Fetal and neonatal edition*. 1999;80(1):F15-20.
 69. Oei SG, Mol BW, de Kleine MJ, Brölmann HA. Nifedipine versus ritodrine for suppression of preterm labor; a meta-analysis. *Acta obstetrica et gynecologica Scandinavica*. 1999;78(9):783-8.
 70. Egarter C, Leitich H, Karas H, Wieser F, Husslein P, Kaider A, Schemper M. Antibiotic treatment in preterm premature rupture of membranes and neonatal morbidity: a metaanalysis. *American journal of obstetrics and gynecology*. 1996;174(2):589-97.
 71. Honest H, Forbes CA, Durée KH, Norman G, Duffy SB, Tsourapas A, Roberts TE, Barton PM, Jowett SM, Hyde CJ, Khan KS. Screening to prevent spontaneous preterm birth: systematic reviews of accuracy and effectiveness literature with economic modelling. *Health technology assessment (Winchester, England)*. 2009;13(43):1-627.
 72. Meneses J, Bhandari V, Alves JG. Nasal Intermittent Positive-Pressure Ventilation vs Nasal Continuous Positive Airway Pressure for Preterm Infants With Respiratory Distress Syndrome: A Systematic Review and Meta-analysis. *Archives of pediatrics & adolescent medicine*. 2012;166(4):372-6.
 73. Tushar Bhuta, David J Henderson-Smart. Rescue high frequency oscillatory ventilation versus conventional ventilation for pulmonary dysfunction in preterm infants. *Cochrane Database of Systematic Reviews*. 2009;(2):CD000438.
 74. Cluver, Catherine, Novikova, Natalia, Koopmans, Corine M, West, Helen M. Planned early delivery versus expectant management for hypertensive disorders from 34 weeks gestation to term. *Cochrane Database of Systematic Reviews*. 2017;1(1):CD009273.
 75. Bevilacqua E, Brunelli R, Anceschi MM. Review and meta-analysis: Benefits and risks of multiple courses of antenatal corticosteroids. The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians. 2010;23(4):244-60.

76. Crowther CA, Alfirevic Z, Han S, Haslam RR. Thyrotropin-releasing hormone added to corticosteroids for women at risk of preterm birth for preventing neonatal respiratory disease. *Cochrane Database of Systematic Reviews*. 2013;11(11):CD000019.
77. David A Osborn, Rod Hunt. Postnatal thyroid hormones for respiratory distress syndrome in preterm infants. *Cochrane Database of Systematic Reviews*. 2007;(1):CD005946.
78. Rigo V, Lefebvre C, Broux I. Surfactant instillation in spontaneously breathing preterm infants: a systematic review and meta-analysis. *European journal of pediatrics*. 2016;175(12):1-10.
79. Aghajafari F, Murphy K, Willan A, Ohlsson A, Amankwah K, Matthews S, Hannah M. Multiple courses of antenatal corticosteroids: a systematic review and meta-analysis. *American journal of obstetrics and gynecology*. 2001;185(5):1073-80.
80. Harding JE, Pang J, Knight DB, Liggins GC. Do antenatal corticosteroids help in the setting of preterm rupture of membranes?. *American journal of obstetrics and gynecology*. 2001;184(2):131-9.
81. Jodie M Dodd, Andrea R Deussen, Rosalie M Grivell, Caroline A Crowther. Elective birth at 37 weeks' gestation for women with an uncomplicated twin pregnancy. *Cochrane Database of Systematic Reviews*. 2014;2(2):CD003582.
82. Bassler D, Schmidt B. Antithrombin replacement in neonates: is there any indication?. *Thrombosis research*. 2006;118(1):107-11.
83. Schmölder GM, Kumar M, Pichler G, Aziz K, O'Reilly M, Cheung PY. Non-invasive versus invasive respiratory support in preterm infants at birth: systematic review and meta-analysis. *BMJ (Clinical research ed.)*. 2013;347(no pagination):f5980.
84. van Vliet E.O.G., Dijkema G.H., Schuit E., Heida K.Y., Roos C., van der Post J.A.M., Parry E.C., McCowan L., Lyell D.J., El-Sayed Y.Y., Carr D.B., Clark A.L., Mahdy Z.A., Uma M., Sayin N.C., Varol G.F., Mol B.W., Oudijk M.A.. Nifedipine maintenance tocolysis and perinatal outcome: an individual participant data meta-analysis. *BJOG: An International Journal of Obstetrics and Gynaecology*. 2016;123(11):1753-1760.
85. Moresco, Luca, Calevo, Maria Grazia, Baldi, Federica, Cohen, Amnon, Bruschetti, Matteo. Epinephrine for transient tachypnea of the newborn. *Cochrane Database of Systematic Reviews*. 2016;(5):CD011877.
86. Ding MX, Luo X, Zhang XM, Bai B, Sun JX, Qi HB. Progesterone and nifedipine for maintenance tocolysis after arrested preterm labor: A systematic review and meta-analysis of randomized controlled trial. *Taiwanese journal of obstetrics & gynecology*. 2016;55(3):399-404.
87. Mohamed E Abdel-Latif, David A Osborn. Intratracheal Clara cell secretory protein (CCSP) administration in preterm infants with or at risk of respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2011;(5):CD008308.
88. Timothy J Rafael, Vincenzo Berghella, Zarko Alfirevic. Cervical stitch (cerclage) for preventing preterm birth in multiple pregnancy. *Cochrane Database of Systematic Reviews*. 2014;9(9):CD009166.
89. Crowley, Adele E, Grivell, Rosalie M, Dodd, Jodie M. Sealing procedures for preterm prelabour rupture of membranes. *Cochrane Database of Systematic Reviews*. 2016;7(7):CD010218.
90. Maria Ximena Rojas-Reyes, Colin J Morley, Roger Soll. Prophylactic versus selective use of surfactant in preventing morbidity and mortality in preterm infants. *Cochrane Database of Systematic Reviews*. 2012;3(3):CD000510.
91. Yamasmit W, Chaithongwongwatthana S, Tolosa JE, Limpongsanurak S, Pereira L, Lumbiganon P. Prophylactic oral betamimetics for reducing preterm birth in women with a twin pregnancy. *Cochrane Database of Systematic Reviews*. 2015;12(12):CD004733.

92. Teune MJ, Bakhuizen S, Gyamfi Bannerman C, Opmeer BC, van Kaam AH, van Wassenaer AG, Morris JM, Mol BW. A systematic review of severe morbidity in infants born late preterm. *American journal of obstetrics and gynecology*. 2011;205(4):374.e1-9.
93. Brown JV, Moe-Byrne T, Harden M, McGuire W. Lower versus higher oxygen concentration for delivery room stabilisation of preterm neonates: systematic review. *PloS one*. 2012;7(12):e52033.
94. Davies MW, Davis PG. Nebulized racemic epinephrine for extubation of newborn infants. *Cochrane database of systematic reviews (Online)*. 2001;(1):CD000506.
95. Motaze NV, Mbuagbaw L, Young T. Prostaglandins before caesarean section for preventing neonatal respiratory distress. *Cochrane Database of Systematic Reviews*. 2013;11(11):CD010087.
96. Roger Soll. Synthetic surfactant for respiratory distress syndrome in preterm infants. *Cochrane Database of Systematic Reviews*. 2009;(3):CD001149.
97. Thukral A, Sankar MJ, Chandrasekaran A, Agarwal R, Paul VK. Efficacy and safety of CPAP in low- and middle-income countries. *Journal of perinatology : official journal of the California Perinatal Association*. 2016;36 Suppl 1(S1):S21-8.
98. Halliday HL. Natural vs synthetic surfactants in neonatal respiratory distress syndrome. *Drugs*. 1996;51(2):226-37.
99. Amiya RM, Mlunde LB, Ota E, Swa T, Oladapo OT, Mori R. Antenatal Corticosteroids for Reducing Adverse Maternal and Child Outcomes in Special Populations of Women at Risk of Imminent Preterm Birth: A Systematic Review and Meta-Analysis. *PloS one*. 2016;11(2):e0147604.
100. Pfister RH, Soll R, Wiswell TE. Protein-containing synthetic surfactant versus protein-free synthetic surfactant for the prevention and treatment of respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2009;(4):CD006180.
101. Jardine LA, Jenkins-Manning S, Davies MW. Albumin infusion for low serum albumin in preterm newborn infants. *Cochrane database of systematic reviews (Online)*. 2004;(3):CD004208.
102. Mohamed E Abdel-Latif, David A Osborn. Pharyngeal instillation of surfactant before the first breath for prevention of morbidity and mortality in preterm infants at risk of respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2011;(3):CD008311.
103. More K, Sakhuja P, Shah PS. Minimally invasive surfactant administration in preterm infants: a meta-narrative review. *JAMA pediatrics*. 2014;168(10):901-8.
104. Sanchez-Ramos L, Kaunitz AM, Gaudier FL, Delke I. Efficacy of maintenance therapy after acute tocolysis: a meta-analysis. *American journal of obstetrics and gynecology*. 1999;181(2):484-90.
105. McGillick EV, Orgeig S, Williams MT, Morrison JL. Risk of Respiratory Distress Syndrome and Efficacy of Glucocorticoids: Are They the Same in the Normally Grown and Growth-Restricted Infant?. *Reproductive sciences (Thousand Oaks, Calif.)*. 2016;23(11):1459-1472.
106. Subramaniam P, Ho JJ, Davis PG. Prophylactic nasal continuous positive airway pressure for preventing morbidity and mortality in very preterm infants. *Cochrane Database of Systematic Reviews*. 2016;6(6):CD001243.
107. Mohamed E Abdel-Latif, David A Osborn. Laryngeal mask airway surfactant administration for prevention of morbidity and mortality in preterm infants with or at risk of respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2011;(7):CD008309.
108. Conde-Agudelo A, Romero R, Kusanovic JP. Nifedipine in the management of preterm labor: a systematic review and metaanalysis. *American journal of obstetrics and gynecology*. 2011;204(2):134.e1-20.
109. Isayama T, Chai-Adisaksotha C, McDonald SD. Noninvasive Ventilation With vs Without Early Surfactant to Prevent Chronic Lung Disease in Preterm Infants: A Systematic Review and Meta-analysis. *JAMA pediatrics*. 2015;169(8):731-9.

110. Egarter C, Leitich H, Husslein P, Kaidler A, Schemper M. Adjunctive antibiotic treatment in preterm labor and neonatal morbidity: a meta-analysis. *Obstetrics and gynecology*. 1996;88(2):303-9.
111. Lemyre, Brigitte, Laughon, Matthew, Bose, Carl, Davis, Peter G. Early nasal intermittent positive pressure ventilation (NIPPV) versus early nasal continuous positive airway pressure (NCPAP) for preterm infants. *Cochrane Database of Systematic Reviews*. 2016;12(12):CD005384.
112. Villasís-Keever, Miguel Ángel, Escamilla-Núñez, Alberto, García, Heladia J., Martínez-Valverde, Silvia, Rendón-Macías, Mario Enrique, Salinas-Escudero, Guillermo, Garduño-Espinosa, Juan, Muñoz-Hernández, Onofre. Systematic review and meta-analysis of bovine surfactant effectiveness for the treatment of respiratory distress syndrome in premature newborns. *Bol Med Hosp Infant Mex*. 2010;67(6):477-491.
113. Soll R, Ozek E. Prophylactic protein free synthetic surfactant for preventing morbidity and mortality in preterm infants. *Cochrane database of systematic reviews (Online)*. 2010;(1):CD001079.
114. Mohamed E Abdel-Latif, David A Osborn. Nebulised surfactant in preterm infants with or at risk of respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2010;10(1):CD008310.
115. Crowther CA, McKinlay CJ, Middleton P, Harding JE. Repeat doses of prenatal corticosteroids for women at risk of preterm birth for improving neonatal health outcomes. *Cochrane Database of Systematic Reviews*. 2015;7(7):CD003935.
116. Amatya S., Rastogi D., Bhutada A., Rastogi S.. Weaning of nasal CPAP in preterm infants: who, when and how? a systematic review of literature. *World Journal of Pediatrics*. 2015;11((Amatya S.; Bhutada A.; Rastogi S.) Division of Neonatology, Maimonides Infants & Childrennulls Hospital, Brooklyn, United States):7-13.
117. Roger Soll, Eren Özek. Multiple versus single doses of exogenous surfactant for the prevention or treatment of neonatal respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2009;(1):CD000141.
118. Yaju Y, Nakayama T. Effectiveness and safety of ritodrine hydrochloride for the treatment of preterm labour: a systematic review. *Pharmacoepidemiology and drug safety*. 2006;15(11):813-22.
119. Hiles, Matthew, Culpan, Anne-Marie, Watts, Catriona, Munyombwe, Theresa, Wolstenhulme, Stephen. Neonatal respiratory distress syndrome: Chest X-ray or lung ultrasound? A systematic review. *Ultrasound*. 2017;25(2):80-91.
120. Isayama T, Iwami H, McDonald S, Beyene J. Association of Noninvasive Ventilation Strategies With Mortality and Bronchopulmonary Dysplasia Among Preterm Infants: A Systematic Review and Meta-analysis. *JAMA*. 2016;316(6):611-624.
121. Nadine Seger, Roger Soll. Animal derived surfactant extract for treatment of respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2009;(2):CD007836.
122. Bhuta T, Henderson-Smart DJ. Elective high-frequency oscillatory ventilation versus conventional ventilation in preterm infants with pulmonary dysfunction: systematic review and meta-analyses. *Pediatrics*. 1997;100(5):E6.
123. Alexandros Sotiriadis, George Makrydimas, Stefania Papatheodorou, John PA Ioannidis. Corticosteroids for preventing neonatal respiratory morbidity after elective caesarean section at term. *Cochrane database of systematic reviews (Online)*. 2009;(4):CD006614.
124. Zarko Alfirevic, Stephen J Milan, Stefania Livio. Caesarean section versus vaginal delivery for preterm birth in singletons. *Cochrane Database of Systematic Reviews*. 2013;9(9):CD000078.

125. Robert H. Pfister, Roger Soll, Thomas E Wiswell. Protein containing synthetic surfactant versus animal derived surfactant extract for the prevention and treatment of respiratory distress syndrome. *Cochrane Database of Systematic Reviews*. 2007;(4):CD006069.
126. Amr I El Shahed, Peter A. Dargaville, Arne Ohlsson, Roger Soll. Surfactant for meconium aspiration syndrome in term and late preterm infants. *Cochrane Database of Systematic Reviews*. 2014;12(12):CD002054.
127. Roberge S, Lacasse Y, Tapp S, Tremblay Y, Kari A, Liu J, Fekih M, Qublan HS, Amorim MM, Bujold E. Role of fetal sex in the outcome of antenatal glucocorticoid treatment to prevent respiratory distress syndrome: systematic review and meta-analysis. *Journal of obstetrics and gynaecology Canada : JOGC = Journal d'obstétrique et gynécologie du Canada : JOGC*. 2011;33(3):216-26.
128. Haas DM, Caldwell DM, Kirkpatrick P, McIntosh JJ, Welton NJ. Tocolytic therapy for preterm delivery: systematic review and network meta-analysis. *BMJ (Clinical research ed.)*. 2012;345(7879):e6226.
129. Saccone G, Berghella V. Antenatal corticosteroids for maturity of term or near term fetuses: systematic review and meta-analysis of randomized controlled trials. *BMJ (Clinical research ed.)*. 2016;355:i5044.
130. Roberts D, Brown J, Medley N, Dalziel SR. Antenatal corticosteroids for accelerating fetal lung maturation for women at risk of preterm birth. *The Cochrane database of systematic reviews*. 2017;3(3):CD004454.
131. Bergenhenegouwen LA, Meertens LJ, Schaaf J, Nijhuis JG, Mol BW, Kok M, Scheepers HC. Vaginal delivery versus caesarean section in preterm breech delivery: a systematic review. *European journal of obstetrics, gynecology, and reproductive biology*. 2014;172(1):1-6.