


**INFORME DE BÚSQUEDA SISTEMÁTICA DE EVIDENCIA
DE LOS EFECTOS DESEABLES E INDESEABLES**

Guía de Práctica Clínica Leucemia Crónica

2018



ÍNDICE

TABLA RESUMEN	2
ESTRATEGIA DE BÚSQUEDA	3
CRITERIOS DE INCLUSIÓN	3
RECOLECCIÓN, ANÁLISIS Y SÍNTESIS DE DATOS	4
Selección de las revisiones	4
Extracción de datos	4
Mapeo de la evidencia	4
Apéndice 1. Estrategias de búsqueda:	5
Apéndice 2. Diagrama de flujo PRISMA	7
Apéndice 3. Referencias seleccionadas	8

TABLA RESUMEN

Problema de salud	Leucemia Crónica
ICD10	C91.1
Fecha de entrega	01/12/2018
Investigador responsable	Gabriel Rada Giacaman
Número de revisiones sistemáticas	55
Número de preguntas	74
L·OVE	<i>Chronic lymphocytic leukemia</i>
L·OVE URL	https://love.epistemonikos.org/loves/5b72a08ec80dd46c8e5ecba5

ESTRATEGIA DE BÚSQUEDA

Se realizaron búsquedas en Epistemonikos, una base de datos exhaustiva de revisiones sistemáticas relevantes para la toma de decisiones en salud. La búsqueda de evidencia fue realizada en las siguientes bases de datos¹ con las estrategias descritas en el Apéndice 1.

1. Cochrane database of systematic reviews (CDSR)
2. Database of Abstracts of Reviews of Effectiveness (DARE)
3. HTA Database
4. PubMed
5. LILACS
6. CINAHL.
7. PsychINFO.
8. EMBASE.
9. EPPI-Centre Evidence Library
10. 3ie Systematic Reviews and Policy Briefs Campbell Library
11. Clinical Evidence.
12. SUPPORT Summaries
13. WHO Institutional Repository for Information Sharing
14. NICE public health guidelines and systematic reviews
15. ACP Journal Club.
16. Evidencias en Pediatría
17. The JBI Database of Systematic Reviews and Implementation Reports

CRITERIOS DE INCLUSIÓN

Consideramos todas las revisiones sistemáticas que están sintetizando estudios primarios (tanto experimentales como observacionales) de acuerdo a la definición empleada por la Colaboración Cochrane y la declaración PRISMA.²

Una revisión elegible debe cumplir con los siguientes criterios operacionales:

1. Reporta una búsqueda en al menos una base de datos electrónica.
2. Reporta al menos uno de los siguientes criterios inclusión de los estudios:

¹ La actualización se realiza de manera semanal. Se encuentra disponible en la plataforma digital un sistema de alerta que permite informar a través de correo electrónico la publicación de nuevos estudios que dan respuesta a las preguntas definidas, de manera de mantener continuamente actualizada la evidencia.

² “Una revisión sistemática intenta recopilar toda la evidencia empírica para responder a una pregunta de investigación específica, que cumple con criterios previamente definidos. Utiliza métodos explícitos y sistemáticos, que se eligen con miras a minimizar el sesgo, de manera de entregar hallazgos confiables que permitan sacar conclusiones y tomar decisiones”.

- **Tipo de participantes:** Se incluyen todas las revisiones sistemáticas que resuman estudios que respondan la pregunta acerca de intervenciones para leucemia linfática crónica.
- **Tipo de desenlaces:** Se incluyen revisiones que presentan una síntesis (cuantitativa o cualitativa) de al menos un desenlace importante para el paciente u otra información relevante para tomar decisiones poblacionales o individuales acerca de intervenciones para leucemia linfática crónica.

RECOLECCIÓN, ANÁLISIS Y SÍNTESIS DE DATOS

SELECCIÓN DE LAS REVISIONES

Al menos dos revisores, de manera independiente, realizaron el cribado de los títulos y resúmenes para identificar los artículos relevantes. El texto completo de las revisiones potencialmente elegibles fue recuperado y evaluado, de manera independiente, para su inclusión final. Un tercer investigador resolvió cualquier discrepancia que pudiera haberse provocado entre los distintos revisores.

MAPEO DE LA EVIDENCIA

Con el objetivo de generar un listado exhaustivo de todas las posibles preguntas relacionadas con el tópico del L-OVE: *leucemia linfática crónica*³, se realiza la agrupación de las revisiones resultantes en formato PICO, es decir: población, intervención, comparación y desenlace [*outcome*] utilizamos las siguientes fuentes:

1. Guías y documentos
2. Criterios de inclusión de las revisiones sistemáticas identificadas
3. Consulta con expertos
4. Retroalimentación de los usuarios

Como resultado final la plataforma incluye toda la evidencia disponible en revisiones sistemáticas y sus estudios primarios incluidos, segregada por nodos de evidencia que representan cada una de las preguntas priorizadas para actualización de la guía (Ver “Diagrama de flujo PRISMA” en Apéndice 2 y “Referencia Seleccionada” en Apéndice 3).

ACTUALIZACIÓN – “LIVING”

Todas las búsquedas a través de esta plataforma se mantienen continuamente actualizada gracias a la tecnología implementada en el buscador de Epistemonikos y sus distintos colaboradores. Por lo cual, tanto la cantidad de revisiones, preguntas, entre otros datos cambian continuamente. Los datos presentados en este informe son los correspondientes a la fecha de entrega.

³Ver resultados de la búsqueda en: <https://love.epistemonikos.org/loves/5b72a08ec80dd46c8e5ecba5>



APÉNDICE 1. ESTRATEGIAS DE BÚSQUEDA:⁴

Cochrane Library - Cochrane database of systematic reviews (CDSR)

<http://www.thecochranelibrary.com>

chronic* AND lympho* AND (leukem* OR leukaem* or leuc*), in Title, Abstract, Keywords:
Cochrane Reviews (Reviews NOT protocols)

Medline/PubMed - US National Library of Medicine

<http://www.ncbi.nlm.nih.gov/pubmed/>

chronic* AND lympho* AND (leukem* OR leukaem* or leuc*) AND (MEDLINE[Title/Abstract]
OR (systematic[Title/Abstract] AND review[Title/Abstract]) OR meta analysis[Publication
Type])

EMBASE (Excerpta Medica dataBASE)

<http://www.embase.com>

Frequency of search: weekly
chronic* AND lympho* AND (leukem* OR leukaem* or leuc*) AND (meta-analysis.tw. OR
systematic review.tw)

CINAHL (Cumulative Index to Nursing and Allied Health Literature)

<https://www.ebscohost.com/nursing/products/cinahl-databases/the-cinahl-database>

chronic* AND lympho* AND (leukem* OR leukaem* or leuc*) AND ((TI meta analys* or AB
meta analys*) or (TI systematic review or AB systematic review))

PsycINFO

<http://www.apa.org/pubs/databases/psycinfo>

chronic* AND lympho* AND (leukem* OR leukaem* or leuc*) AND (meta-analysis OR search*)

LILACS (Literatura Latinoamericana y del Caribe en Ciencias de la Salud)

<http://lilacs.bvsalud.org/en/>

chronic* AND lympho* AND (leukem* OR leukaem* or leuc*) AND (tw:"revisión sistemática"
or tw:"revisao sistemática" or tw:"systematic review") or ((MH:"Literatura de Revisión como
asunto" OR MH:"Metanálisis como asunto" OR PT:Revision OR PT:Metanálisis) and
(TW:Metaanal\$ OR TW:"Meta-analysis" OR TW:"Meta-analise" OR TW:"Meta-analisis" OR
TI:overview\$ or TW:"estudio sistemático" OR TW:"systematic study" OR TW:"estudo
sistemático" OR TI:review OR TI:revisao OR TI:revisión))

⁴ No se aplican restricciones en base al idioma o estado de publicación.

DARE (Database of Abstracts of Reviews of Effectiveness) - Centre for Reviews and Dissemination, University of York

<http://www.crd.york.ac.uk/CRDWeb/>

chronic* AND lympho* AND (leukem* OR leukaem* or leuc*), in Any field: CRD assessed review (bibliographic)/ CRD assessed review (full abstract)

HTA

Database

<http://www.crd.york.ac.uk/CRDWeb/>

chronic* AND lympho* AND (leukem* OR leukaem* or leuc*), in Any field

The Campbell Collaboration Online Library

<https://www.campbellcollaboration.org/library.html>

chronic* AND lympho* AND (leukem* OR leukaem* or leuc*), in Title: Review

JBI Database of Systematic Reviews and Implementation Reports


<http://journals.lww.com/jbisrir/pages>

chronic* AND lympho* AND (leukem* OR leukaem* or leuc*) AND (review OR meta*), in All fields

EPPI-Centre Evidence Library

<http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=56>

chronic* AND lympho* AND (leukem* OR leukaem* or leuc*) All records in chronological list (<http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=62>)

APÉNDICE 2. DIAGRAMA DE FLUJO PRISMA

APÉNDICE 3. REFERENCIAS SELECCIONADAS

1. Steurer M, Pall G, Richards S, Schwarzer G, Bohlius J, Greil R, Cochrane Haematologic Malignancies Group. Single-agent purine analogues for the treatment of chronic lymphocytic leukaemia: a systematic review and meta-analysis. *Cancer treatment reviews*. 2006;32(5):377-89. www.epistemonikos.org/documents/067715107cc836a8a8cc92bc23bde8d28da9560e
2. Ratterman M, Kruczek K, Sulo S, Shanafelt TD, Kay NE, Nabhan C. Extramedullary chronic lymphocytic leukemia: systematic analysis of cases reported between 1975 and 2012. *Leukemia research*. 2014;38(3):299-303. www.epistemonikos.org/documents/08bba11f3f1bc6ccfa8d3dce926f373128d7388b
3. Richards S., Clarke M., Wheatley K., Peto R.. Chemotherapeutic options in chronic lymphocytic leukemia: a meta-analysis of the randomized trials. CLL Trialists' Collaborative Group. *Journal of the National Cancer Institute*. 1999;91(10):861-8. www.epistemonikos.org/documents/111598a67e21095df403ce11004d497fe0d13e6d
4. Wu Y, Wang Y, Gu Y, Xia J, Kong X, Qian Q, Hong Y. Safety and efficacy of Ofatumumab in chronic lymphocytic leukemia: a systematic review and meta-analysis. *Hematology (Amsterdam, Netherlands)*. 2017;22(10):1-7. www.epistemonikos.org/documents/153e68ec40be820aab5be904771e8141c24fd5e6
5. Lang D, George C. Acute adverse reactions of rapid Rituximab infusion among adult patients with Non-Hodgkin Lymphoma and Chronic Lymphocytic Leukemia: A systematic review. *JBHI library of systematic reviews*. 2010;8(16 Suppl):1-19. www.epistemonikos.org/documents/17d0b61af43b5e48738c9c890da0e48edba51ece
6. Sorigue M, Orna E, Sancho JM. Venous thromboembolism in patients with non-Hodgkin lymphoma or chronic lymphocytic leukemia treated with lenalidomide: a systematic review. *Leukemia & lymphoma*. 2018;59(11):1-10. www.epistemonikos.org/documents/188bf46aacaf3e45edd906426a681f799f2822ba
7. Zhu Q, Tan DC, Samuel M, Chan ES, Linn YC. Fludarabine in comparison to alkylator-based regimen as induction therapy for chronic lymphocytic leukemia: a systematic review and meta-analysis. *Leukemia & lymphoma*. 2004;45(11):2239-45. www.epistemonikos.org/documents/1e18f46a586130aa0aa4dd4155129fa24c7f474a
8. Stephens JM, Gramegna P, Laskin B, Botteman MF, Pashos CL, HERQuLES, Bethesda, MD. Chronic lymphocytic leukemia: economic burden and quality of life: literature review. *American Journal of Therapeutics*. 2005;12(5):460-466. www.epistemonikos.org/documents/1f772bd4652a4e63391ddf53fbd88475af3c6b37
9. Messori A., Fadda V., Maratea D., Trippoli S.. First-line treatments for chronic lymphocytic leukaemia: interpreting efficacy data by network meta-analysis. *Annals of Hematology*. 2015;94((Messori A., andrea.messori.it@gmail.com; Fadda V.; Maratea D.; Trippoli S.) HTA Unit, ESTAV Toscana Centro, Regional Health Service, Firenze, Italy):1003-9. www.epistemonikos.org/documents/248b105a998d1ab8dfb4cc98498493c1734dbc21
10. Skoetz N., Trivella M., Kreuzer K.-A., Collins G., Kohler N., Wolff R., Moons K., Estcourt L.J.. Prognostic models for chronic lymphocytic leukaemia: An exemplar systematic review and meta-analysis. *Cochrane Database of Systematic Reviews*. 2016;2016(1). www.epistemonikos.org/documents/275467d34573587117d0883f0a5e3846d814fada
11. Lang D., George C.. Acute adverse reactions of rapid rituximab infusion among adult patients with non-hodgkin lymphoma and chronic lymphocytic leukemia. *JBHI Library of Systematic Reviews*. 2015;9(1):1-30. www.epistemonikos.org/documents/2b0383d0040f49bb47c6161f357d54b2d4b29299

12. Terasawa T, Trikalinos NA, Djulbegovic B, Trikalinos TA. Comparative efficacy of first-line therapies for advanced-stage chronic lymphocytic leukemia: a multiple-treatment meta-analysis. *Cancer treatment reviews*. 2013;39(4):340-9.
www.epistemonikos.org/documents/2cfcb450406b66429728160dbf02f5b1ad51dec0
13. Xiao J., Yin S., Liu S., Xie S., Li Y., Nie D., Ma L., Wang X., Wu Y.. Meta-analysis on safety of purine analogues alone or combined with cyclophosphamide in the treatment of chronic lymphocytic leukemia. *Journal of Leukemia and Lymphoma*. 2014;23(5):274-280.
www.epistemonikos.org/documents/2d4ecdcf7c70d68469c0908e1393e6ae4ebffebd
14. Nunes AA, da Silva AS, Souza KM, Koury CDNS, de Mello LM. Rituximab, fludarabine, and cyclophosphamide versus fludarabine and cyclophosphamide for treatment of chronic lymphocytic leukemia: A systematic review with meta-analysis. *Critical Reviews in Oncology/Hematology*. 2015;94((Nunes A.A., altacilio@fmrp.usp.br; da Silva A.S.; Koury C.D.N.S.; de Mello L.M.) Department of Social Medicine, Ribeirao Preto Medical School, University of Sao Paulo, Sao Paulo, Brazil):261-9.
www.epistemonikos.org/documents/2deff96d58544fa7942e21920e6d0d36f80d7eff
15. Falchi L, Ferrajoli A, Jacobs I, Nava-Parada P. An Evidence-based Review of Anti-CD20 Antibody-containing Regimens for the Treatment of Patients With Relapsed or Refractory Chronic Lymphocytic Leukemia, Diffuse Large B-cell Lymphoma, or Follicular Lymphoma. *Clinical lymphoma, myeloma & leukemia*. 2018;18(8):508-518.e14.
www.epistemonikos.org/documents/3049ac7eb6e05d8a13c0ffd617d6f27fe86f7c93
16. Nicole Skoetz, Kathrin Bauer, Thomas Elter, Ina Monsef, Verena Roloff, Michael Hallek, Andreas Engert. Alemtuzumab for patients with chronic lymphocytic leukaemia. *Cochrane Database of Systematic Reviews*. 2012;2(2):CD008078.
www.epistemonikos.org/documents/349ede0a6ff41b57e18f112fcb8c5d9854f68435
17. Vidal L, Gurion R, Ram R, Raanani P, Bairey O, Robak T, Gafter-Gvili A, Shpilberg O. Chlorambucil for the treatment of patients with chronic lymphocytic leukemia (CLL) - a systematic review and meta-analysis of randomized trials. *Leukemia & lymphoma*. 2016;57(9):1-11.
www.epistemonikos.org/documents/41325864e7fab3d065c20586f636302d8d7f5cd5
18. Raanani P, Gafter-Gvili A, Paul M, Ben-Bassat I, Leibovici L, Shpilberg O. Immunoglobulin prophylaxis in chronic lymphocytic leukemia and multiple myeloma: systematic review and meta-analysis. *Leukemia & lymphoma*. 2009;50(5):764-72.
www.epistemonikos.org/documents/5a35c84a06453d2fc28e7971135081a21b4b61d6
19. Cheng MM, Goulart B, Veenstra DL, Blough DK, Devine EB. A network meta-analysis of therapies for previously untreated chronic lymphocytic leukemia. *Cancer treatment reviews*. 2012;38(8):1004-11. www.epistemonikos.org/documents/5d0ff61796023fd9d82b228a77174114a381f447
20. International CLL-IPI working group. An international prognostic index for patients with chronic lymphocytic leukaemia (CLL-IPI): a meta-analysis of individual patient data. *The Lancet. Oncology*. 2016;17(6):779-90.
www.epistemonikos.org/documents/608db17a1dedc29e6085ee9a51777a57bdb08df6
21. Ladyzynski P., Molik M., Foltynski P.. A network meta-analysis of progression free survival and overall survival in first-line treatment of chronic lymphocytic leukemia. *Cancer Treatment Reviews*. 2015;41(2):77-93.
www.epistemonikos.org/documents/64bd770692c204df5e8f8c0df48f5bb61660b5c3
22. Olsen CM, Lane SW, Green AC. Increased risk of melanoma in patients with chronic lymphocytic leukaemia: systematic review and meta-analysis of cohort studies. *Melanoma research*. 2016;26(2):188-94.
www.epistemonikos.org/documents/692decf8e7c849e81f607f5e36302a8f32bf601e

23. CLL Trialists' Collaborative Group. Systematic review of purine analog treatment for chronic lymphocytic leukemia: lessons for future trials. *Haematologica*. 2012;97(3):428-36.
www.epistemonikos.org/documents/6a82a9267bef958d59dbe680a95ff7bd67e07eca
24. Police RL, Trask PC, Wang J, Olivares R, Khan S, Abbe A, Colosia A, Njue A, Sherrill B, Ruiz-Soto R, Kaye JA, Hamadani M. Randomized Controlled Trials in Relapsed/Refractory Chronic Lymphocytic Leukemia: A Systematic Review and Meta-Analysis. *Clinical lymphoma, myeloma & leukemia*. 2015;15(4):199-207.
www.epistemonikos.org/documents/72f5032c879f785184f95a6da7e25cb636b4a53e
25. Rancea M., Skoetz N., Trelle S., Da Costa B.R., Engert A., Fischer K., Hallek M., Eichhorst B.. First-line treatment strategies for previously untreated patients with chronic lymphocytic leukaemia: Preliminary results of a network meta-analysis. *Haematologica*. 2014;58.
www.epistemonikos.org/documents/74b91b416fa23403479ab16718c63359663484ce
26. Sava GP, Speedy HE, Houlston RS. Candidate gene association studies and risk of chronic lymphocytic leukemia: a systematic review and meta-analysis. *Leukemia & lymphoma*. 2014;55(1):160-7.
www.epistemonikos.org/documents/783b61ac0e56f9ac175faa7cef63219b0159c05f
27. Liang L, Zhao M, Zhu YC, Hu X, Yang LP, Liu H. Efficacy of lenalidomide in relapsed/refractory chronic lymphocytic leukemia patient: a systematic review and meta-analysis. *Annals of hematology*. 2016;95(9):1473-82.
www.epistemonikos.org/documents/7c5d6989ac238a73b6ac046c2c6c04d6ac241d70
28. Lang DS, Hagger C, Pearson A. Safety of rapid rituximab infusion in adult cancer patients: A systematic review. *International journal of nursing practice*. 2011;17(4):357-69.
www.epistemonikos.org/documents/7fdefb07880b0ebaed8abacee42afadc48a6deab
29. Michael Steurer, Georg Pall, Sue Richards, Guido Schwarzer, Julia Bohlius, Richard Greil. Purine Antagonists for Chronic Lymphocytic Leukaemia. *Cochrane Database of Systematic Reviews*. 2006;(3):CD004270.
www.epistemonikos.org/documents/8514e29d522c001a06f01d7662e8327737e1d78a
30. Kharfan-Dabaja MA, Kumar A, Behera M, Djulbegovic B. Systematic review of high dose chemotherapy and autologous haematopoietic stem cell transplantation for chronic lymphocytic leukaemia: what is the published evidence?. *British journal of haematology*. 2007;139(2):234-42.
www.epistemonikos.org/documents/8bbe48cc1f3a2bf46b61b5cb20a63888e9c8e7d3
31. Liat Vidal, Anat Gafter-Gvili, Ronit Gurion, Pia Raanani, Martin Dreyling, Ofer Shpilberg. Bendamustine for patients with indolent B cell lymphoid malignancies including chronic lymphocytic leukaemia. *Cochrane Database of Systematic Reviews*. 2012;9(9):CD009045.
www.epistemonikos.org/documents/8bcd03775409d7e0a69e8dad2db01fc71b0b148f
32. Benner A., Mansouri L., Rossi D., Majid A., Willander K., Parker A., Bond G., Pavlova S., Nuckel H., Merkel O., Ghia P., Montserrat E., Kaderi M.A., Rosenquist R., Gaidano G., Dyer M.J.S., Soderkvist P., Linderholm M., Oscier D., Tvaruzkova Z., Pospisilova S., Duhren U., Greil R., Dohner H., Stilgenbauer S., Zenz T.. MDM2 promotor polymorphism and disease characteristics in chronic lymphocytic leukemia: Results of an individual patient data-based meta-analysis. *Haematologica*. 2014;99(8):1285-1291.
www.epistemonikos.org/documents/8dbe5f89197f683c858be2d57ba43386c31cdb7f
33. Silver SR, Hiratzka SL, Schubauer-Berigan MK, Daniels RD. Chronic lymphocytic leukemia radiogenicity: a systematic review. *Cancer causes & control : CCC*. 2007;18(10):1077-93.
www.epistemonikos.org/documents/8e65b5e9037fb4704181752efe7a520ccd46406f
34. Reljic T., Kumar A., Djulbegovic B., Kharfan-Dabaja M.A.. Meta-analysis evaluating efficacy of high-dose therapy and autologous hematopoietic cell transplantation as front-line consolidation in chronic lymphocytic leukemia: Results do not justify this treatment approach. *Blood*.

- 2014;124(21).
www.epistemonikos.org/documents/9186f2f02dcb1fc0f9eabc19f03d52d69adfc09
35. Reljic T, Kumar A, Djulbegovic B, Kharfan-Dabaja MA. High-dose therapy and autologous hematopoietic cell transplantation as front-line consolidation in chronic lymphocytic leukemia: a systematic review. *Bone marrow transplantation*. 2015;50(8):1069-74.
www.epistemonikos.org/documents/93686732a79e311b7d05d6ab3035f41b12304460
36. Zhang Z, Chen S, Chen G, Zhang R, Li J, Qu J. SF3B1 mutation is a prognostic factor in chronic lymphocytic leukemia: A meta-analysis. *Oncotarget*. 2017;8(41):69916-69923.
www.epistemonikos.org/documents/93e0fefa771f21b3e029bcd1afffa75c77b97b84
37. Kharfan-Dabaja MA, Moukalled N, Reljic T, El-Asmar J, Kumar A. Reduced intensity is preferred over myeloablative conditioning allogeneic HCT in chronic lymphocytic leukemia whenever indicated: A systematic review/meta-analysis. *Hematology/oncology and stem cell therapy*. 2018;11(2):63-74.
www.epistemonikos.org/documents/9e37ce42a1464c4fc02c3a3e745c9b8f58513e31
38. He C, Liu Z, Ji J, Zhu H. Prognostic significance of CD38 for chronic lymphocytic leukemia: A meta-analysis. *International Journal of Clinical and Experimental Medicine*. 2017;10(3):4305-4312.
www.epistemonikos.org/documents/a0b3f62da83790677aeeed2a2e1fe9a76725dc9a
39. Berndt S.I., Camp N.J., Skibola C.F., Vijai J., Wang Z., Gu J., Nieters A., Kelly R.S., Smedby K.E., Monnereau A., Cozen W., Cox A., Wang S.S., Lan Q., Teras L.R., Machado M., Yeager M., Brooks-Wilson A.R., Hartge P., Purdue M.P., Birmann B.M., Vajdic C.M., Cocco P., Zhang Y., Giles G.G., Zeleniuch-Jacquotte A., Lawrence C., Montalvan R., Burdett L., Hutchinson A., Ye Y., Call T.G., Shanafelt T.D., Novak A.J., Kay N.E., Liebow M., Cunningham J.M., Allmer C., Hjalgrim H., Adami H.-O., Melbye M., Glimelius B., Chang E.T., Glenn M., Curtin K., Cannon-Albright L.A., Diver W.R., Link B.K., Weiner G.J., Conde L., Bracci P.M., Riby J., Arnett D.K., Zhi D., Leach J.M., Holly E.A., Jackson R.D., Tinker L.F., Benavente Y., Sala N., Casabonne D., Becker N., Boffetta P., Brennan P., Foretova L., Maynadie M., McKay J., Staines A., Chaffee K.G., Achenbach S.J., Vachon C.M., Goldin L.R., Strom S.S., Leis J.F., Weinberg J.B., Caporaso N.E., Norman A.D., De Roos A.J., Morton L.M., Severson R.K., Riboli E., Vineis P., Kaaks R., Masala G., Weiderpass E., Chirlaque M.-D., Vermeulen R.C.H., Travis R.C., Southey M.C., Milne R.L., Albanes D., Virtamo J., Weinstein S., Clavel J., Zheng T., Holford T.R., Villano D.J., Maria A., Spinelli J.J., Gascoyne R.D., Connors J.M., Bertrand K.A., Giovannucci E., Kraft P., Krickler A., Turner J., Ennas M.G., Ferri G.M., Miligi L., Liang L., Ma B., Huang J., Crouch S., Park J.-H., Chatterjee N., North K.E., Snowden J.A., Wright J., Fraumeni J.F., Offit K., Wu X., De Sanjose S., Cerhan J.R., Chanock S.J., Rothman N., Slager S.L. Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. *Nature Communications*. 2016;7(no pagination):10933.
www.epistemonikos.org/documents/a86599a3721707639601b775d4d379eae48ae59e
40. Bauer K, Rancea M, Roloff V, Elter T, Hallek M, Engert A, Skoetz N. Rituximab, ofatumumab and other monoclonal anti-CD20 antibodies for chronic lymphocytic leukaemia. *Cochrane Database of Systematic Reviews*. 2012;11(4):CD008079.
www.epistemonikos.org/documents/b185ee1cf7020e5fd4fe36c60c2091f036d81c7a
41. Parikh SA, Strati P, Tsang M, West CP, Shanafelt TD. Should IGHV status and FISH testing be performed in all CLL patients at diagnosis? A systematic review and meta-analysis. *Blood*. 2016;127(14):1752-60.
www.epistemonikos.org/documents/b65c5f0926a0396e675ef43ea5a8968dffaac292
42. Zhao L, Xi Y.-M., Guo M., Chao R., Jin R.-R. Effectiveness and safety of FCR regimen for chronic lymphocytic leukemia: A systematic review. *Chinese Journal of Evidence-Based Medicine*. 2011;11(11):1321-1326.
www.epistemonikos.org/documents/c2d41c92713da30584a689e23b6d07257f6cbc9e

43. Dora Lang, Cobie George. Acute adverse reactions of rapid Rituximab infusion among adult patients with Non-Hodgkin Lymphoma and Chronic Lymphocytic Leukemia. *JBI Library of Systematic Reviews*. 2011;9(1):1-37.
www.epistemonikos.org/documents/c392646ea5a138e05864533e12f1070d3fe74ce5
44. Hodgson K, Ferrer G, Montserrat E, Moreno C. Chronic lymphocytic leukemia and autoimmunity: a systematic review. *Haematologica*. 2011;96(5):752-61.
www.epistemonikos.org/documents/d02b191d5832e2d85dc00a7c2d45b5b2dbe8c0a0
45. Liu Y, Wang Y, Yang J, Bi Y, Wang H. ZAP-70 in chronic lymphocytic leukemia: A meta-analysis. *Clinica chimica acta; international journal of clinical chemistry*. 2018;483:82-88.
www.epistemonikos.org/documents/d34843f683ce2272f2fca7a3337a718b1cd090dc
46. Puła A, Stawiski K, Braun M, Iskierka-Jażdżewska E, Robak T. Efficacy and safety of B-cell receptor signaling pathway inhibitors in relapsed/refractory chronic lymphocytic leukemia: a systematic review and meta-analysis of randomized clinical trials. *Leukemia & lymphoma*. 2018;59(5):1-11.
www.epistemonikos.org/documents/e0e2432bff91a93e46754752a4227e031e5acbcc
47. Beauchemin C, Johnston JB, Lapierre MÈ, Aissa F, Lachaine J. Relationship between progression-free survival and overall survival in chronic lymphocytic leukemia: a literature-based analysis. *Current oncology (Toronto, Ont.)*. 2015;22(3):e148-56.
www.epistemonikos.org/documents/e5009aec44f8fd16dab6c75e0a9991e00d662b83
48. Frey S, Blankart CR, Stargardt T. Economic Burden and Quality-of-Life Effects of Chronic Lymphocytic Leukemia: A Systematic Review of the Literature. *PharmacoEconomics*. 2016;34(5):479-98.
www.epistemonikos.org/documents/e71fa261e7ee6306ee0df3ed11c1511faf487ba7
49. Städler N, Shang A, Bosch F, Briggs A, Goede V, Berthier A, Renaudin C, Leblond V. A Systematic Review and Network Meta-Analysis to Evaluate the Comparative Efficacy of Interventions for Unfit Patients with Chronic Lymphocytic Leukemia. *Advances in therapy*. 2016;33(10):1814-1830.
www.epistemonikos.org/documents/e7a99a7ba95bbb22e2eb9f889a88b88f043ea3b9
50. Lepretre S, Jäger U, Janssens A, Leblond V, Nikitin E, Robak T, Wendtner CM. The value of rituximab for the treatment of fludarabine-refractory chronic lymphocytic leukemia: a systematic review and qualitative analysis of the literature. *Leukemia & lymphoma*. 2012;53(5):820-9.
www.epistemonikos.org/documents/ed2246354a24c780430f82e7f57c69afe627ebdb
51. Molica S, Giannarelli D, Mirabelli R, Levato L, Shanafelt TD. Chronic lymphocytic leukemia international prognostic index (CLL-IPI) in patients receiving chemoimmuno or targeted therapy: a systematic review and meta-analysis. *Annals of hematology*. 2018;97(10):2005-2008.
www.epistemonikos.org/documents/f2a2013567922dbfb06d3a603d5b627328330fb4
52. Robak T. Emerging drugs for rarer chronic lymphoid leukemias. *Expert opinion on emerging drugs*. 2008;13(1):95-118.
www.epistemonikos.org/documents/f6695ddff2eed14a349f5b4ce53b058ca355c96f
53. Sorensen S, Wildgust M, Sengupta N, Trambitas C, Diels J, van Sanden S, Xu Y, Dorman E. Indirect Treatment Comparisons of Ibrutinib Versus Physician's Choice and Idelalisib Plus Ofatumumab in Patients With Previously Treated Chronic Lymphocytic Leukemia. *Clinical therapeutics*. 2017;39(1):178-189.e5.
www.epistemonikos.org/documents/fb3824163cb8e15349f70648148c2c93f8ccbd01
54. Xu Y, Fahrbach K, Dorman E, Baculea S, Côté S, Sanden SV, Diels J. Front-line treatment of patients with chronic lymphocytic leukemia: a systematic review and network meta-analysis. *Journal of comparative effectiveness research*. 2018;7(5):421-441.
www.epistemonikos.org/documents/fc4a3be97bc4771e1c3db81853843bdfe462b3bc
55. Cramer P, Isfort S, Bahlo J, Stilgenbauer S, Döhner H, Bergmann M, Stauch M, Kneba M, Lange E, Langerbeins P, Pflug N, Kovacs G, Goede V, Fink AM, Elter T, Fischer K, Wendtner CM, Hallek M,

Eichhorst B. Outcome of advanced chronic lymphocytic leukemia following different first-line and relapse therapies: a meta-analysis of five prospective trials by the German CLL Study Group (GCLLSG). *Haematologica*. 2015;100(11):1451-9.
www.epistemonikos.org/documents/fece3d0a561da08adcb3e3dc24dd0d17bdcd3606