

**INFORME DE BÚSQUEDA SISTEMÁTICA DE EVIDENCIA
DE LOS EFECTOS DESEABLES E INDESEABLES
Guía de Práctica Clínica de Linfoma No Hodgkin en
personas de 15 años y más**

2018



ÍNDICE

TABLA RESUMEN	2
ESTRATEGIA DE BÚSQUEDA	3
CRITERIOS DE INCLUSIÓN	3
RECOLECCIÓN, ANÁLISIS Y SÍNTESIS DE DATOS	4
Selección de las revisiones	4
Extracción de datos	4
Mapeo de la evidencia	4
Apéndice 1. Estrategias de búsqueda:	5
Apéndice 2. Diagrama de flujo PRISMA	7
Apéndice 3. Referencias seleccionadas	8

TABLA RESUMEN

Problema de salud	Linfoma No Hodgkin
ICD10	C85
Fecha de entrega	01/12/2018
Investigador responsable	Gabriel Rada Giacaman
Número de revisiones sistemáticas	379
Número de preguntas	3875
L-OVE	<i>Non-hodgkin lymphoma</i>
L-OVE URL	https://love.epistemonikos.org/loves/5b729e9dc80dd46c8e5ecba2

ESTRATEGIA DE BÚSQUEDA

Se realizaron búsquedas en Epistemonikos, una base de datos exhaustiva de revisiones sistemáticas relevantes para la toma de decisiones en salud. La búsqueda de evidencia fue realizada en las siguientes bases de datos¹ con las estrategias descritas en el Apéndice 1.

1. Cochrane database of systematic reviews (CDSR)
2. Database of Abstracts of Reviews of Effectiveness (DARE)
3. HTA Database
4. PubMed
5. LILACS
6. CINAHL.
7. PsychINFO.
8. EMBASE.
9. EPPI-Centre Evidence Library
10. 3ie Systematic Reviews and Policy Briefs Campbell Library
11. Clinical Evidence.
12. SUPPORT Summaries
13. WHO Institutional Repository for Information Sharing
14. NICE public health guidelines and systematic reviews
15. ACP Journal Club.
16. Evidencias en Pediatría
17. The JBI Database of Systematic Reviews and Implementation Reports

CRITERIOS DE INCLUSIÓN

Consideramos todas las revisiones sistemáticas que están sintetizando estudios primarios (tanto experimentales como observacionales) de acuerdo a la definición empleada por la Colaboración Cochrane y la declaración PRISMA.²

Una revisión elegible debe cumplir con los siguientes criterios operacionales:

1. Reporta una búsqueda en al menos una base de datos electrónica.
2. Reporta al menos uno de los siguientes criterios inclusión de los estudios:
 - **Tipo de participantes:** Se incluyen todas las revisiones sistemáticas que resuman estudios que respondan la pregunta acerca de intervenciones para Linfoma No Hodgkin en personas de 15 años y más.

¹ La actualización se realiza de manera semanal. Se encuentra disponible en la plataforma digital un sistema de alerta que permite informar a través de correo electrónico la publicación de nuevos estudios que dan respuesta a las preguntas definidas, de manera de mantener continuamente actualizada la evidencia.

² “Una revisión sistemática intenta recopilar toda la evidencia empírica para responder a una pregunta de investigación específica, que cumple con criterios previamente definidos. Utiliza métodos explícitos y sistemáticos, que se eligen con miras a minimizar el sesgo, de manera de entregar hallazgos confiables que permitan sacar conclusiones y tomar decisiones”.

- **Tipo de desenlaces:** Se incluyen revisiones que presentan una síntesis (cuantitativa o cualitativa) de al menos un desenlace importante para el paciente u otra información relevante para tomar decisiones poblacionales o individuales acerca de intervenciones para Linfoma No Hodgkin en personas de 15 años y más.

RECOLECCIÓN, ANÁLISIS Y SÍNTESIS DE DATOS

SELECCIÓN DE LAS REVISIONES

Al menos dos revisores, de manera independiente, realizaron el cribado de los títulos y resúmenes para identificar los artículos relevantes. El texto completo de las revisiones potencialmente elegibles fue recuperado y evaluado, de manera independiente, para su inclusión final. Un tercer investigador resolvió cualquier discrepancia que pudiera haberse provocado entre los distintos revisores.

MAPEO DE LA EVIDENCIA

Con el objetivo de generar un listado exhaustivo de todas las posibles preguntas relacionadas con el tópico del L-OVE: *Linfoma No Hodgkin*³, se realiza la agrupación de las revisiones resultantes en formato PICO, es decir: población, intervención, comparación y desenlace [*outcome*]) utilizamos las siguientes fuentes:

1. Guías y documentos
2. Criterios de inclusión de las revisiones sistemáticas identificadas
3. Consulta con expertos
4. Retroalimentación de los usuarios

Como resultado final la plataforma incluye toda la evidencia disponible en revisiones sistemáticas y sus estudios primarios incluidos, segregada por nodos de evidencia que representan cada una de las preguntas priorizadas para actualización de la guía (Ver “Diagrama de flujo PRISMA” en Apéndice 2 y “Referencia Seleccionada” en Apéndice 3).

ACTUALIZACIÓN – “LIVING”

Todas las búsquedas a través de esta plataforma se mantienen continuamente actualizada gracias a la tecnología implementada en el buscador de Epistemonikos y sus distintos colaboradores. Por lo cual, tanto la cantidad de revisiones, preguntas, entre otros datos cambian continuamente. Los datos presentados en este informe son los correspondientes a la fecha de entrega.

³Ver resultados de la búsqueda en: <https://love.epistemonikos.org/loves/5b729e9dc80dd46c8e5ecba2>



APÉNDICE 1. ESTRATEGIAS DE BÚSQUEDA:⁴

Cochrane Library - Cochrane database of systematic reviews (CDSR)

<http://www.thecochranelibrary.com>

(lymphoma NOT hodgkin) OR non-hodgkin OR "non hodgkin" OR nonhodgkin, in Title, Abstract, Keywords: Cochrane Reviews (Reviews NOT protocols)

Medline/PubMed - US National Library of Medicine

<http://www.ncbi.nlm.nih.gov/pubmed/>

(lymphoma NOT hodgkin) OR non-hodgkin OR "non hodgkin" OR nonhodgkin AND (MEDLINE[Title/Abstract] OR (systematic[Title/Abstract] AND review[Title/Abstract]) OR meta analysis[Publication Type])

EMBASE (Excerpta Medica dataBASE)

<http://www.embase.com>

Frequency of search: weekly
(lymphoma NOT hodgkin) OR non-hodgkin OR "non hodgkin" OR nonhodgkin AND (meta-analysis.tw. OR systematic review.tw)

CINAHL (Cumulative Index to Nursing and Allied Health Literature)

<https://www.ebscohost.com/nursing/products/cinahl-databases/the-cinahl-database>

(lymphoma NOT hodgkin) OR non-hodgkin OR "non hodgkin" OR nonhodgkin AND ((TI meta analys* or AB meta analys*) or (TI systematic review or AB systematic review))

PsycINFO

<http://www.apa.org/pubs/databases/psycinfo>

(lymphoma NOT hodgkin) OR non-hodgkin OR "non hodgkin" OR nonhodgkin AND (meta-analysis OR search*)

LILACS (Literatura Latinoamericana y del Caribe en Ciencias de la Salud)

<http://lilacs.bvsalud.org/en/>

(lymphoma NOT hodgkin) OR non-hodgkin OR "non hodgkin" OR nonhodgkin AND (tw:"revision sistematica" or tw:"revisao sistematica" or tw:"systematic review") or ((MH:"Literatura de Revisión como asunto" OR MH:"Metanálisis como asunto" OR PT:Revision OR PT:Metanálisis) and (TW:Metaanal\$ OR TW:"Meta-analysis" OR TW:"Meta-analise" OR TW:"Meta-analisis" OR TI:overview\$ or TW:"estudio sistemático" OR TW:"systematic study" OR TW:"estudo sistemático" OR TI:review OR TI:revisão OR TI:revision))

⁴ No se aplican restricciones en base al idioma o estado de publicación.

DARE (Database of Abstracts of Reviews of Effectiveness) - Centre for Reviews and Dissemination, University of York

<http://www.crd.york.ac.uk/CRDWeb/>

(lymphoma NOT hodgkin) OR non-hodgkin OR "non hodgkin" OR nonhodgkin, in Any field:
CRD assessed review (bibliographic)/ CRD assessed review (full abstract)

HTA

Database

<http://www.crd.york.ac.uk/CRDWeb/>

(lymphoma NOT hodgkin) OR non-hodgkin OR "non hodgkin" OR nonhodgkin, in Any field

The Campbell Collaboration Online Library

<https://www.campbellcollaboration.org/library.html>

(lymphoma NOT hodgkin) OR non-hodgkin OR "non hodgkin" OR nonhodgkin, in Title: Review

JBI Database of Systematic Reviews and Implementation Reports

<http://journals.lww.com/jbisrir/pages>


(lymphoma NOT hodgkin) OR non-hodgkin OR "non hodgkin" OR nonhodgkin AND (review OR meta*), in All fields

EPPI-Centre Evidence Library

<http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=56>

(lymphoma NOT hodgkin) OR non-hodgkin OR "non hodgkin" OR nonhodgkin All records in chronological list (<http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=62>)

APÉNDICE 2. DIAGRAMA DE FLUJO PRISMA



APÉNDICE 3. REFERENCIAS SELECCIONADAS

1. Derenzini E, Casadei B, Pellegrini C, Argnani L, Pileri S, Zinzani PL. Non-hodgkin lymphomas presenting as soft tissue masses: a single center experience and meta-analysis of the published series. *Clinical lymphoma, myeloma & leukemia.* 2013;13(3):258-65.
www.epistemonikos.org/documents/0054cb3925aeb03b76b7e69794f3e71eacc26be0
2. Bohlius, Julia, Herbst, Christine, Reiser, Marcel, Schwarzer, Guido, Engert, Andreas. Granulopoiesis-stimulating factors to prevent adverse effects in the treatment of malignant lymphoma. *Cochrane Database of Systematic Reviews.* 2008;(4):CD003189.
www.epistemonikos.org/documents/005521752e55c54983b75ac78128bc04acac662f
3. Purdue MP, Freedman DM, Gapstur SM, Helzlsouer KJ, Laden F, Lim U, Maskarinec G, Rothman N, Shu XO, Stevens VL, Zeleniuch-Jacquotte A, Albanes D, Bertrand K, Weinstein SJ, Yu K, Irish L, Horst RL, Hoffman-Bolton J, Giovannucci EL, Kolonel LN, Snyder K, Willett W, Arslan AA, Hayes RB, Zheng W, Xiang YB, Hartge P. Circulating 25-hydroxyvitamin D and risk of non-hodgkin lymphoma: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. *American journal of epidemiology.* 2010;172(1):58-69.
www.epistemonikos.org/documents/020bda8ec09d31909ad6dd7e568fc086309456a5
4. Chen Z, Guan P, Shan T, Ye Y, Gao L, Wang Z, Zhao S, Zhang W, Zhang L, Pan L, Liu W. CD30 expression and survival in extranodal NK/T-cell lymphoma: a systematic review and meta-analysis. *Oncotarget.* 2018;9(23):16547-16556.
www.epistemonikos.org/documents/02bba5d62bd49fce08c31d41b967df888276b45b
5. He J., Wang F., Zhu J.-H., Chen W., Cui Z., Jia W.-H.. No association between MTR rs1805087 A>G polymorphism and non-Hodgkin lymphoma susceptibility: Evidence from 11 486 subjects. *Leukemia and Lymphoma.* 2015;56(3):763-767.
www.epistemonikos.org/documents/02cf06ce2f0fe79099e4300e938398770b3f560f
6. Fonkem, Ekokobe, Dayawansa, Samantha, Stroberg, Edana, Lok, Edwin, Bricker, Paul C., Kirmani, Batool, Wong, Eric T., Huang, Jason H.. Neurological presentations of intravascular lymphoma (IVL): Meta-analysis of 654 patients. *BMC Neurology.* 2016;16.
www.epistemonikos.org/documents/0324493d3bc72e6fa748da8a83cf55b171177e38
7. Yamshon S, Christos PJ, Demetres M, Hammad H, Leonard JP, Ruan J. Venous thromboembolism in patients with B-cell non-Hodgkin lymphoma treated with lenalidomide: a systematic review and meta-analysis. *Blood advances.* 2018;2(12):1429-1438.
www.epistemonikos.org/documents/03494ef20f2e9e2cfa616acf079afb9a6f3e9670
8. Kane EV, Newton R. Benzene and the risk of non-Hodgkin lymphoma: a review and meta-analysis of the literature. *Cancer epidemiology.* 2010;34(1):7-12.
www.epistemonikos.org/documents/06003b500da00b17636198b851b13c450590b230
9. Wang H, Diepgen TL. Is atopy a protective or a risk factor for cancer? A review of epidemiological studies. *Allergy.* 2005;60(9):1098-111.
www.epistemonikos.org/documents/061c35b3de3ef939bd7c1654ddfbe387a5b60c87
10. Wu LM, Chen FY, Jiang XX, Gu HY, Yin Y, Xu JR. 18F-FDG PET, combined FDG-PET/CT and MRI for evaluation of bone marrow infiltration in staging of lymphoma: a systematic review and meta-analysis. *European journal of radiology.* 2012;81(2):303-11.
www.epistemonikos.org/documents/078d2e984f2cda95d55bb62f50d90b3067f868f8
11. Chen GC, Lv DB, Pang Z, Liu QF. Fruits and vegetables consumption and risk of non-Hodgkin's lymphoma: a meta-analysis of observational studies. *International journal of cancer. Journal international du cancer.* 2013;133(1):190-200.
www.epistemonikos.org/documents/094c6a9c30e9579c54c5eba150b8aa7851521b7a
12. Baldo P, Rupolo M, Compagnoni A, Lazzarini R, Bearz A, Cannizzaro R, Spazzapan S, Truccolo I, Moja L. Interferon-alpha for maintenance of follicular lymphoma. *Cochrane database of*

- systematic reviews (Online). 2010;(1):CD004629.
www.epistemonikos.org/documents/0a61686384258883710e5416b55acafe94fde97c
13. Hu QY, Su J, Jiang H, Wang LL, Jia YQ. Potential role of proteomics in the diagnosis of lymphoma: a meta-analysis. International journal of laboratory hematology. 2013;35(4):367-78.
www.epistemonikos.org/documents/0a7a54abcae1d6dd14947c632a13219ff728b5ad
14. Abouyabis AN, Shenoy PJ, Sinha R, Flowers CR, Lechowicz MJ. A Systematic Review and Meta-Analysis of Front-line Anthracycline-Based Chemotherapy Regimens for Peripheral T-Cell Lymphoma. ISRN hematology. 2011;2011(no pagination):623924.
www.epistemonikos.org/documents/0aad73968d27ecfb08409d115a3ec88353c000e2
15. Dai ZM, He AL, Zhang WG, Liu J, Cao XM, Chen YX, Ma XR, Zhao WH, Dai ZJ. Association of the four common polymorphisms in interleukin-10 (rs1800890, rs1800896, rs1800871, and rs1800872) with non-Hodgkin's lymphoma risk: a meta-analysis. International journal of clinical and experimental medicine. 2014;7(12):4720-
33.www.epistemonikos.org/documents/0be7b1a0c6fe3c1325c5eaedcea3eb04cd5856f0
16. Xu W, Wang Q, Shao A, Xu B, Zhang J. The performance of MR perfusion-weighted imaging for the differentiation of high-grade glioma from primary central nervous system lymphoma: A systematic review and meta-analysis. PloS one. 2017;12(3):e0173430.
www.epistemonikos.org/documents/0cf68b1aa0654ce1e944437217098a8dedcca31f
17. Gao G, Liang X, Jiang J, Zhou X, Huang R, Chu Z, Zhan Q. A systematic review and meta-analysis of immunochemotherapy with rituximab for B-cell non-Hodgkin's lymphoma. Acta oncologica (Stockholm, Sweden). 2010;49(1):3-12.
www.epistemonikos.org/documents/0d9087d6a9d3da0f5e7e8d1fd52312df54cf039c
18. Meng F, Zhong D, Zhang L, Shao Y, Ma Q. Efficacy and safety of rituximab combined with chemotherapy in the treatment of diffuse large B-cell lymphoma: a meta-analysis. International journal of clinical and experimental medicine. 2015;8(10):17515-22.
www.epistemonikos.org/documents/0e1ec6b3bf2a7739bf6551a9e8fd26e80dab00b4
19. Zheng R, Zhang Q, Zhang Q, Yang L, Zhang Z, Huang F. Occupational exposure to pentachlorophenol causing lymphoma and hematopoietic malignancy for two generations. Toxicology and industrial health. 2015;31(4):328-42.
www.epistemonikos.org/documents/0e58863a1f26fb94fb2d27cd0963a38f67603a86
20. Silva T.D.B., Ferreira C.B.T., Leite G.B., De Menezes Pontes J.R., Antunes H.S.. Oral manifestations of lymphoma: A systematic review. ecancermedicalscience. 2016;10(no pagination):665.
www.epistemonikos.org/documents/101cd887ba9995c22c1f5c6b68d476ee84234136
21. Castillo JJ, Winer ES, Stachurski D, Perez K, Jabbour M, Milani C, Colvin GA, Butera JN. HIV-negative plasmablastic lymphoma: not in the mouth. Clinical lymphoma, myeloma & leukemia. 2011;11(2):185-9.
www.epistemonikos.org/documents/1022cb0af349c30e6c3a1bbd1f38e11b2542f60c
22. Ayanambakkam A, Ibrahim S, Bilal K, Cherry MA. Extranodal Marginal Zone Lymphoma of the Central Nervous System. Clinical lymphoma, myeloma & leukemia. 2018;18(1):34-37.e8.
www.epistemonikos.org/documents/1095f0de962f75f68b26eb89047280a43f92209d
23. Leak A, Mayer DK, Smith S. Quality of life domains among non-Hodgkin lymphoma survivors: an integrative literature review. Leukemia & lymphoma. 2011;52(6):972-85.www.epistemonikos.org/documents/10c5360c6229b328141e6952677b31702f831a06
24. Qi Z, Wang H, Gao G. Association of risk of non-Hodgkin's lymphoma with hepatitis B virus infection: a meta-analysis. International journal of clinical and experimental medicine. 2015;8(12):22167-74.
www.epistemonikos.org/documents/112cf41a58e2627bf1729c3ed241daed79f244af
25. Papadopoulou C, Antonopoulos CN, Sergentanis TN, Panagopoulou P, Belechri M, Petridou ET. Is birth weight associated with childhood lymphoma? A meta-analysis. International journal of

- cancer. *Journal international du cancer.* 2012;130(1):179-89.
www.epistemonikos.org/documents/11753e729a4929d726a94be6da7caa88d2295450
26. Steinmaus C, Smith AH, Jones RM, Smith MT. Meta-analysis of benzene exposure and non-Hodgkin lymphoma: biases could mask an important association. *Occupational and environmental medicine.* 2008;65(6):371-8.
www.epistemonikos.org/documents/1284de5fd8ec277a8d94f2f622fc067d511cf22
27. Huang Z, Xu Z, Zhou Y. Chemotherapy alone versus chemotherapy followed by consolidative radiotherapy for limited-stage aggressive non-Hodgkin's lymphoma: a meta-analysis of randomized controlled trials. *Cancer radiothérapie : journal de la Société française de radiothérapie oncologique.* 2013;17(8):736-43.
www.epistemonikos.org/documents/13faac725b22bce5c912f97875c40bd1c0a63640
28. Kim B, Roth C, Chung KC, Young VL, van Busum K, Schnyer C, Mattke S. Anaplastic large cell lymphoma and breast implants: a systematic review. *Plastic and reconstructive surgery.* 2011;127(6):2141-50.
www.epistemonikos.org/documents/16926d863a5bbc62e3a643b9802d04a05cc6660c
29. Nie M, Wang Y, Bi XW, Xia Y, Sun P, Liu PP, Li ZM, Jiang WQ. Effect of rituximab on adult Burkitt's lymphoma: a systematic review and meta-analysis. *Annals of hematology.* 2016;95(1):19-26.
www.epistemonikos.org/documents/1718c7953c108ba9c08e4ed5333534dd3b906935
30. Lang D, George C. Acute adverse reactions of rapid Rituximab infusion among adult patients with Non-Hodgkin Lymphoma and Chronic Lymphocytic Leukemia: A systematic review. *JBI library of systematic reviews.* 2010;8(16 Suppl):1-19.
www.epistemonikos.org/documents/17d0b61af43b5e48738c9c890da0e48edba51ece
31. Strehl J, Mey U, Glasmacher A, Djulbegovic B, Mayr C, Gorschlüter M, Ziske C, Schmidt-Wolf IG. High-dose chemotherapy followed by autologous stem cell transplantation as first-line therapy in aggressive non-Hodgkin's lymphoma: a meta-analysis. *Haematologica.* 2003;88(11):1304-15.
www.epistemonikos.org/documents/18551d132e403275191db6bd9d1edf891c6c8dfe
32. Sorigue M, Orna E, Sancho JM. Venous thromboembolism in patients with non-Hodgkin lymphoma or chronic lymphocytic leukemia treated with lenalidomide: a systematic review. *Leukemia & lymphoma.* 2018;59(11):1-10.
www.epistemonikos.org/documents/188bf46aacaf3e45edd906426a681f799f2822ba
33. Yang H, Su X, Xing J, Cui M, Li Z. [Advanced adenocarcinoma and concurrent mucosa-associated lymphoid tissue lymphoma of the stomach: a case report and literature review]. *Zhonghua wei chang wai ke za zhi = Chinese journal of gastrointestinal surgery.* 2014;17(2):150-4.
www.epistemonikos.org/documents/18e638334f49e9ecf7e82248f9071b9ca8879842
34. Kaiser R. Incidence of lymphoma in patients with rheumatoid arthritis: a systematic review of the literature. *Clinical lymphoma & myeloma.* 2008;8(2):87-93.
www.epistemonikos.org/documents/193e6a5d1d083c90436f7342f204d8beae055081
35. Qin LY, Zhao LG, Chen X, Yang Z, Mo WN. The CCND1 G870A gene polymorphism and leukemia or non-Hodgkin lymphoma risk: a meta-analysis. *Asian Pacific journal of cancer prevention : APJCP.* 2014;15(16):6923-8.
www.epistemonikos.org/documents/1b96965b8a1b00de5886af07c366f7fbea7b5d28
36. Castillo JJ, Mull N, Reagan JL, Nemr S, Mitri J. Increased incidence of non-Hodgkin lymphoma, leukemia, and myeloma in patients with diabetes mellitus type 2: a meta-analysis of observational studies. *Blood.* 2012;119(21):4845-50.
www.epistemonikos.org/documents/1c10fe6409882c575f5f7cde9f16998852a37469
37. Jiang XX, Yan ZX, Song YY, Zhao WL. A pooled analysis of MRI in the detection of bone marrow infiltration in patients with malignant lymphoma. *Clinical radiology.* 2013;68(3):e143-53.
www.epistemonikos.org/documents/1ca5ff19a5ce44d12d3935ba51439089226e3ca0
38. Zani C, Ceretti E, Covolo L, Donato F. Do polychlorinated biphenyls cause cancer? A systematic review and meta-analysis of epidemiological studies on risk of cutaneous melanoma and non-

- Hodgkin lymphoma. *Chemosphere.* 2017;183:97-106.
www.epistemonikos.org/documents/1cad1c914c543384b4eb17e5124fad454c7e36a
39. Auger-Quittet S, Duny Y, Daures JP, Quittet P. Outcomes after (90) Yttrium-ibritumomab tiuxetan-BEAM in diffuse large B-cell lymphoma: a meta-analysis. *Cancer medicine.* 2014;3(4):927-38.
www.epistemonikos.org/documents/1de52c96fb7d4dbdf412097632b12137519f10be
40. Martí-Carvajal, Arturo J, Cardona, Andrés Felipe, Lawrence, Able. Interventions for previously untreated patients with AIDS-associated Non-Hodgkin's Lymphoma. *Cochrane Database of Systematic Reviews.* 2009;(3):CD005419.
www.epistemonikos.org/documents/1e12ef3d73d8e0720bf7f28e84182c7a057d940f
41. Mitri J, Castillo J, Pittas AG. Diabetes and risk of Non-Hodgkin's lymphoma: a meta-analysis of observational studies. *Diabetes care.* 2008;31(12):2391-
[7. www.epistemonikos.org/documents/1e868e79f2137c7ddd0624798da9cf26fe58519e](http://www.epistemonikos.org/documents/1e868e79f2137c7ddd0624798da9cf26fe58519e)
42. Terasawa T, Lau J, Bardet S, Couturier O, Hotta T, Hutchings M, Nihashi T, Nagai H. Fluorine-18-fluorodeoxyglucose positron emission tomography for interim response assessment of advanced-stage Hodgkin's lymphoma and diffuse large B-cell lymphoma: a systematic review. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology.* 2009;27(11):1906-14.
www.epistemonikos.org/documents/1ee6ed3eeeb548371d85ba79c299f643eabbca42
43. Mandel JH, Kelsh MA, Mink PJ, Alexander DD, Kalmes RM, Weingart M, Yost L, Goodman M. Occupational trichloroethylene exposure and non-Hodgkin's lymphoma: a meta-analysis and review. *Occupational and environmental medicine.* 2006;63(9):597-607.
www.epistemonikos.org/documents/1f2df7bb208b185bc296ae190b655d4fec758212
44. Zullo A, Hassan C, Cristofari F, Andriani A, De Francesco V, Ierardi E, Tomao S, Stolte M, Morini S, Vaira D. Effects of Helicobacter pylori eradication on early stage gastric mucosa-associated lymphoid tissue lymphoma. *Clinical gastroenterology and hepatology : the official clinical practice journal of the American Gastroenterological Association.* 2010;8(2):105-10.
www.epistemonikos.org/documents/1f45a5b7bba03f8fa290cc6ebd9c135598aff933
45. Yildirim M., Kaya V., Demirkence O., Paydas S.. The role of gender in patients with diffuse large B cell lymphoma treated with rituximab-containing regimens: a meta-analysis. *Archives of Medical Science.* 2015;11(4):708-714.
www.epistemonikos.org/documents/1f89d087a1f2f448879b37898430b425c7932611
46. Wang J., Li X., Zhang D.. Dairy product consumption and risk of non-hodgkin lymphoma: A meta-analysis. *Nutrients.* 2016;8(3):120.
www.epistemonikos.org/documents/2010c9c37cdd76eda4c80b6092c0666824c891c7
47. Liu MT, Hsieh CY, Wang AY, Pi CP, Chang TH, Huang CC, Huang CY. Primary breast lymphoma: a pooled analysis of prognostic factors and survival in 93 cases. *Annals of Saudi medicine.* 2005;25(4):288-93.
www.epistemonikos.org/documents/20dd678543b43f801daf0a9a3187f1d51d7c7857
48. Mapp S, Sandhu G, Carrington C, Hennig S. A systematic review of treatment outcomes with weight-based dosing of chemotherapy in obese adult patients with acute leukemia or lymphoma. *Leukemia & lymphoma.* 2016;57(4):1-4.
www.epistemonikos.org/documents/2208c64c199bf77faad6eff61bfab4766bc4729a
49. Wang J, Zhan P, Ouyang J, Chen B, Zhou R, Yang Y. Standard chemotherapy is superior to high-dose chemotherapy with autologous stem cell transplantation on overall survival as the first-line therapy for patients with aggressive non-Hodgkin lymphoma: a meta-analysis. *Medical oncology (Northwood, London, England).* 2011;28(3):822-8.
www.epistemonikos.org/documents/2233352ea4e263ab0d7407491b116de5427eb4d5
50. Jiang L, Sun JH, Quan LN, Tian YY, Jia CM, Liu ZQ, Liu AC. Abnormal vascular endothelial growth factor protein expression may be correlated with poor prognosis in diffuse large B-cell lymphoma:

- A meta-analysis. *Journal of cancer research and therapeutics.* 2016;12(2):605-11.www.epistemonikos.org/documents/232e11540896a5eaf983638a4d46554965d241b2
51. Wei D., Wan Q., Li L., Jin H., Liu Y., Wang Y., Zhang G.. MicroRNAs as Potential Biomarkers for Diagnosing Cancers of Central Nervous System: a Meta-analysis. *Molecular Neurobiology.* 2015;51((Wei D.; Wan Q.; Li L.; Liu Y.; Zhang G., guangyun_zhang@yeah.net) Department of Neurology, Xijing Hospital, The Fourth Military Medical University, Xi'an, Shaanxi Province 710032, China):1452-61.
www.epistemonikos.org/documents/241aa0aa308222c8333d0bd550d81d5d99dbae4a
52. Ziakas PD, Poulou LS, Zintzaras E. FcyRIIa-H131R variant is associated with inferior response in diffuse large B cell lymphoma: A meta-analysis of genetic risk. *Journal of B.U.ON. : official journal of the Balkan Union of Oncology.* 2016;21(6):1454-1458.
www.epistemonikos.org/documents/247244ca37108da2221677646e346976da0aa68c
53. Rose AC, Shenoy PJ, Garrett G, Seward M, Kucuk RA, Doksansky H, Nastoupil LJ, Flowers CR. A systematic literature review and meta-analysis of radioimmunotherapy consolidation for patients with untreated follicular lymphoma. *Clinical lymphoma, myeloma & leukemia.* 2012;12(6):393-9.www.epistemonikos.org/documents/24775c170fdc1c4331398f3cd7ae48f654eab6d2
54. Zheng Z., Li X., Zhu Y., Gu W., Xie X., Jiang J.. Prognostic Significance of MiRNA in Patients with Diffuse Large B-Cell Lymphoma: A Meta-Analysis. *Cellular Physiology and Biochemistry.* 2016;39(5):1891-1904.
www.epistemonikos.org/documents/254a5202a8a344c82761c25b3cad193941fa9c53
55. Hilal T, Wang Z, Almader-Douglas D, Rosenthal A, Reeder CB, Jain T. Rituximab Maintenance Therapy for Mantle Cell Lymphoma: A Systematic Review and Meta-Analysis. *American journal of hematology.* 2018;93(10):1220-1226.
www.epistemonikos.org/documents/258df6f58ccaa31f57b443e31f11057b402172f5
56. Kouroukis CT, Browman GP, Esmail R, Meyer RM. Chemotherapy for older patients with newly diagnosed, advanced-stage, aggressive-histology non-Hodgkin lymphoma: a systematic review. *Annals of internal medicine.* 2002;136(2):144-52.
www.epistemonikos.org/documents/267060adb8ab41b914a5d6083062ebe4e20ba885
57. Namikawa T, Munekage E, Fukudome I, Maeda H, Kitagawa H, Togitani K, Takasaki M, Yokoyama A, Kobayashi M, Hanazaki K. Clinicopathological characteristics and therapeutic outcomes of synchronous gastric adenocarcinoma and gastric lymphoma. *Anticancer research.* 2014;34(9):5067-74.
www.epistemonikos.org/documents/27374d86b0fcf1e67f043fe71491b0d01c3c0269
58. Kaniel A, Fraser AG, Korelitz BI, Brensinger C, Lewis JD. Increased risk of lymphoma among inflammatory bowel disease patients treated with azathioprine and 6-mercaptopurine. *Gut.* 2005;54(8):1121-5.
www.epistemonikos.org/documents/275f75a161c6caa19417b44c13db39912b6309d0
59. Cao C, Liu S, Lou SF, Liu T. The +252A/G polymorphism in the Lymphotoxin- α gene and the risk of non-Hodgkin lymphoma: a meta-analysis. *European review for medical and pharmacological sciences.* 2014;18(4):544-52.
www.epistemonikos.org/documents/2953e6c13ed5c48a96ce0709ee8f4b1f4dd0c127
60. Deutsch, Mariel B., Mendez, Mario F.. Neurocognitive features distinguishing primary central nervous system lymphoma from other possible causes of rapidly progressive dementia. *Cognitive and Behavioral Neurology.* 2015;28(1):1-10.
www.epistemonikos.org/documents/298678811bb077a72ffbf9a9f693c3b65e842bfc
61. Berger GK, McBride A, Lawson S, Royball K, Yun S, Gee K, Bin Riaz I, Saleh AA, Puvvada S, Anwer F. Brentuximab vedotin for treatment of non-Hodgkin lymphomas: A systematic review. *Critical reviews in oncology/hematology.* 2017;109:42-50.
www.epistemonikos.org/documents/299f268b99e35eaef0af96bc782fe917e5248cf

62. Zhang J, Xu Z, Yu L, Chen M, Li K. Assessment of the potential diagnostic value of serum p53 antibody for cancer: a meta-analysis. PloS one. 2014;9(6):e99255. www.epistemonikos.org/documents/29c8270260cda6e5c2718b8c4bcc59c72b91f3db
63. Lang D, George C.. Acute adverse reactions of rapid rituximab infusion among adult patients with non-hodgkin lymphoma and chronic lymphocytic leukemia. JBI Library of Systematic Reviews. 2015;9(1):1-30. www.epistemonikos.org/documents/2b0383d0040f49bb47c6161f357d54b2d4b29299
64. Teras LR, Rollison DE, Pawlita M, Michel A, Brozy J, de Sanjose S, Blase JL, Gapstur SM. Epstein-Barr virus and risk of non-Hodgkin lymphoma in the cancer prevention study-II and a meta-analysis of serologic studies. International journal of cancer. Journal international du cancer. 2015;136(1):108-16. www.epistemonikos.org/documents/2b2f108e9ba48d1cb08c388e60961a724b179ac6
65. Kwee TC, Kwee RM, Nivelstein RA. Imaging in staging of malignant lymphoma: a systematic review. Blood. 2008;111(2):504-16. www.epistemonikos.org/documents/2b695bfe99486f77b1018cd29637a58619e2007a
66. Adams HJ, Kwee TC. Prognostic value of interim FDG-PET in R-CHOP-treated diffuse large B-cell lymphoma: Systematic review and meta-analysis. Critical reviews in oncology/hematology. 2016;106:55-63. www.epistemonikos.org/documents/2b843dd5222c921c5da29dcc959e859a5353d881
67. Nannya Y., Goto N., Shimizu M., Seishima M., Tsurumi H.. Efficacy of rituximab maintenance therapy for aggressive B-cell lymphoma depends on use of rituximab in induction therapy: a meta-analysis of randomized controlled trials. Haematologica. 2015;100(12):e519-e520. www.epistemonikos.org/documents/2bb86d57d30c971209c8c2a778429fc252c7d49e
68. Fonkem E., Dayawansa S., Stroberg E., Lok E., Bricker P.C., Kirmani B., Wong E.T., Huang J.H.. Neurological presentations of intravascular lymphoma (IVL): Meta-analysis of 654 patients. BMC Neurology. 2016;16(1):9. www.epistemonikos.org/documents/2bcc687ba1f5afbefc050eff7e84b2860195b858
69. Washburn EP, Orza MJ, Berlin JA, Nicholson WJ, Todd AC, Frumkin H, Chalmers TC. Residential proximity to electricity transmission and distribution equipment and risk of childhood leukemia, childhood lymphoma, and childhood nervous system tumors: systematic review, evaluation, and meta-analysis. Cancer causes & control : CCC. 1994;5(4):299-309. www.epistemonikos.org/documents/2c25fdfdd5105b7776868b7ac1dd9e1089d5c907
70. Scott C.S., Jinot J.. A systematic review and meta-analysis of occupational exposure to trichloroethylene and cancers of the kidney and liver and nonhodgkin lymphoma. Occupational and Environmental Medicine. 2011;:A110-A111. www.epistemonikos.org/documents/2d235a219f55ba34bac8eefa91cd33b6f57eafc2
71. Taverna JA, Yun S, Jonnadula J, Saleh A, Riaz IB, Abraham I, Yeager AM, Persky DO, McBride A, Haldar S, Anwer F. Role of Maintenance Therapy after High-Dose Chemotherapy and Autologous Hematopoietic Cell Transplantation in Aggressive Lymphomas: A Systematic Review. Biology of blood and marrow transplantation : journal of the American Society for Blood and Marrow Transplantation. 2016;22(7):1182-96. www.epistemonikos.org/documents/2e1590ab500b21d928fdc4202b342f9ac79b22a1
72. Wang N., Yang H., Wang X.. MTRR A66G polymorphism and non-hodgkin lymphoma risk: A meta-analysis. International Journal of Clinical and Experimental Medicine. 2016;9(2):606-613. www.epistemonikos.org/documents/2ee61af4ffaf5b876b770c885e334180eda9d68f
73. Tian Y.-P., Yao Y.-Z., Peng F.. Rituximab combined with routine chemotherapy in treatment of B-cell lymphoma: A meta analysis of randomized controlled trials. Chinese Journal of Cancer Biotherapy. 2011;18(1):63-69. www.epistemonikos.org/documents/2fcd9b9a726efe983cbe08d3d469117ec2030231

74. Falchi L, Ferrajoli A, Jacobs I, Nava-Parada P. An Evidence-based Review of Anti-CD20 Antibody-containing Regimens for the Treatment of Patients With Relapsed or Refractory Chronic Lymphocytic Leukemia, Diffuse Large B-cell Lymphoma, or Follicular Lymphoma. *Clinical lymphoma, myeloma & leukemia.* 2018;18(8):508-518.e14.www.epistemonikos.org/documents/3049ac7eb6e05d8a13c0ffd617d6f27fe86f7c93
75. Kharfan-Dabaja MA, Relic T, El-Asmar J, Nishihori T, Ayala E, Hamadani M, Kumar A. Reduced-intensity or myeloablative allogeneic hematopoietic cell transplantation for mantle cell lymphoma: a systematic review. *Future oncology (London, England).* 2016;12(22):2631-2642.www.epistemonikos.org/documents/3417f0dc01e9adfdc142e7f5e749fe6176039313
76. Wang XL, Wang XL, He S, Zhai HL. Association of β2-microglobulin with the prognosis of non-Hodgkin's lymphoma: a meta analysis. *International journal of clinical and experimental medicine.* 2015;8(3):3992-9.
www.epistemonikos.org/documents/34e4c822866758151cf3a5b69e294a228b41fd3d
77. Yap E, Law ZK, Aslan Abdullah NM, Abdul Wahid SF. Consolidation radiotherapy for advanced-stage aggressive B-cell non-Hodgkin lymphoma: A systematic review and meta-analysis. *EXCLI journal.* 2017;16:1233-1248.
www.epistemonikos.org/documents/350880d8d0c02c4642f18501a76e3551d6f063c5
78. Zhu D., Xu X.-L., Fang C., Ji M., Wu J., Wu C.-P., Jiang J.-T.. Prognostic value of interim 18F-FDG-PET in diffuse large B cell lymphoma treated with rituximab-based immune-chemotherapy: A systematic review and meta-analysis. *International Journal of Clinical and Experimental Medicine.* 2015;8(9):15340-15350.www.epistemonikos.org/documents/35c699a67ea776a0b726f42b65012922046cd26a
79. Yin J, Wei J, Xu JH, Xiao Y, Zhang YC. Autologous stem cell transplantation as the first-line treatment for peripheral T cell lymphoma: results of a comprehensive meta-analysis. *Acta haematologica.* 2014;131(2):114-25.
www.epistemonikos.org/documents/360b5dc60318de84c48a3dfe929386793401c8fa
80. Papaioannou D, Rafia R, Rathbone J, Stevenson M, Buckley Woods H, Stevens J. Rituximab for the first-line treatment of stage III-IV follicular lymphoma (review of Technology Appraisal No. 110): a systematic review and economic evaluation. *Health technology assessment (Winchester, England).* 2012;16(37):1-253.www.epistemonikos.org/documents/3770ff5a5bb094ceafa19c69a8b64e367910d346
81. Isasi CR, Lu P, Blaufox MD. A metaanalysis of 18F-2-deoxy-2-fluoro-D-glucose positron emission tomography in the staging and restaging of patients with lymphoma. *Cancer.* 2005;104(5):1066-74.www.epistemonikos.org/documents/389926c0e9f3241542730fb6699abaf991978b41
82. Song Y., Wen Y., Xue W., Zhang Y., Zhang M.. Effect of rituximab on primary central nervous system lymphoma: a meta-analysis. *International Journal of Hematology.* 2017;106(5):1-10.
www.epistemonikos.org/documents/3a6a0bc3157a8e6d0782df0c3b7e827dcc5777bd
83. Aksoy S, Dizdar O, Hayran M, Harputluoglu H. Infectious complications of rituximab in patients with lymphoma during maintenance therapy: a systematic review and meta-analysis. *Leukemia & lymphoma.* 2009;50(3):357-65.
www.epistemonikos.org/documents/3a9baf82d2ac40282844b6d8a30443ceb82d09f2
84. Nicole Bergner, Ina Monsef, Gerald Illerhaus, Andreas Engert, Nicole Skoetz. Role of chemotherapy additional to high-dose methotrexate for primary central nervous system lymphoma (PCNSL). *Cochrane Database of Systematic Reviews.*
2012;11(10):CD009355.www.epistemonikos.org/documents/3bcb6e9f23343ccf284814cf4bb6df06c9ecbf18
85. Adams HJ, Nievelstein RA, Kwee TC. Prognostic value of complete remission status at end-of-treatment FDG-PET in R-CHOP-treated diffuse large B-cell lymphoma: systematic review and meta-analysis. *British journal of haematology.* 2015;170(2):185-191.www.epistemonikos.org/documents/3bd3058d7ae96dceafe506e956b05762c18041e3

86. Skoetz N., Bergenthal N., Will A., Streckmann F., Elter T., Engert A.. Physical exercise improves fatigue in patients with haematological malignancies: A Cochrane systematic review and meta-analysis. Oncology Research and Treatment. 2014;37((Skoetz N.; Bergenthal N.; Will A.) Uniklinik Köln, Klinik i für Innere Medizin, Cochrane Haematological Malignancies Group, Köln, Germany):277.
www.epistemonikos.org/documents/3c1100e10b015a1c02af37fc7448eb1a670bba9a
87. Rajabally YA, Attarian S. Chronic inflammatory demyelinating polyneuropathy and malignancy: A systematic review. Muscle & nerve. 2018;57(6):875-883.www.epistemonikos.org/documents/3c509316b7c8755db44d5effd15a4d7b55e47bff
88. Guevara Canales, Janet O, Morales Vadillo, Rafael, Faria, Priscilla E. A de, Sacsaquise Contreras, Sonia J, Leite, Fabiola P. P, Chavez, Maria G. M. A. Systematic review of lymphoma in oral cavity and maxillofacial region. Acta odontol. latinoam. 2011;24(3):245-251.www.epistemonikos.org/documents/3c517a0bc49aa4c67a0be15bbe353ee7597436da
89. He C, Liu Z, Ji J, Zhu H. Prognostic value of survivin in patients with non-Hodgkin's lymphoma: a meta-analysis. International journal of clinical and experimental medicine. 2015;8(4):5847-54.
www.epistemonikos.org/documents/3c660435ec31267e1bbc8df51197f82b39219110
90. Caini S., Masala G., Gnagnarella P., Ermini I., Russell-Edu W., Palli D., Gandini S.. Food of animal origin and risk of non-Hodgkin lymphoma and multiple myeloma: A review of the literature and meta-analysis. Critical Reviews in Oncology/Hematology. 2016;100:16-24.www.epistemonikos.org/documents/3d8359c1214db8e43ddfed474eba7ae980a71009
91. Lin Z, Chen X, Li Z, Zhou Y, Fang Z, Luo Y, Zhao J, Xu B. The role of bortezomib in newly diagnosed diffuse large B cell lymphoma: a meta-analysis. Annals of hematology. 2018;97(11):2137-2144.
www.epistemonikos.org/documents/3daeb67b23601436df7ffdf2e7acfe04d23d3a1e
92. Yang L, Dong J, Jiang S, Shi W, Xu X, Huang H, You X, Liu H. Red and Processed Meat Consumption Increases Risk for Non-Hodgkin Lymphoma: A PRISMA-Compliant Meta-Analysis of Observational Studies. Medicine. 2015;94(45):e1729.
www.epistemonikos.org/documents/3ea2803fa6061680549ddc68cdb463942ff7111c
93. Ramos-Gallardo G., Cuenca-Pardo J., Rodriguez-Olivares E., Iribarren-Moreno R., Contreras-Bulnes L., Vallarta-Rodriguez A., Kalixto-Sanchez M., Hernandez C., Ceja-Martinez R., Torres-Rivero C.. Breast Implant and Anaplastic Large Cell Lymphoma Meta-Analysis. Journal of Investigative Surgery. 2017;30(1):1-10.www.epistemonikos.org/documents/3f92fecaf29c43ed57eec76699f6a5caa0ebf721
94. Dong Y, Wu G. Lack of association of poultry and eggs intake with risk of non-Hodgkin lymphoma: a meta-analysis of observational studies. European journal of cancer care. 2017;26(5).
www.epistemonikos.org/documents/421c92f041efcbc2c037c2a37af62dfa58bce426
95. von Roon AC, Reese G, Teare J, Constantinides V, Darzi AW, Tekkis PP. The risk of cancer in patients with Crohn's disease. Diseases of the colon and rectum. 2007;50(6):839-55.
www.epistemonikos.org/documents/428fd502b7aea31b3b745465dd92bdfe4051dc
96. Liang R, Li M, Wang X, Luo J, Yang Y, Mao Q, Liu Y. Role of rCBV values derived from dynamic susceptibility contrast-enhanced magnetic resonance imaging in differentiating CNS lymphoma from high grade glioma: a meta-analysis. International journal of clinical and experimental medicine. 2014;7(12):5573-7.
www.epistemonikos.org/documents/4299da3673365aee3d1fa38420d84168c3fbaba7
97. Jiang L, Li SJ, Jiang YM, Long JX, Wang RS, Su J, Zhang Y. The significance of combining radiotherapy with chemotherapy for early stage extranodal natural killer/T-cell lymphoma, nasal type: a systematic review and meta-analysis. Leukemia & lymphoma. 2014;55(5):1038-48.
www.epistemonikos.org/documents/42d67e3b1f1120f5d9dfa85e15ab18f135f69ca2
98. Hidayat K, Li HJ, Shi BM. Anthropometric factors and non-Hodgkin's lymphoma risk: systematic review and meta-analysis of prospective studies. Critical reviews in oncology/hematology.

- 2018;129:113-123.
www.epistemonikos.org/documents/430567b8abd84792a77164f131cdc8f5f41594d1
99. Hu C, Deng C, Zou W, Zhang G, Wang J. The Role of Consolidative Radiotherapy after a Complete Response to Chemotherapy in the Treatment of Diffuse Large B-Cell Lymphoma in the Rituximab Era: Results from a Systematic Review with a Meta-Analysis. *Acta haematologica*. 2015;134(2):111-118.
www.epistemonikos.org/documents/434e5fbe167c1b4509e9cc275a85032aade8712a
100. Chen S., Zhu J.-H., Wang F., Huang S.-Y., Xue W.-Q., Cui Z., He J., Jia W.-H.. Association of the Asp312Asn and Lys751Gln polymorphisms in the XPD gene with the risk of non-Hodgkin's lymphoma: Evidence from a meta-analysis. *Chinese Journal of Cancer*. 2015;34(3):1-7.
www.epistemonikos.org/documents/437bbe6e2282f1d5ada9ac45c466b8a9b73c7c2
101. Onishi A, Sugiyama D, Kumagai S, Morinobu A. Cancer incidence in systemic sclerosis: meta-analysis of population-based cohort studies. *Arthritis and rheumatism*. 2013;65(7):1913-21.
www.epistemonikos.org/documents/439d79747ad12fd3a51ea9d4faf776ca228f24f8
102. Schlaak M, Theurich S, Pickenhain J, Skoetz N, Kurschat P, von Bergwelt-Baildon M. Allogeneic stem cell transplantation for advanced primary cutaneous T-cell lymphoma: a systematic review. *Critical reviews in oncology/hematology*. 2013;85(1):21-31.
www.epistemonikos.org/documents/43b23120260f84717a73760862376cef634f5619
103. Zhao H., Wang R.. IL-2 -330T/G polymorphism and cancer risk: a meta-analysis. *OncoTargets and Therapy*. 2015;8:1753-1760.
www.epistemonikos.org/documents/45292f43c60588d3d509b9e0a9685920a8e8c69e
104. Webb MS, Saltman DL, Connors JM, Goldie JH. A literature review of single agent treatment of multiply relapsed aggressive non-Hodgkin's lymphoma. *Leukemia & lymphoma*. 2002;43(5):975-82.
www.epistemonikos.org/documents/4538846ca44d462e6062876c7df5890503a320b2
105. Tan XY, He QY. [Chinese literature review of etiology distribution of adult patients with fever of unknown origin from 1979 to 2012]. *Zhonghua nei ke za zhi*. 2013;52(12):1013-7.
www.epistemonikos.org/documents/455cfe1abcb2483c41f24f5b981d702bc993e347
106. Vidal L, Gafter-Gvili A, Salles G, Bousseta S, Oberman B, Rubin C, van Oers MHJ, Fortpied C, Ghielmini M, Pettengell R, Witzens-Haarig M, Dreger P, Vitolo U, Gomes da Silva M, Evangelista A, Li H, Freedman L, Habermann TM, Shpilberg O. Rituximab maintenance improves overall survival of patients with follicular lymphoma—Individual patient data meta-analysis. *European Journal of Cancer*. 2017;76:216-225.
www.epistemonikos.org/documents/45bacab4e730f167e116e3c8ff69a3715046f396
107. Li H., Wang X.-D., Wang C.-S.. Effectiveness and safety of chemotherapy regimens represented by pirarubicin versus adriamycin hydrochloride for non-Hodgkin lymphoma in mainland China: A meta-analysis. *Chinese Journal of Evidence-Based Medicine*. 2013;13(2):176-181.
www.epistemonikos.org/documents/487acd2aac2e92c525b3f2456906964e7b84911a
108. Dulai PS, Thompson KD, Blunt HB, Dubinsky MC, Siegel CA. Risks of serious infection or lymphoma with anti-tumor necrosis factor therapy for pediatric inflammatory bowel disease: a systematic review. *Clinical gastroenterology and hepatology : the official clinical practice journal of the American Gastroenterological Association*. 2014;12(9):1443-51; quiz e88-9.
www.epistemonikos.org/documents/48915dfd7d02c51b70c3f4c6077c8aac70beeb86
109. Zintzaras E, Voulgarelis M, Moutsopoulos HM. The risk of lymphoma development in autoimmune diseases: a meta-analysis. *Archives of internal medicine*. 2005;165(20):2337-44.
www.epistemonikos.org/documents/4944832fc14730a93608741e158a5e578bdc8858
110. Liu D., Tian Y., Sun D., Sun H., Jin Y., Dong M.. The FCGR3A polymorphism predicts the response to rituximab-based therapy in patients with non-Hodgkin lymphoma: a meta-analysis. *Annals of Hematology*. 2016;95(9):1483-1490.
www.epistemonikos.org/documents/499cbbab593b49a2792ae837c38fccbc197677f7

111. Sun H.-L., Pan Y.-Q., He B.-S., Nie Z.-L., Lin K., Peng H.-X., Cho W.C., Wang S.-K.. Prognostic performance of lymphocyte-to-monocyte ratio in diffuse large B-cell lymphoma: An updated meta-analysis of eleven reports. *OncoTargets and Therapy.* 2016;9:3017-3023.www.epistemonikos.org/documents/49e0c24b3e9426c181b0186b87b7b0d7b993de6e
112. Qian H., Gao F., Wang H., Ma F.. The efficacy and safety of crizotinib in the treatment of anaplastic lymphoma kinase-positive non-small cell lung cancer: A meta-analysis of clinical trials. *BMC Cancer.* 2014;14(1):683.
www.epistemonikos.org/documents/49e1c6328ae8732e11671542cf87f9a5807cddae
113. Zhang Y., Xia ZG., Zhu JH., Chen MB., Wang TM., Shen WX., He J.. Association of Interleukin-10 -3575T>A and -1082A>G polymorphisms with non-Hodgkin lymphoma susceptibility: a comprehensive review and meta-analysis. *Molecular genetics and genomics : MGG.* 2015;290(6):2063-73.www.epistemonikos.org/documents/49e94aac4f9d1dbcd7a5d1c02266fe4d30f0acae
114. Tobias Weberschock, Reinhard Strametz, Maria Lorenz, Christoph Röllig, Charles Bunch, Andrea Bauer, Jochen Schmitt. Interventions for mycosis fungoïdes. *Cochrane Database of Systematic Reviews.* 2012;9(9):CD008946.
www.epistemonikos.org/documents/4a24883b6d58e5074b1817720a63a52fb66b327a
115. Terret C., Albrand G., Rainfray M., Soubeyran P.. Impact of comorbidities on the treatment of non-Hodgkin's lymphoma: a systematic review. *Expert review of hematology.* 2015;8(3):329-41.
www.epistemonikos.org/documents/4b6cb8c24a99c2131b3847ee0e097389b37d04c3
116. Mangal N., Salem AH., Li M., Menon R., Freise K.J.. Relationship between response rates and median progression-free survival in non-Hodgkin's lymphoma: A meta-analysis of published clinical trials. *Hematological oncology.* 2018;36(1):37-43.
www.epistemonikos.org/documents/4c5245b74ca4727a3276a5ca6b43e793702f84a3
117. Mu S., Ai L., Fan F., Qin Y., Sun C., Hu Y.. Prognostic role of neutrophil-to-lymphocyte ratio in diffuse large B cell lymphoma patients: an updated dose-response meta-analysis. *Cancer cell international.* 2018;18(1):119.
www.epistemonikos.org/documents/4ebedb82de0bad78f6c7eb2d0b738e531055004d
118. Liu F., He M., Li S.-Q., Zhou Y., Zhao Y., Yang M.. High dose intensity Cyclophosphamide in aggressive non-Hodgkin's lymphoma: a literature-based Meta-analysis. *Chinese Journal of Cancer Prevention and Treatment.* 2015;22(11):891-896.
www.epistemonikos.org/documents/4f20c9b11016caa7bdc016d8187798612e3d3a15
119. Gidengil CA., Predmore Z., Mattke S., van Busum K., Kim B.. Breast implant-associated anaplastic large cell lymphoma: a systematic review. *Plastic and reconstructive surgery.* 2015;135(3):713-20.
www.epistemonikos.org/documents/513f924dfb29fb66d98c475985287ac0929529bd
120. Gilad Itchaki, Anat Gafter-Gvili, Meir Lahav, Liat Vidal, Pia Raanani, Ofer Shpilberg, Mical Paul. Anthracycline-containing regimens for treatment of follicular lymphoma in adults. *Cochrane Database of Systematic Reviews.* 2013;7(7):CD008909.
www.epistemonikos.org/documents/51d5dc0eba342338299a74441198218529ecd068
121. Burggraaff CN., de Jong A., Hoekstra OS., Hoetjes NJ., Nivelstein RAJ., Jansma EP., Heymans MW., de Vet HCW., Zijlstra JM.. Predictive value of interim positron emission tomography in diffuse large B-cell lymphoma: a systematic review and meta-analysis. *European journal of nuclear medicine and molecular imaging.* 2019;46(1):65-79.
www.epistemonikos.org/documents/522f229180117a320d0ca1271077723a4faa7ff6
122. Yu Z., Liu Q., Huang C., Wu M., Li G.. The Interleukin 10 -819C/T Polymorphism and Cancer Risk: A HuGE Review and Meta-Analysis of 73 Studies Including 15,942 Cases and 22,336 Controls. *Omics : a journal of integrative biology.* 2013;17(4):200-14.
www.epistemonikos.org/documents/5269be17f3033e9e3c804a48208dce4860144b8f

123. de Carvalho GM, Pauna HF, Crespo AN, Gusmão RJ, Guimarães AC. Tonsillar Lymphoma in Children According to Age Group: A Systematic Review. *Iranian journal of otorhinolaryngology*. 2018;30(97):69-75.
www.epistemonikos.org/documents/52b0ed339a0b044c79f5df1bdb19bbda41e4cd63
124. Yahav D, Gafter-Gvili A, Muchtar E, Skalsky K, Kariv G, Yeshurun M, Leibovici L, Paul M. Antiviral prophylaxis in haematological patients: systematic review and meta-analysis. *European journal of cancer (Oxford, England : 1990)*. 2009;45(18):3131-48.
www.epistemonikos.org/documents/5306c11198b9f3a5dbc9658c21a99ae25c88d6fb
125. Zhu R, Lu D, Chu Y.-W., Chai A, Green M., Zhang N., Jin J.Y.. Assessment of Correlation Between Early and Late Efficacy Endpoints to Identify Potential Surrogacy Relationships in Non-Hodgkin Lymphoma: a Literature-Based Meta-analysis of 108 Phase II and Phase III Studies. *AAPS Journal*. 2017;19(3):1-13.
www.epistemonikos.org/documents/5335144774f38393a706822a99e9bfefb3fb7251
126. Haw R, Sawka CA, Franssen E, Bernstein NL. Significance of a partial or slow response to front-line chemotherapy in the management of intermediate-grade or high-grade non-Hodgkin's lymphoma: a literature review. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology*. 1994;12(5):1074-84.
www.epistemonikos.org/documents/53ad2cb9ddc4d15b9564af1cb15252db0605d041
127. Yang L, Shi WY, Xu XH, Wang XF, Zhou L, Wu DP. Fish consumption and risk of non-Hodgkin lymphoma: A meta-analysis of observational studies. *Hematology (Amsterdam, Netherlands)*. 2014;
www.epistemonikos.org/documents/53cc4e6423b78dc8fe4d525b387cf2db55d89869
128. Lyman GH, Barron RL, Natoli JL, Miller RM. Systematic review of efficacy of dose-dense versus non-dose-dense chemotherapy in breast cancer, non-Hodgkin lymphoma, and non-small cell lung cancer. *Critical reviews in oncology/hematology*. 2012;81(3):296-308.
www.epistemonikos.org/documents/5534086ed8667d545537f2f17103781b5165500e
129. Auweiler PW, Müller D, Stock S, Gerber A. Cost effectiveness of rituximab for non-Hodgkin's lymphoma: a systematic review. *PharmacoEconomics*. 2012;30(7):537-49.
www.epistemonikos.org/documents/55cf99da0790e9307b652bfb48fbb437034eed0
130. Auger S, Duny Y., Daures J.P., Quittet P.. Treatment with yttrium-90 (90y)-ibritumomab tiuxetan (zevalin) in diffuse large B-cell lymphoma: A meta-analysis. *Haematologica*. 2014;:700.
www.epistemonikos.org/documents/56d65f9d5890905db862248008c3edfde1b0b2c5
131. Iacoboni G, Zucca E, Ghielmini M, Stathis A. Methodology of clinical trials evaluating the incorporation of new drugs in the first line treatment of patients with diffuse large B-cell lymphoma (DLBCL): a critical review. *Annals of oncology : official journal of the European Society for Medical Oncology*. 2018;29(5):1120-1129.
www.epistemonikos.org/documents/57129b75969a9e301f24e29fa7e5821c9f91456b
132. Kim KH, Kim RB, Woo SH. Individual participant data meta-analysis of primary laryngeal lymphoma: Focusing on the clinical characteristics and prognosis. *The Laryngoscope*. 2015;125(12):2741-8.
www.epistemonikos.org/documents/5714d191c83432885c8529df169c5b4be3ea8363
133. Yang M, Sun J, Bai HX, Tao Y, Tang X, States LJ, Zhang Z, Zhou J, Farwell MD, Zhang P, Xiao B, Yang L. Diagnostic accuracy of SPECT, PET, and MRS for primary central nervous system lymphoma in HIV patients: A systematic review and meta-analysis. *Medicine*. 2017;96(19):e6676.
www.epistemonikos.org/documents/584d3b0649756024914645f6800c38bacd8035f0
134. Leberfinger AN, Behar BJ, Williams NC, Rakiszawski KL, Potochny JD, Mackay DR, Ravnic DJ. Breast Implant-Associated Anaplastic Large Cell Lymphoma: A Systematic Review. *JAMA surgery*. 2017;152(12):1161-1168.
www.epistemonikos.org/documents/59ebb7e96c9ac24f1a5c59ff08f438f728b35929

135. Yi HZ, Chen JJ, Cen H, Yan W, Tan XH. Association between infection of hepatitis B virus and onset risk of B-cell non-Hodgkin's lymphoma: a systematic review and a meta-analysis. *Medical oncology* (Northwood, London, England). 2014;31(8):84. www.epistemonikos.org/documents/5a968cc24bb0111da4c7e34e4dddccb21175b31d
136. Xu JY, Sun YY, Zhou M, Wang J, Zhang QG, Xu XH, Zeng H, Ouyang J. Methylenetetrahydrofolate reductase gene polymorphisms association with the risk of follicular lymphoma: a meta-analysis. *Tumour biology : the journal of the International Society for Oncodevelopmental Biology and Medicine*. 2013;34(3):1467-71. www.epistemonikos.org/documents/5aa7b51ba890c874a05639df304b737dd2475415
137. Lu D., Chen J., Jin J.. Vitamin D status and risk of non-Hodgkin lymphoma: a meta-analysis. *Cancer Causes & Control*. 2014;25((Lu D.; Chen J.; Jin J., zjuhematology@163.com) Department of Hematology, First Affiliated Hospital, College of Medicine, Zhejiang University, Hangzhou, 310000, China):1553-63. www.epistemonikos.org/documents/5ae1cd9f64be7ae09c6082a976838ea6f2352142
138. Castillo JJ, Echenique IA. Rituximab in combination with chemotherapy versus chemotherapy alone in HIV-associated non-Hodgkin lymphoma: a pooled analysis of 15 prospective studies. *American journal of hematology*. 2012;87(3):330-3. www.epistemonikos.org/documents/5bd55c7ee38780cf6554259263a30f2628bfab5
139. Li Z., Tan X.-H., Cen H.. Meta-analysis of chemoradiotherapy for limited aggressive non-Hodgkin's lymphoma in clinical significance. *Chinese Journal of Cancer Prevention and Treatment*. 2015;22(11):885-890. www.epistemonikos.org/documents/5cc0a8efcbd1dc4ccb71879338620a2fcc4ef73f
140. Zhu Y, Lu J, Wei X, Song S, Huang G. The predictive value of interim and final [18F] fluorodeoxyglucose positron emission tomography after rituximab-chemotherapy in the treatment of non-Hodgkin's lymphoma: a meta-analysis. *BioMed research international*. 2013;2013(no pagination):275805. www.epistemonikos.org/documents/5cf491b623e687d95395b7b3d81832114745573d
141. Kerbauy MN, Moraes FY, Lok BH, Ma J, Kerbauy LN, Spratt DE, Santos FP, Perini GF, Berlin A, Chung C, Hamerschlak N, Yahalom J. Challenges and opportunities in primary CNS lymphoma: A systematic review. *Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology*. 2017;122(3):352-361. www.epistemonikos.org/documents/5e0426cb335584cea07ebd1f625910fbcb18554
142. Taylor, Karen, Monterosso, Leanne. Systematic review of the tools used to assess the informational and practical needs of acute leukaemia and lymphoma survivors. *Australian Journal of Cancer Nursing*. 2016;17(1):6-13. www.epistemonikos.org/documents/5e2d3f0212a220425262a35726199dd37dbdc285
143. Bohlius J, Reiser M, Schwarzer G, Engert A. Impact of granulocyte colony-stimulating factor (CSF) and granulocyte-macrophage CSF in patients with malignant lymphoma: a systematic review. *British journal of haematology*. 2003;122(3):413-23. www.epistemonikos.org/documents/5e6097f1a1cf30d39c68d87e3af2fd3866f65c8
144. Xie M, Wu K, Liu Y, Jiang Q, Xie Y. Predictive value of F-18 FDG PET/CT quantization parameters in diffuse large B cell lymphoma: a meta-analysis with 702 participants. *Medical oncology* (Northwood, London, England). 2015;32(1):446. www.epistemonikos.org/documents/5eaf520669343b02dadcf1c7295f46b73175f02a
145. Smitten AL, Simon TA, Hochberg MC, Suissa S. A meta-analysis of the incidence of malignancy in adult patients with rheumatoid arthritis. *Arthritis research & therapy*. 2008;10(2):R45. www.epistemonikos.org/documents/5eef11e9f9ff558ebe1f3d0bc85e249c6470589f
146. Lee S.G., Tseng E.K., Haynes A.E., Garcia L.M., Hicks L.K.. CT or CT/PET surveillance in asymptomatic adult and pediatric patients following curative intent therapy for Hodgkin lymphoma

- and aggressive non-Hodgkin lymphoma: A systematic review. *Blood.* 2016;www.epistemonikos.org/documents/5f347196465bf8c6a334b6e18f6d1e6d579412d4
147. Mariette X, Matucci-Cerinic M, Pavelka K, Taylor P, van Vollenhoven R, Heatley R, Walsh C, Lawson R, Reynolds A, Emery P. Malignancies associated with tumour necrosis factor inhibitors in registries and prospective observational studies: a systematic review and meta-analysis. *Annals of the rheumatic diseases.* 2011;70(11):1895-904. www.epistemonikos.org/documents/5fdd5819a4fe65b7cce62c28ed01b31cd51a9caa
148. Sun Z, Pei J, Cui F, Jing Y, Hu C. Lack of association between IL-4 -588C>T polymorphism and NHL susceptibility. *Tumour biology : the journal of the International Society for Oncodevelopmental Biology and Medicine.* 2014;35(5):4897-900. www.epistemonikos.org/documents/6215399f72029ebbe88b9154a668f8bada562ee9
149. Østergaard Poulsen M, Krogh Jørgensen L, Sørensen S, Falgreen S, Støve Bødker JS, Bach Laursen M, Schmitz A, Johnsen HE, Dybkær K, Bøgsted M. Alternative pre-mRNA splicing leads to potential biomarkers in diffuse large B-cell lymphoma - a systematic review. *Danish medical journal.* 2016;63(3). www.epistemonikos.org/documents/628dc67474abe8d91c0c4d062d0b45a00ac966ba
150. Li M, Gan Y, Fan C, Yuan H, Zhang X, Shen Y, Wang Q, Meng Z, Xu D, Tu H. Hepatitis B virus and risk of non-Hodgkin lymphoma: an updated meta-analysis of 58 studies. *Journal of viral hepatitis.* 2018;25(8):894-903. www.epistemonikos.org/documents/6399564f2b8e7adb2f21710838459d5de158cc2f
151. Ye X, Casablang N, Mahmud SM. Use of non-steroidal anti-inflammatory drugs and risk of non-Hodgkin lymphoma: a systematic review and meta-analysis. *Hematological oncology.* 2015;33(4):176-86. www.epistemonikos.org/documents/6400022bdcc4dbce667dd3fe86ff2831309ad35c
152. Joseph U Okebe, Nicole Skoetz, Martin M Meremikwu, Sue Richards. Therapeutic interventions for Burkitt lymphoma in children. *Cochrane Database of Systematic Reviews.* 2011;(7):CD005198. www.epistemonikos.org/documents/64c68091a67a4e7f66862947cf7c5a1d9b348b49
153. Greb, Alexander, Bohlius, Julia, Schiefer, Daniel, Schwarzer, Guido, Schulz, Holger, Engert, Andreas. High-dose chemotherapy with autologous stem cell transplantation in the first line treatment of aggressive Non-Hodgkin Lymphoma (NHL) in adults. *Cochrane Database of Systematic Reviews.* 2008;(1):CD004024. www.epistemonikos.org/documents/64df2734cf5a5fc8348a85a80ff83fe1e1d7c562
154. El-Jurdi N, Reljic T, Kumar A, Pidala J, Bazarbachi A, Djulbegovic B, Kharfan-Dabaja MA. Efficacy of adoptive immunotherapy with donor lymphocyte infusion in relapsed lymphoid malignancies. *Immunotherapy.* 2013;5(5):457-66. www.epistemonikos.org/documents/6537f428bdb03595bd0977f5faace6ab2627658d
155. Zhou JY, Shi R, Yu HL, Zeng Y, Zheng WL, Ma WL. Association between polymorphic sites in thymidylate synthase gene and risk of non-Hodgkin lymphoma: a systematic review and pooled analysis. *Leukemia & lymphoma.* 2012;53(10):1953-60. www.epistemonikos.org/documents/65594ddbf9efd565f7b2d493b72f17457c21f0e
156. Wei J, Xu J, Cao Y, Zhou J, Zhang Y. Allogeneic stem-cell transplantation for peripheral T-cell lymphoma: a systemic review and meta-analysis. *Acta haematologica.* 2015;133(2):136-144. www.epistemonikos.org/documents/6592ff287b92a3f260ffa7f7f75f5cbc30df65cd
157. Moraes FY, Carvalho Hde A, Hanna SA, Silva JL, Marta GN. Literature review of clinical results of total skin electron irradiation (TSEBT) of mycosis fungoides in adults. *Reports of practical oncology and radiotherapy : journal of Greatpoland Cancer Center in Poznań and Polish*

- Society of Radiation Oncology. 2014;19(2):92-
8.www.epistemonikos.org/documents/659687c3da9ddf29261972b61bd7e2a920b97ef8
158. Fan F., Wang W., Li G., Ju X., Liu X., Shi X., Bu X., Hou X., Wang Y.. Efficacy and safety of rituximab in marginal zone lymphoma: A meta-analysis of 13 studies. International Journal of Clinical and Experimental Medicine. 2016;9(8):17001-17010.
www.epistemonikos.org/documents/65ec1738a3ac9606efa78c40975b0ae9545f379f
159. Hu L., Luo D., Zhou T., Tao Y., Feng J., Mei S. The association between non-Hodgkin lymphoma and organophosphate pesticides exposure: A meta-analysis. Environmental pollution (Barking, Essex : 1987). 2017;231(Pt 1):319-328.
www.epistemonikos.org/documents/669502b793df7ca862cc668debf90d2fd3d19288
160. Kang D.H., Huh J., Lee J.H., Jeong Y.K., Cha H.J.. Gastrosplenic fistula occurring in lymphoma patients: Systematic review with a new case of extranodal NK/T-cell lymphoma. World Journal of Gastroenterology. 2017;23(35):6491-6499.
www.epistemonikos.org/documents/66b16aecf1e439b7ef2e16d8802941d58916939a
161. Adams HJ, Kwee TC, de Keizer B, Fijnheer R, de Klerk JM, Nielstein RA. FDG PET/CT for the detection of bone marrow involvement in diffuse large B-cell lymphoma: systematic review and meta-analysis. European journal of nuclear medicine and molecular imaging. 2014;41(3):565-74.www.epistemonikos.org/documents/68826a73d6b0f24ae9315b2744ef3a350553ac1d
162. Guo P., Huang G., Ren L., Chen Y., Zhou Q.. Number of parity and the risk of non-Hodgkin lymphomas: a dose-response meta-analysis of observational studies. Hematology. 2017;22(5):1-12.www.epistemonikos.org/documents/68dc1c0e076d960691c6a9a53cbf2ff0fb1f9ad2
163. Hou S, Yang W. A meta-analysis on Rituximab combined CHOP chemotherapy for non-Hodgkin lymphoma in China. Saudi medical journal. 2011;32(7):675-8.www.epistemonikos.org/documents/68ec8e09869bc517b92ae8b766ac8ee2e1abe199
164. Zhou C, Cui S, Zhou R, Dou L. Association between interleukin-4 -590C > T polymorphism and non-Hodgkin's lymphoma risk. Tumour biology : the journal of the International Society for Oncodevelopmental Biology and Medicine. 2014;35(4):3041-5.www.epistemonikos.org/documents/68f3fa29e020aebe7622183703268a6a0e7c530a
165. Kelly JL, Friedberg JW, Calvi LM, van Wijngaarden E, Fisher SG. Vitamin D and non-Hodgkin lymphoma risk in adults: a review. Cancer investigation. 2009;27(9):942-51.www.epistemonikos.org/documents/69232f1e75a99c1056def97fb54aa2e4f1249500
166. Cai P., Hao J., Wang D., Xu J.. Comparative efficacy of different chemotherapies for non-Hodgkin lymphoma: A network-meta analysis. Oncotarget. 2017;8(53):91238-91247.www.epistemonikos.org/documents/69aba35be236f3bf0ef8aeb0f54e49529f2d0588
167. Dong HJ, Ni LN, Sheng GF, Song HL, Xu JZ, Ling Y. Risk of hepatitis B virus (HBV) reactivation in non-Hodgkin lymphoma patients receiving rituximab-chemotherapy: a meta-analysis. Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology. 2013;57(3):209-14.www.epistemonikos.org/documents/69bbd0f36ae61213ef089de01236286eeaec52a6
168. Han T, Li J, Wang L, Xu H. Coffee and the Risk of Lymphoma: A Meta-analysis Article. Iranian journal of public health. 2016;45(9):1126-1135.www.epistemonikos.org/documents/6a26af305a90300d145b30db6b8575e8a24c14de
169. Lin VW, Blaylock B, Epstein J, Purdum A. Systematic literature review of health-related quality of life among aggressive non-Hodgkin lymphoma survivors. Current medical research and opinion. 2018;34(8):1-13.
www.epistemonikos.org/documents/6af44ca8de87f1dddec15c918ea0673d115a68f5
170. Kheir F, Itani A, Assasa O, Alraiyes AH. The utility of endobronchial ultrasound-transbronchial needle aspiration in lymphoma. Endoscopic ultrasound. 2016;5(1):43-8.www.epistemonikos.org/documents/6bc45b2cc3f861f88782f06cba53cc7ba66529e4

171. Vidal L, Gafter-Gvili A, Salles G, Dreyling MH, Ghielmini M, Hsu Schmitz SF, Pettengell R, Witzens-Harig M, Shpilberg O. Rituximab Maintenance for the Treatment of Patients With Follicular Lymphoma: An Updated Systematic Review and Meta-analysis of Randomized Trials. *Journal of the National Cancer Institute.* 2011;103(23):1799-806. www.epistemonikos.org/documents/6c6348253f879e611ec2a10d43253302db1b7afa
172. Bin Q, Luo J. Role of polymorphisms of GSTM1, GSTT1 and GSTP1 Ile105Val in Hodgkin and non-Hodgkin lymphoma risk: a Human Genome Epidemiology (HuGE) review. *Leukemia & lymphoma.* 2013;54(1):14-20. www.epistemonikos.org/documents/6ce26458e749e4ef5c0508a130d72adca3e28750
173. Bohlok A, De Grez T, Bouazza F, De Wind R, El-Khoury M, Repullo D, Donckier V. Primary Hepatic Lymphoma Mimicking a Hepatocellular Carcinoma in a Cirrhotic Patient: Case Report and Systematic Review of the Literature. *Case reports in surgery.* 2018;2018:9183717. www.epistemonikos.org/documents/6d64d0ff23280e9d59456c2b40934b028c02d1cb
174. Lin B, Chen C, Qian Y, Feng J. Prognostic role of peripheral blood lymphocyte/monocyte ratio at diagnosis in diffuse large B-cell lymphoma: a meta-analysis. *Leukemia & lymphoma.* 2015;56(9):2563-8. www.epistemonikos.org/documents/6dd966714c02a8f8c7caee0aff791fa7ac71a271
175. Zhang JQ, Wan YN, Peng WJ, Yan JW, Li BZ, Mei B, Chen B, Yao H, Yang GJ, Tao JH, Wang J. The risk of cancer development in systemic sclerosis: a meta-analysis. *Cancer epidemiology.* 2013;37(5):523-7. www.epistemonikos.org/documents/6e8a19da1f4913d3d463c48213a8960f6716cc8a
176. Fang C, Xu W, Li JY. A systematic review and meta-analysis of rituximab-based immunochemotherapy for subtypes of diffuse large B cell lymphoma. *Annals of hematology.* 2010;89(11):1107-13. www.epistemonikos.org/documents/6fb0a85a529574104809c450ef4e680b8a789f8d
177. Horowitz NA, Benyamin N, Wohlfart K, Brenner B, Avivi I. Reproductive organ involvement in non-Hodgkin lymphoma during pregnancy: a systematic review. *The lancet oncology.* 2013;14(7):e275-82. www.epistemonikos.org/documents/70e7501627f3d66a1d2d2cc2f33ff28910f8daac
178. Patel K, Hadar N, Lee J, Siegel BA, Hillner BE, Lau J. The lack of evidence for PET or PET/CT surveillance of patients with treated lymphoma, colorectal cancer, and head and neck cancer: a systematic review. *Journal of nuclear medicine : official publication, Society of Nuclear Medicine.* 2013;54(9):1518-27. www.epistemonikos.org/documents/71fcfa63bc43afcd621d9180965614d8d0d5bd2508
179. Alexander DD, Wagner ME. Benzene exposure and non-Hodgkin lymphoma: a meta-analysis of epidemiologic studies. *Journal of occupational and environmental medicine / American College of Occupational and Environmental Medicine.* 2010;52(2):169-89. www.epistemonikos.org/documents/7220f7fc38fcfc7b1347cb67361bb5933167780
180. Solimini A.G., Lombardi A.M., Palazzo C., De Giusti M.. Meat intake and non-Hodgkin lymphoma: a meta-analysis of observational studies. *Cancer Causes and Control.* 2016;27(5):595-606. www.epistemonikos.org/documents/7267aec1b092f4854d03d69ace36eb0e3dda3719
181. Karami S, Bassig B, Stewart PA, Lee KM, Rothman N, Moore LE, Lan Q. Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis. *Occupational and environmental medicine.* 2013;70(8):591-9. www.epistemonikos.org/documents/7290ef2ff2d17142a80b10a2d0e7b04ae4c4396a
182. Arden-Close E, Eiser C, Pacey A. Sexual functioning in male survivors of lymphoma: a systematic review (CME). *The journal of sexual medicine.* 2011;8(7):1833-41. www.epistemonikos.org/documents/72b7e3c7f327fa00ed9c5a635ec36ef2ad20c4ef

183. Merhi M, Raynal H, Cahuzac E, Vinson F, Cravedi JP, Gamet-Payrastre L. Occupational exposure to pesticides and risk of hematopoietic cancers: meta-analysis of case-control studies. *Cancer causes & control : CCC.* 2007;18(10):1209-26.
www.epistemonikos.org/documents/72d1f7d88e684fe7033bfc6a765f96f3034fbf41
184. Dalia S, Chavez J, Castillo JJ, Sokol L. Hepatitis B infection increases the risk of non-Hodgkin lymphoma: a meta-analysis of observational studies. *Leukemia research.* 2013;37(9):1107-15.
www.epistemonikos.org/documents/734980b2308fa2df7d2044cae756cc7b965faa0d
185. Hahn T, Wolff SN, Czuczman M, Fisher RI, Lazarus HM, Vose J, Warren L, Watt R, McCarthy PL, ASBMT Expert Panel. The role of cytotoxic therapy with hematopoietic stem cell transplantation in the therapy of diffuse large cell B-cell non-Hodgkin's lymphoma: an evidence-based review. *Biology of blood and marrow transplantation : journal of the American Society for Blood and Marrow Transplantation.* 2001;7(6):308-31.
www.epistemonikos.org/documents/746796d3fc4de4be36585ec7e2db37833914ff0e
186. Han, Tian-Jie, Li, Jun-Shan, Luan, Xiao-Tian, Wang, Ling, Xu, Hong-Zhi. Dietary Fat Consumption and Non-Hodgkin's Lymphoma Risk: A Meta-analysis. *Nutrition & Cancer.* 2017;69(2):221-228.
www.epistemonikos.org/documents/761852d45d25200034176945e7046443c67bbfa1
187. Tramacere I, Pelucchi C, Bonifazi M, Bagnardi V, Rota M, Bellocchio R, Scotti L, Islami F, Corrao G, Boffetta P, La Vecchia C, Negri E. Alcohol drinking and non-Hodgkin lymphoma risk: a systematic review and a meta-analysis. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO.* 2012;23(11):2791-8.
www.epistemonikos.org/documents/76b218091c5c38ef9d9c6870d4a38f9290cbd412
188. Zhou X, Ma T, Zhang Y, Zhou N, Li J. Rituximab maintenance therapy for patients with diffuse large B-cell lymphoma: A meta-analysis. *PloS one.* 2017;12(3):e0174648.
www.epistemonikos.org/documents/76f33039ab17aab4e66d7231a61613a08ce5e853
189. Zhou K, Xu D, Cao Y, Wang J, Yang Y, Huang M. C-MYC aberrations as prognostic factors in diffuse large B-cell lymphoma: a meta-analysis of epidemiological studies. *PloS one.* 2014;9(4):e95020.
www.epistemonikos.org/documents/78284e54a09cb47f2b30b607224d21fa5826590e
190. Siegel CA, Marden SM, Persing SM, Larson RJ, Sands BE. Risk of lymphoma associated with combination anti-tumor necrosis factor and immunomodulator therapy for the treatment of Crohn's disease: a meta-analysis. *Clinical gastroenterology and hepatology : the official clinical practice journal of the American Gastroenterological Association.* 2009;7(8):874-81.
www.epistemonikos.org/documents/7b3dfa04fc960615ee48560e02e8f2956dc89ca
191. Azim HA, Santoro L, Bociek RG, Gandini S, Malek RA, Azim HA. High dose intensity doxorubicin in aggressive non-Hodgkin's lymphoma: a literature-based meta-analysis. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO.* 2010;21(5):1064-71.
www.epistemonikos.org/documents/7cdc5a2836a528011d145d3f386537b9b729ddaa
192. Schulze-Rath R, Hammer GP, Blettner M. Are pre- or postnatal diagnostic X-rays a risk factor for childhood cancer? A systematic review. *Radiation and environmental biophysics.* 2008;47(3):301-12.
www.epistemonikos.org/documents/7d31b4ea50a42b84b860182d454906fc989c48a0
193. Terasawa T, Dahabreh IJ, Nihashi T. Fluorine-18-fluorodeoxyglucose positron emission tomography in response assessment before high-dose chemotherapy for lymphoma: a systematic review and meta-analysis. *The oncologist.* 2010;15(7):750-9.
www.epistemonikos.org/documents/7d42d9b7477983a24aba4f94de301c872b3f7dc
194. Vidal L, Gafter-Gvili A, Leibovici L, Dreyling M, Ghielmini M, Hsu Schmitz SF, Cohen A, Shpilberg O. Rituximab Maintenance for the Treatment of Patients With Follicular Lymphoma:

- Systematic Review and Meta-analysis of Randomized Trials. Journal of the National Cancer Institute. 2009;101(4):248-
55. www.epistemonikos.org/documents/7da4bd31c5c5440da47c52ffc68579fa98cae45c
195. Markus Schaaf, Marcel Reiser, Peter Borchmann, Andreas Engert, Nicole Skoetz. High-dose therapy with autologous stem cell transplantation versus chemotherapy or immuno-chemotherapy for follicular lymphoma in adults. Cochrane database of systematic reviews (Online). 2012;1(1):CD007678. www.epistemonikos.org/documents/7e5793120fdf3b377a1df326b8c9cecca721d87d
196. Gisbert JP, García-Buey L, Pajares JM, Moreno-Otero R. Prevalence of hepatitis C virus infection in B-cell non-Hodgkin's lymphoma: systematic review and meta-analysis. Gastroenterology. 2003;125(6):1723-32.
www.epistemonikos.org/documents/7ea72aac318840aad3676f441bfefcdc9192d72f
197. Read JA, Koff JL, Nastoupil LJ, Williams JN, Cohen JB, Flowers CR. Evaluating Cell-of-Origin Subtype Methods for Predicting Diffuse Large B-Cell Lymphoma Survival: A Meta-Analysis of Gene Expression Profiling and Immunohistochemistry Algorithms. Clinical lymphoma, myeloma & leukemia. 2014;14(6):460-467. www.epistemonikos.org/documents/7ef111cc0247c3f8f6df0df6edb7383ab42488ff467.e2
198. Lang DS, Hagger C, Pearson A. Safety of rapid rituximab infusion in adult cancer patients: A systematic review. International journal of nursing practice. 2011;17(4):357-69. www.epistemonikos.org/documents/7fdefb07880b0ebaed8abacee42afadc48a6deab
199. Chao C, Page JH, Department of Research and Evaluation, Kaiser Permanente Southern California, Pasadena, CA, chun.r.chao@kp.org. Type 2 diabetes mellitus and risk of non-Hodgkin lymphoma: a systematic review and meta-analysis. American Journal of Epidemiology. 2008;168(5):471-480. www.epistemonikos.org/documents/80f1e8947517c1b85b0097c22b5925f9f2f5dd3a
200. Correa A, Jackson L, Mohan A, Perry H, Helzlsouer K. Use of hair dyes, hematopoietic neoplasms, and lymphomas: a literature review. II. Lymphomas and multiple myeloma. Cancer investigation. 2000;18(5):467-79.
www.epistemonikos.org/documents/8283fa727f4cb0282f30ba4e7acf327b4a05b0b2
201. Liu Y, He P, Liu F, Shi L, Zhu H, Cheng X, Zhao J, Wang Y, Zhang M. Prognostic significance of B-cell lymphoma 2 expression in acute leukemia: A systematic review and meta-analysis. Molecular and clinical oncology. 2014;2(3):411-414.
www.epistemonikos.org/documents/828d6595c9b48621569fcabc8398ac1c08a133c
202. Alvaro T, Lejeune M, Escrivá P, Pons LE, Bosch R, Jaén J, López C, Salvadó MT, de Sanjosé S. Appraisal of immune response in lymphoproliferative syndromes: a systematic review. Critical reviews in oncology/hematology. 2009;70(2):103-13.
www.epistemonikos.org/documents/8384288f3ce5fe195657620ddf4057d66af85856
203. Björkholm M, Magnus B, Andersson T, Tomas A, Ahlbom A, Anders A, Ösby E, Eva O. CNOP (mitoxantrone) chemotherapy is inferior to CHOP (doxorubicin) in the treatment of patients with aggressive non-Hodgkin lymphoma (meta-analysis). European journal of haematology. 2008;80(6):477-82. www.epistemonikos.org/documents/84cbeb67ae3444b624be71cc09018c7f41fa8135
204. Xia WK, Lin QF, Shen D, Liu ZL, Su J, Mao WD. Prognostic significance of lymphocyte-to-monocyte ratio in diffuse large B-cell lymphoma: a systematic review and meta-analysis. FEBS open bio. 2016;6(6):558-65.
www.epistemonikos.org/documents/8586f999e0eada078dd2b8aeadb35004a964966e
205. Brody GS, Deapen D, Taylor CR, Pinter-Brown L, House-Lightner SR, Andersen JS, Carlson G, Lechner MG, Epstein AL. Anaplastic large cell lymphoma occurring in women with breast

- implants: analysis of 173 cases. Plastic and reconstructive surgery. 2015;135(3):695-705.www.epistemonikos.org/documents/85a22ebbe7a647a6362e98a8ae9f27852b915904
206. Psaltopoulou T, Ntanasis-Stathopoulos I, Tsilimigras DI, Tzanninis IG, Gavriatopoulou M, Sergentanis TN. Micronutrient Intake and Risk of Hematological Malignancies in Adults: A Systematic Review and Meta-analysis of Cohort Studies. Nutrition and cancer. 2018;70(6):1-19.www.epistemonikos.org/documents/87496e612423394fea3a1c19f9c2462f2ff55626
207. Ghesquieres H, Slager SL, Jardin F, Veron AS, Asmann YW, Maurer MJ, Fest T, Habermann TM, Bene MC, Novak AJ, Mareschal S, Haioun C, Lamy T, Ansell SM, Tilly H, Witzig TE, Weiner GJ, Feldman AL, Dogan A, Cunningham JM, Olswold CL, Molina TJ, Link BK, Milpied N, Cox DG, Salles GA, Cerhan JR. Genome-Wide Association Study of Event-Free Survival in Diffuse Large B-Cell Lymphoma Treated With Immunochemotherapy. Journal of clinical oncology : official journal of the American Society of Clinical Oncology. 2015;33(33):3930-7.www.epistemonikos.org/documents/875868826a87a2e3325d9570f601bdcd071b4ecc
208. Beynon T, Radcliffe E, Child F, Orlowska D, Whittaker S, Lawson S, Selman L, Harding R. What are the supportive and palliative care needs of patients with cutaneous T-cell lymphoma and their caregivers? A systematic review of the evidence. The British journal of dermatology. 2014;170(3):599-608.www.epistemonikos.org/documents/883d0f7dd084916aced8369522a7463b2d28d340
209. Feng J.-J., Yang L.-H., Chen J.-F., Ma Y.-P., Ma L.-M., Lai X.-W.. Meta-analysis on the efficacy and safety of R-CHOP chemotherapy for the treatment of low and moderate malignant B cell non-Hodgkin lymphoma. Journal of Leukemia and Lymphoma. 2009;18(4):216-219.www.epistemonikos.org/documents/89d60d93aebb10d78171a61ecf3eafa691a00462
210. Guimarães AC, de Carvalho GM, Bento LR, Correia C, Gusmão RJ. Clinical manifestations in children with tonsillar lymphoma: A systematic review. Critical reviews in oncology/hematology. 2014;90(2):146-51.www.epistemonikos.org/documents/8a2149ea1ecd877caeb496569ef8805c26d1adc5
211. Zhu D, Xu XL, Fang C, Ji M, Wu J, Wu CP, Jiang JT. Prognostic value of interim (18)F-FDG-PET in diffuse large B cell lymphoma treated with rituximab-based immune-chemotherapy: a systematic review and meta-analysis. International journal of clinical and experimental medicine. 2015;8(9):15340-15350.www.epistemonikos.org/documents/8afe94891b9a7642544d66b284020ffd6553f2ce
212. Ghose A., Elias H.K., Guha G., Yellu M., Kundu R., Latif T.. Influence of Rituximab on Central Nervous System Relapse in Diffuse Large B-Cell Lymphoma and Role of Prophylaxis-A Systematic Review of Prospective Studies. Clinical Lymphoma, Myeloma and Leukemia. 2015;15((Ghose A., ghoseau@ucmail.uc.edu; Yellu M.; Latif T.) Division of Hematology Oncology, University of Cincinnati College of Medicine, Cincinnati, OH):451-7.www.epistemonikos.org/documents/8b00e69ba547470ce06d8bcfd50d5941e4041289
213. Holger Schulz, Julia Bohlius, Nicole Skoetz, Sven Trelle, Thilo Kober, Marcel Reiser, Martin Dreyling, Michael Herold, Guido Schwarzer, Michael Hallek, Andreas Engert. Chemotherapy plus Rituximab versus chemotherapy alone for B-cell non-Hodgkin's lymphoma. Cochrane Database of Systematic Reviews. 2007;(4):CD003805.www.epistemonikos.org/documents/8bd3e816b29eb0b2e58b00878f675b76425691a4
214. Dai Z.-M., He A.-L., Zhang W.-G., Liu J., Cao X.-M., Chen Y.-X., Ma X.-R., Zhao W.-H., Dai Z.-J.. Association of the four commonpolymorphisms in interleukin-10 (rs1800890, rs1800896, rs1800871, And rs1800872) withnon-Hodgkinulls lymphoma risk: A meta-analysis. International Journal of Clinical and Experimental Medicine. 2014;7(12):4720-4733.www.epistemonikos.org/documents/8db39cbe0aac009c3187fff7c7d753daf7077aa4
215. Greb A, Bohlius J, Trelle S, Schiefer D, De Souza CA, Gisselbrecht C, Intragumtornchai T, Kaiser U, Kluin-Nelemans HC, Martelli M, Milpied NJ, Santini G, Verdonck LF, Vitolo U, Schwarzer G,

- Engert A. High-dose chemotherapy with autologous stem cell support in first-line treatment of aggressive non-Hodgkin lymphoma - results of a comprehensive meta-analysis. *Cancer treatment reviews*. 2007;33(4):338-46.
www.epistemonikos.org/documents/8dd4ab0e977126baa331352447c9f26393ae5637
216. Xu P., Liu X., Ouyang J., Chen B.. TP53 mutation predicts the poor prognosis of non-Hodgkin lymphomas: Evidence from a meta-analysis. *PLoS ONE*. 2017;12(4):e0174809.www.epistemonikos.org/documents/8f66f6ff34d0149dea267f8708a8775b076c904c
217. Howlett C., Landsburg D.J., Chong E.A., Snedecor S.J., Schuster S.J., Green T.M., Cohen J.B., Svoboda J., Nasta S.D., Feldman T., Rago A., Land D., Walsh K.M., Goy A., Mato A.R.. Front-line, dose-escalated immunochemotherapy is associated with a significant PFS (but not OS) advantage in 401 patients (PTS) with double-hit lymphomas (DHL): A systematic review and meta-analysis. *Blood*. 2014;124(21).
www.epistemonikos.org/documents/8f84e787c228b26d87250b7bbefa0ca90cca3567
218. Negri E., Little D., Boiocchi M., La Vecchia C., Franceschi S. B-cell non-Hodgkin's lymphoma and hepatitis C virus infection: a systematic review. *International journal of cancer*. 2004;111(1):1-8.www.epistemonikos.org/documents/8f94f0d4162c066e8bd4ee5129affa741c16772f
219. Wang D., Huo Y., Chen S., Wang H., Ding Y., Zhu X., Ma C. Whole-body MRI versus 18F-FDG PET/CT for pretherapeutic assessment and staging of lymphoma: a meta-analysis. *Oncotargets and therapy*. 2018;11:3597-3608.
www.epistemonikos.org/documents/8fd8e551da30dcda999ce974e39d1f6d27eb9b6b
220. Wang B., Ren C., Zhang W., Ma X., Xia B., Sheng Z. Intensified therapy followed by autologous stem-cell transplantation (ASCT) versus conventional therapy as first-line treatment of follicular lymphoma: a meta-analysis. *Hematological oncology*. 2013;31(1):29-33.www.epistemonikos.org/documents/8fe75a10d49b875a5c4f659f9027ce7734fc08f4
221. Yang J., Li W., He X., Zhang G., Yue L., Chai Y.. VEGF overexpression is a valuable prognostic factor for non-Hodgkin's lymphoma evidence from a systemic meta-analysis. *Disease Markers*. 2015;2015((Yang J., jingyang@126.com; He X., zxzzz@126.com) Department of Hematology, Second Affiliated Hospital, Zhejiang University School of Medicine, Hangzhou, China):786790.
www.epistemonikos.org/documents/901f195b59d67f478c115a841f3004ec5e53b690
222. Sergentanis TN., Kanavidis P., Michelakos T., Petridou ET. Cigarette smoking and risk of lymphoma in adults: a comprehensive meta-analysis on Hodgkin and non-Hodgkin disease. *European journal of cancer prevention : the official journal of the European Cancer Prevention Organisation (ECP)*. 2013;22(2):131-50.www.epistemonikos.org/documents/904bab7d9b23bd211fcfd6b428e064ae281ec1458
223. Pokrovsky VS., Vinnikov D. L-asparaginase for newly diagnosed extra-nodal NK/T-cell lymphoma: systematic review and meta-analysis. *Expert review of anticancer therapy*. 2017;17(8):1-10.
www.epistemonikos.org/documents/92a7df34be337ed2da08308df384fae19e745813
224. Dos Santos LV., Lima J., Lima CS., Sasse EC., Sasse AD. Is there a role for consolidative radiotherapy in the treatment of aggressive and localized non-Hodgkin lymphoma? A systematic review with meta-analysis. *BMC cancer*. 2012;12(no pagination):288.
www.epistemonikos.org/documents/949af0749f183ebce997cb8f76eadcc5c98e74a
225. Lanini S., Molloy AC., Fine PE., Prentice AG., Ippolito G., Kibbler CC. Risk of infection in patients with lymphoma receiving rituximab: systematic review and meta-analysis. *BMC medicine*. 2011;9(no pagination):36.
www.epistemonikos.org/documents/95a7ed2e079004b0b5b401a62cb12bb0eb169f28
226. Nixon M., Menger RP., Kalakoti P., Thakur JD., Dossani RH., Sharma K., Nanda A., Guthikonda B. Natalizumab-Associated Primary Central Nervous System Lymphoma. *World neurosurgery*.

- 2018;109:152-159.
www.epistemonikos.org/documents/95f9ac307518c7c1ed284b4522923672859928b0
227. Acquavella J., Garabrant D., Marsh G., Sorahan T., Weed D.L.. Glyphosate epidemiology expert panel review: a weight of evidence systematic review of the relationship between glyphosate exposure and non-Hodgkin's lymphoma or multiple myeloma. *Critical Reviews in Toxicology*. 2016;46(sup1):28-43.www.epistemonikos.org/documents/9681785756d4f21433fb147d41cc56418e09dc86
228. Liu P, Shi H, Huang C, Shu H, Liu R, Yang Y, Gong J, Yang Y, Cai M. Association of LEP A19G polymorphism with cancer risk: a systematic review and pooled analysis. *Tumour biology : the journal of the International Society for Oncodevelopmental Biology and Medicine*. 2014;35(8):8133-41.www.epistemonikos.org/documents/9782227439e2d0432a8c96145e0436ff218363c3
229. Zhang J, Chen B, Xu X. Impact of rituximab on the incidence and risk factors for central nervous system relapse in patients with diffuse large B-cell lymphoma: a systematic review and meta-analysis. *Leukemia & lymphoma*. 2014;55(3):509-14.
www.epistemonikos.org/documents/97e2f228b7958b1f319fd7121ad58e148777fa20
230. Zhang X, Ge Z, Chen B, Liu R, Gao C. Efficacy and safety evaluation of fludarabine-based chemotherapy regimen for patients with non-Hodgkin lymphoma: A meta-analysis. *Medicine*. 2017;96(33):e7781.
www.epistemonikos.org/documents/98099739674661f4d296d967b3994a7b27e3c17a
231. Liu T, Xu QE, Zhang CH, Zhang P. Occupational exposure to methylene chloride and risk of cancer: a meta-analysis. *Cancer causes & control : CCC*. 2013;24(12):2037-49.www.epistemonikos.org/documents/98e4fcccb11901c2316cfb042f764df363b99627
232. Kiesewetter B, Raderer M. Antibiotic therapy in nongastrointestinal MALT lymphoma: a review of the literature. *Blood*. 2013;122(8):1350-7.www.epistemonikos.org/documents/990871dc5cd30f1d62124155f873aa2f7635c2cb
233. Legendre L, Barnetche T, Mazereeuw-Hautier J, Meyer N, Murrell D, Paul C. Risk of lymphoma in patients with atopic dermatitis and the role of topical treatment: A systematic review and meta-analysis. *Journal of the American Academy of Dermatology*. 2015;72(6):992-1002.www.epistemonikos.org/documents/996f541ca339ad562f3a8649df4330c460b8c85a
234. Goodman J.E., Loftus C.T., Zu K.. 2,4-Dichlorophenoxyacetic acid and non-Hodgkin's lymphoma: Results from the Agricultural Health Study and an updated meta-analysis. *Annals of Epidemiology*. 2017;27(4):290-290.
www.epistemonikos.org/documents/9abc624ae9caf6aa9adbd836f27e674f2a3a511
235. Gao X, Li J, Wang Y, Liu S, Yue B. Clinical characteristics and prognostic significance of EBER positivity in diffuse large B-cell lymphoma: A meta-analysis. *PloS one*. 2018;13(6):e0199398.
www.epistemonikos.org/documents/9b0659390a4750ffbd2f76f5da4c440bf8899e07
236. Asenjo LM, Gisbert JP. Prevalence of helicobacter pylori infection in gastric MALT lymphoma: a systematic review [Spanish]. *Revista Espanola de Enfermedades Digestivas*. 2007;99(7):398-404.
www.epistemonikos.org/documents/9b3f7525997ca04400de6adc557eace20427507f
237. Zhang B, Zhu F, Liu X, Zhao J, Li M, Li Y, Huang J, Zou L. Radiotherapy combined with chemotherapy versus radiotherapy alone for early stage nasal natural killer/T-cell lymphoma: a meta-analysis. *Journal of chemotherapy (Florence, Italy)*. 2016;28(1):1973947815Y0000000035.www.epistemonikos.org/documents/9bf3be8943e9fb6d1313c9cd3d18279d9f1f0586
238. Guerrero-Garcia TA, Mogollon RJ, Castillo JJ. Bortezomib in plasmablastic lymphoma: A glimpse of hope for a hard-to-treat disease. *Leukemia research*. 2017;62:12-16.www.epistemonikos.org/documents/9c48f132fc8451190fe96eb551a5333e1b94f8f0

239. Lightner AL, Shannon E, Gibbons MM, Russell MM. Primary Gastrointestinal Non-Hodgkin's Lymphoma of the Small and Large Intestines: a Systematic Review. *Journal of gastrointestinal surgery : official journal of the Society for Surgery of the Alimentary Tract.* 2016;20(4):827-39.
www.epistemonikos.org/documents/9caa39434e20886e7dfe28f0cbe45200f9add835
240. da Rocha AJ, da Rocha TM, da Silva CJ, Paes RP, Bruniera P, Chiattone CS. Cranial vault lymphoma: a systematic review of five patients. *Journal of neuro-oncology.* 2010;100(1):9-15.
www.epistemonikos.org/documents/9cdb30c60bf414d88710759c4d8d169194eeaf68
241. Vermaete N, Wolter P, Verhoef G, Gosselink R. Physical activity, physical fitness and the effect of exercise training interventions in lymphoma patients: a systematic review. *Annals of hematology.* 2013;92(8):1007-21.
www.epistemonikos.org/documents/9d58424ab80b8b4f07a6aad0cf452b7a5cefa156
242. Galaznik A, Huelin R, Stokes M, Guo Y, Hoog M, Bhagnani T, Bell J, Shou Y. Systematic review of therapy used in relapsed or refractory diffuse large B-cell lymphoma and follicular lymphoma. *Future science OA.* 2018;4(7):FSO322.
www.epistemonikos.org/documents/9e113412e9ec0382aa1d281d4e0369085dc56277
243. Lopez-Santillan M, Larrabeiti-Etxebarria A, Arzuaga-Mendez J, Lopez-Lopez E, Garcia-Orad A. Circulating miRNAs as biomarkers in diffuse large B-cell lymphoma: a systematic review. *Oncotarget.* 2018;9(32):22850-22861.
www.epistemonikos.org/documents/9e30bbf7b24c07e4eef445fe4768f3b9cf204887
244. Foster T, Miller JD, Boye ME, Russell MW. Economic burden of follicular non-Hodgkin's lymphoma. *PharmacoEconomics.* 2009;27(8):657-79.
www.epistemonikos.org/documents/9e979f949023ba3845cd7051a9ffda14c3240ef9
245. Reece D, Imrie K, Stevens A, Smith CA, Hematology Disease Site Groupof Cancer Care Ontario's Program in Evidence-based Care. Bortezomib in multiple myeloma and lymphoma: a systematic review and clinical practice guideline. *Current oncology (Toronto, Ont.).* 2006;13(5):160-72.
www.epistemonikos.org/documents/9f5f54769d0576cbe5a7f31ecb6acff93fe4bd25
246. Hu C.-R., Wang L., Sun Q., Wang J.-H., Chen L.-B.. Body mass index and risk of malignant lymphoma: A Meta-analysis. *Chinese Journal of Evidence-Based Medicine.* 2012;12(1):55-60.
www.epistemonikos.org/documents/9feedacaf8b6698f29bc759d5fe7a4b57e7fa08d
247. Schulz H, Bohlius JF, Trelle S, Skoetz N, Reiser M, Kober T, Schwarzer G, Herold M, Dreyling M, Hallek M, Engert A. Immunochemotherapy with rituximab and overall survival in patients with indolent or mantle cell lymphoma: a systematic review and meta-analysis. *Journal of the National Cancer Institute.* 2007;99(9):706-14.
www.epistemonikos.org/documents/a256d073c1f3cef93dcab1a91ad1809f9afb08a2
248. Zhu K., Yang Y., Yang W., Zhang R., Hu R., Jiang B.-C., Liu Z.-G.. Autologous stem cell transplantation after high-dose chemotherapy in first-line treatment of follicular lymphoma: A meta-analysis. *Chinese Journal of Evidence-Based Medicine.* 2010;10(10):1169-1173.
www.epistemonikos.org/documents/a2b2bcae8389760a254305545bda0681c455828d
249. Jørgensen LK, Poulsen MØ, Laursen MB, Marques SC, Johnsen HE, Bøgsted M, Dybkær K. MicroRNAs as novel biomarkers in diffuse large B-cell lymphoma - a systematic review. *Danish medical journal.* 2015;62(5).
www.epistemonikos.org/documents/a2ee9eef2b7e8f4ef4f1473646a6f1fc729366b8
250. Li M, Dave N, Salem AH, Freise KJ. Model-based meta-analysis of progression-free survival in non-Hodgkin lymphoma patients. *Medicine.* 2017;96(35):e7988.
www.epistemonikos.org/documents/a32bca3ed9fc0b0aa51edcc2159a0435ca158075
251. Fei Q., Tian X.-K., Wu J., Zhu H.-M., Wang Y., Peng F.-Y., Zhang W.-J., Yin L., He X.. Prognostic significance of epstein-barr virus DNA in NK/T-cell lymphoma: A meta-analysis.

- OncoTargets and Therapy. 2018;11:997-1004.
www.epistemonikos.org/documents/a4d459b4c087ea22ab3d2da575886be67a8612ed
252. Matsuo K, Kusano A, Sugumar A, Nakamura S, Tajima K, Mueller NE. Effect of hepatitis C virus infection on the risk of non-Hodgkin's lymphoma: a meta-analysis of epidemiological studies. Cancer science. 2004;95(9):745-52.
www.epistemonikos.org/documents/a53b4eb35f5774b0c9cf74ab523a3bc80d349c92
253. Zhang X., Fan Y., Li Z.. SDF1-3'A polymorphism is associated with increased risk of hematological malignancy: A meta-analysis. OncoTargets and Therapy. 2017;10:1575-1583.
www.epistemonikos.org/documents/a57339628d5fb9e0af0b04f093a3a038fa2486
254. Zhang Y, Wang J, Sui X, Li Y, Lu K, Fang X, Jiang Y, Wang X. Prognostic and Clinicopathological Value of Survivin in Diffuse Large B-cell Lymphoma: A Meta-Analysis. Medicine. 2015;94(36):e1432.
www.epistemonikos.org/documents/a6675740cdaecc74fe78dab6367f8fd09b74b587
255. He Y.-Q., Zhu J.-H., Huang S.-Y., Cui Z., He J., Jia W.-H.. The association between the polymorphisms of TNF-(alpha) and non-Hodgkin lymphoma: a meta-analysis. Tumour biology : the journal of the International Society for Oncodevelopmental Biology and Medicine. 2014;35(12):12509-
12517.www.epistemonikos.org/documents/a6d613978624c8b46ecd3a22f2e3ba5e6afecb46
256. Parrott M, Rule S, Kelleher M, Wilson J. A Systematic Review of Treatments of Relapsed/Refractory Mantle Cell Lymphoma. Clinical lymphoma, myeloma & leukemia. 2018;18(1):13-25.e6.
www.epistemonikos.org/documents/a6e30635c20ecaebeda83babb59ab914a5277076
257. He J, Liao XY, Zhu JH, Xue WQ, Shen GP, Huang SY, Chen W, Jia WH. Association of MTHFR C677T and A1298C polymorphisms with non-Hodgkin lymphoma susceptibility: evidence from a meta-analysis. Scientific reports. 2014;4:6159.
www.epistemonikos.org/documents/a7680a1c8675b42a3e166bfab7e0a40b67ee17df
258. Messori A, Vaiani M, Trippoli S, Rigacci L, Jerkeman M, Longo G. Survival in patients with intermediate or high grade non-Hodgkin's lymphoma: meta-analysis of randomized studies comparing third generation regimens with CHOP. British journal of cancer. 2001;84(3):303-7.
www.epistemonikos.org/documents/a785643871eae2bc319e270f6f84da9de91e2d94
259. Kasenda B, Ferreri AJ, Marturano E, Forst D, Bromberg J, Ghesquieres H, Ferlay C, Blay JY, Hoang-Xuan K, Pulczynski EJ, Fosså A, Okoshi Y, Chiba S, Fritsch K, Omuro A, O'Neill BP, Bairey O, Schandelmaier S, Gloy V, Bhatnagar N, Haug S, Rahner S, Batchelor TT, Illerhaus G, Briel M. First-line treatment and outcome of elderly patients with primary central nervous system lymphoma (PCNSL)-a systematic review and individual patient data meta-analysis. Annals of oncology : official journal of the European Society for Medical Oncology / ESMO. 2015;26(7):1305-13.
www.epistemonikos.org/documents/a84335e79bf6a38d79b0e02e24d58a562478d092
260. Wong AK, Kerkoutian S, Said J, Rashidi H, Pullarkat ST. Risk of lymphoma in patients receiving antitumor necrosis factor therapy: a meta-analysis of published randomized controlled studies. Clinical rheumatology. 2012;31(4):631-6.
www.epistemonikos.org/documents/a89db276466072a97a11acabe0d8aaafc6ab81ee4
261. Deng T, Zhang C, Zhang X, Wu S, Xu Y, Liu S, Chen X. Treatment outcome of radiotherapy alone versus radiochemotherapy in IE/IIE extranodal nasal-type natural killer/T cell lymphoma: a meta-analysis. PloS one. 2014;9(9):e106577.
www.epistemonikos.org/documents/aa12f8e080e6a8c803da87ca6fa132a24a48b4cf
262. Lee JH, Jeong H, Choi JW, Oh H, Kim YS. Clinicopathologic significance of MYD88 L265P mutation in diffuse large B-cell lymphoma: a meta-analysis. Scientific reports. 2017;7(1):1785.
www.epistemonikos.org/documents/aa2bc145899debf6a36e5010a47708f9f654245c
263. Pabalan N, Seim I, Jarjanazi H, Chopin LK. Associations between ghrelin and ghrelin receptor polymorphisms and cancer in Caucasian populations: a meta-analysis. BMC genetics.

- 2014;15(1):118.
www.epistemonikos.org/documents/aaede06e8e8ab66647ed482a20b8d755a25d0667
264. Lahner E, Capasso M, Carabotti M, Annibale B. Incidence of cancer (other than gastric cancer) in pernicious anaemia: A systematic review with meta-analysis. *Digestive and liver disease : official journal of the Italian Society of Gastroenterology and the Italian Association for the Study of the Liver.* 2018;50(8):780-786.www.epistemonikos.org/documents/ab1f63cea7a5ac6f22233110b7a8b53c22a83788
265. Rozental A, Gafter-Gvili A, Vidal L, Raanani P, Gurion R. The Role of Maintenance Therapy in Patients With Diffuse Large B-Cell Lymphoma: A Systematic Review and Meta-Analysis. *Hematological oncology.* 2019;37(1):27-34.
www.epistemonikos.org/documents/abcc3eff0ae779c410b9df3f51040136d4687bf3
266. Jethwa KD, Bishton MJ, Fox CP. The role of high-dose chemotherapy and autologous stem cell transplant for treatment-naïve patients with peripheral T-cell lymphoma: a systematic review of the literature. *British journal of haematology.* 2017;178(3):476-479.www.epistemonikos.org/documents/abd6754bde342c7c78cf2d7e40256f9e3b317b89
267. Bouabdallah K, Ribrag V, Terriou L, Soria JC, Delarue R. Temsirolimus in the treatment of mantle cell lymphoma: frequency and management of adverse effects. *Current opinion in oncology.* 2013;25 Suppl 2:S1-12.
www.epistemonikos.org/documents/ae03ac66ea63d6b0e78002ed2f5d0cdffeb829db
268. Costas L, de Sanjosé S, Infante-Rivard C. Reproductive factors and non-Hodgkin lymphoma: A systematic review. *Critical reviews in oncology/hematology.* 2014;92(3):181-193.
www.epistemonikos.org/documents/ae680c8d1efea43ca1af31daf5b01a6a67fc463
269. Poulou LS, Thanos L, Ziakas PD. Unifying the predictive value of pretransplant FDG PET in patients with lymphoma: a review and meta-analysis of published trials. *European journal of nuclear medicine and molecular imaging.* 2010;37(1):156-62.
www.epistemonikos.org/documents/af92ab598dceecc7595a2dc18cdf2a83e6161c00
270. Zhang X, Weng W, Xu W, Wang Y, Yu W, Tang X, Ma L, Pan Q, Wang J, Sun F. Role of Bcl-2 - 938 C>A polymorphism in susceptibility and prognosis of cancer: a meta-analysis. *Scientific reports.* 2014;4:7241.
www.epistemonikos.org/documents/b072be58f73f799248bd9f22f5ce1067c1e21f30
271. Adams HJ, Kwee TC. Pretransplant FDG-PET in aggressive non-Hodgkin lymphoma: systematic review and meta-analysis. *European journal of haematology.* 2017;98(4):337-347.
www.epistemonikos.org/documents/b169cadccece53bc8fe9538e9b0de53120c95fc6
272. Yang J, Xu H, Liang X, Lv S, Lin B, Jia Y. Allergic conditions are not associated with the risk of non-Hodgkin's lymphoma or Hodgkin's lymphoma: a systematic review and meta-analysis. *OncoTargets and therapy.* 2017;10:2189-2198.
www.epistemonikos.org/documents/b1d62c5e9318f58397196dd21417db44d1f6c30d
273. Bassil KL, Vakil C, Sanborn M, Cole DC, Kaur JS, Kerr KJ. Cancer health effects of pesticides: systematic review. *Canadian family physician Médecin de famille canadien.* 2007;53(10):1704-11.
www.epistemonikos.org/documents/b1f73146456177231e263f33b8c6da52b5eb3c6c
274. van Westrhenen A, Smidt LCA, Seute T, Nierkens S, Stork ACJ, Minnema MC, Snijders TJ. Diagnostic markers for CNS lymphoma in blood and cerebrospinal fluid: a systematic review. *British journal of haematology.* 2018;182(3):384-403.
www.epistemonikos.org/documents/b2da654a9cb5d8db63d89f092723e5f0d3a4e23a
275. Zijlstra JM, Lindauer-van der Werf G, Hoekstra OS, Hooft L, Riphagen II, Huijgens PC. 18F-fluoro-deoxyglucose positron emission tomography for post-treatment evaluation of malignant lymphoma: a systematic review. *Haematologica.* 2006;91(4):522-9.
www.epistemonikos.org/documents/b3d43b0d0461c3a55ded5fbea8ab1e157298c059

276. Li H, Wang CS, Wang XD. Meta analysis of treatment for stage IE~IIE extranodal natural killer /T cell lymphomas in China. *Asian Pacific journal of cancer prevention : APJCP*. 2014;15(5):2297-302.
www.epistemonikos.org/documents/b3d566e1c6c51690ad135f821558b58e53d98187
277. Ye X, Mneina A, Johnston JB, Mahmud SM. Associations between statin use and non-Hodgkin lymphoma (NHL) risk and survival: a meta-analysis. *Hematological oncology*. 2017;35(2):206-214.
www.epistemonikos.org/documents/b442b5baa185a4d1c955167d9092efe998cb8cb9
278. Ramos-Font C, Rebollo Aguirre AC, Villegas Portero R, Romero Tabares A, Gallego Peinado M, Llamas Elvira JM. [18F-fluorodeoxyglucose positron emission tomography in the evaluation of therapy response assessment in lymphomas. Systematic literature review and meta-analysis]. *Revista española de medicina nuclear*. 2009;28(2):48-55.
www.epistemonikos.org/documents/b4a439345ef479db7ad2176b30acaa8f3fc320ea
279. Sun YY, An L, Xie YL, Xu JY, Wang J. Methylenetetrahydrofolate reductase gene polymorphisms association with the risk of diffuse large B cell lymphoma: a meta-analysis. *Tumour biology : the journal of the International Society for Oncodevelopmental Biology and Medicine*. 2013;34(6):3587-91.
www.epistemonikos.org/documents/b578869f742964e798d9b6cd01e1d745344d1a8e
280. Terasawa T, Nihashi T, Hotta T, Nagai H. 18F-FDG PET for posttherapy assessment of Hodgkin's disease and aggressive Non-Hodgkin's lymphoma: a systematic review. *Journal of nuclear medicine : official publication, Society of Nuclear Medicine*. 2008;49(1):13-21.
www.epistemonikos.org/documents/b741865c7fa287bf8374906f52a2a8347e9bd97f
281. Goodman JE, Loftus CT, Zu K. 2,4-Dichlorophenoxyacetic acid and non-Hodgkin's lymphoma, gastric cancer, and prostate cancer: meta-analyses of the published literature. *Annals of epidemiology*. 2015;25(8):626-636.e4.
www.epistemonikos.org/documents/b7818a34dd67b7ef42dd420c6327f3bc5ecf48b4
282. Pirani M, Marcheselli R, Marcheselli L, Bari A, Federico M, Sacchi S. Risk for second malignancies in non-Hodgkin's lymphoma survivors: a meta-analysis. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO*. 2011;22(8):1845-58.
www.epistemonikos.org/documents/b95eaa7de65544d5f164d3d93c2411a2d3141ccc
283. Lee JJ, Lam MS, Rosenberg A. Role of chemotherapy and rituximab for treatment of posttransplant lymphoproliferative disorder in solid organ transplantation. *The Annals of pharmacotherapy*. 2007;41(10):1648-59.
www.epistemonikos.org/documents/b97fdc960140ff5cd765ab2f995a26681e0062d2
284. Castillo JJ, Dalia S, Pascual SK. Association between red blood cell transfusions and development of non-Hodgkin lymphoma: a meta-analysis of observational studies. *Blood*. 2010;116(16):2897-907.
www.epistemonikos.org/documents/baaacdd2a79c06fd667b0e821d591f534fa59b11
285. Psaltopoulou T., Sergentanis T.N., Ntanasis-Stathopoulos I., Tzanninis I.-G., Zagouri F., Karadimitris A.. Overweight, obesity and risk of non-hodgkin lymphoma: A meta-analysis of cohort studies. *Clinical Nutrition*. 2015;:S249.
www.epistemonikos.org/documents/babd7b80fb1ddc151b1e753560296c87fd233e03
286. Schmidt-Hansen M., Berendse S., Marafioti T., McNamara C.. Does cell-of-origin or MYC, BCL2 or BCL6 translocation status provide prognostic information beyond the International Prognostic Index score in patients with diffuse large B-cell lymphoma treated with rituximab and chemotherapy? A systematic review. *Leukemia and Lymphoma*. 2017;58(10):1-16.
www.epistemonikos.org/documents/baf2bd9c382e103d9b71800e86ba8ba17b607915
287. Bazarbachi A, Plumelle Y, Carlos Ramos J, Tortevoye P, Otrock Z, Taylor G, Gessain A, Harrington W, Panelatti G, Hermine O. Meta-analysis on the use of zidovudine and interferon-alfa in adult T-cell leukemia/lymphoma showing improved survival in the leukemic subtypes. *Journal of*

- clinical oncology : official journal of the American Society of Clinical Oncology. 2010;28(27):4177-83. www.epistemonikos.org/documents/bcc0c4daf6cd72c8c54b23ddd952380207454bbd
288. Merrill RM, Isakson RT, Beck RE. The association between allergies and cancer: what is currently known?. Annals of Allergy, Asthma & Immunology. 2007;99(2):102-120.www.epistemonikos.org/documents/bdaf6012103321ca54dad33544ddae6b650a0788
289. Feng C., Zhang W., Liu J., Cao X., Zhang H., Liu Y., Wang M., Liu X., Dai Z.. Lack of association between cytotoxic T-lymphocyte antigen-4 gene polymorphisms and lymphoid malignancy risk: evidence from a meta-analysis. Annals of Hematology. 2016;95(10):1685-1694.www.epistemonikos.org/documents/be0e13da15a4c43bc2f23ce92dbcdbf4f627d0f4
290. Gibson TM, Smedby KE, Skibola CF, Hein DW, Slager SL, de Sanjose S, Vajdic CM, Zhang Y, Chiu BC, Wang SS, Hjalgrim H, Nieters A, Bracci PM, Kricker A, Zheng T, Kolar C, Cerhan JR, Darabi H, Becker N, Conde L, Holford TR, Weisenburger DD, De Roos AJ, Butterbach K, Riby J, Cozen W, Benavente Y, Palmers C, Holly EA, Sampson JN, Rothman N, Armstrong BK, Morton LM. Smoking, variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma: a pooled analysis within the InterLymph consortium. Cancer causes & control : CCC. 2013;24(1):125-34. www.epistemonikos.org/documents/bec3d1b089cff975b94e22dc875aae5084829fa5
291. Castillo JJ, Ingham RR, Reagan JL, Furman M, Dalia S, Mitri J. Obesity is associated with increased relative risk of diffuse large B-cell lymphoma: a meta-analysis of observational studies. Clinical lymphoma, myeloma & leukemia. 2014;14(2):122-30. www.epistemonikos.org/documents/bf9d6a6ffc026f86031158fa14d5c7f5985b772c
292. Chen YK, Yeh CL, Tsui CC, Liang JA, Chen JH, Kao CH. F-18 FDG PET for evaluation of bone marrow involvement in non-Hodgkin lymphoma: a meta-analysis. Clinical nuclear medicine. 2011;36(7):553-9. www.epistemonikos.org/documents/bfa228183e4ba84c674479ce91ec32d7dbbdf7ad
293. El Asri AC, Akhaddar A, Baallal H, Boulahroud O, Mandour C, Chahdi H, Mikdame M, Gazzaz M, El Mostarchid B, Boucetta M. Primary lymphoma of the cranial vault: case report and a systematic review of the literature. Acta neurochirurgica. 2012;154(2):257-65; discussion 265.www.epistemonikos.org/documents/bfeb5106d27345aea961939f05eaeb254fe9061
294. Nannya Y., Nakamura N., Tsurumi H.. Rituximab maintenance for aggressive B cell lymphoma improves outcomes only in rituximab naive patients, results from a meta-analysis. Blood. 2015;:5103. www.epistemonikos.org/documents/c0205c07902955fd3de0b619cf923cf3eaa39884
295. Schinasi L, Leon ME. Non-Hodgkin lymphoma and occupational exposure to agricultural pesticide chemical groups and active ingredients: a systematic review and meta-analysis. International journal of environmental research and public health. 2014;11(4):4449-527.www.epistemonikos.org/documents/c047b28de008b278340256e232cbfe7db5431065
296. Li J., Zeng Q., Liu L., Liu C., Wang Q., Qin J., He S., Zhu Y., Zhang Z., Peng X., Zheng C., Zhou J., Cao P., Cao K.. Hepatitis B virus reactivation in receiving prophylactic anti-viral therapy for Chinese HBsAg-positive patients of diffuse large B-cell lymphoma: A meta-analysis. International Journal of Clinical and Experimental Medicine. 2017;10(9):13235-13244. www.epistemonikos.org/documents/c05bcc125aecb79c97f4eef3e5131f3d92f648ce
297. Chen F, Hu J, Liu P, Li J, Wei Z, Liu P. Carotenoid intake and risk of non-Hodgkin lymphoma: a systematic review and dose-response meta-analysis of observational studies. Annals of hematology. 2017;96(6):1-9. www.epistemonikos.org/documents/c0612991fe6cbf087c532aaaf36f5952906befb75
298. Seyed Jafari SM, Cazzaniga S, Hunger RE. Photodynamic therapy as an alternative treatment for mycosis fungoides: a systemic review and meta-analysis. Giornale italiano di dermatologia e venereologia : organo ufficiale, Società italiana di dermatologia e sifilografia. 2018;153(6):827-832.www.epistemonikos.org/documents/c10b73c244cda5066953b04b31fd8959efb0171e

299. Pyo J, Won Kim K, Jacene HA, Sakellis CG, Brown JR, Van den Abbeele AD. End-therapy positron emission tomography for treatment response assessment in follicular lymphoma: a systematic review and meta-analysis. *Clinical cancer research : an official journal of the American Association for Cancer Research.* 2013;19(23):6566-77.www.epistemonikos.org/documents/c30019b53496ed0eb4b9cea8afa6fef112a3dc4d
300. Sun Y.-K., Liu G.L., Li Y.-P.. Pharmacoeconomic evaluation on chemotherapy combined with rituximab for non-Hodgkin's lymphoma: A systematic review. *Chinese Journal of Evidence-Based Medicine.* 2013;13(6):700-708.
www.epistemonikos.org/documents/c32963a4b2868f28567c9d1427efa4213ff5fbef
301. Dora Lang, Cobie George. Acute adverse reactions of rapid Rituximab infusion among adult patients with Non-Hodgkin Lymphoma and Chronic Lymphocytic Leukemia. *JBI Library of Systematic Reviews.* 2011;9(1):1-37.
www.epistemonikos.org/documents/c392646ea5a138e05864533e12f1070d3fe74ce5
302. Kokolo M, Fergusson D, O'Neill J, Tay J, Tinmouth AT, Stewart D, Bredeson C. Effectiveness and safety of thiotepa as conditioning treatment prior to stem cell transplant in patients with central nervous system lymphoma. *Leukemia & lymphoma.* 2014;55(12):2712-20.www.epistemonikos.org/documents/c4781d53703fa8f27edd2c292af43c54e39e6ca3
303. Ziakas PD, Karsaliakos P, Mylonakis E. Effect of prophylactic lamivudine for chemotherapy-associated hepatitis B reactivation in lymphoma: a meta-analysis of published clinical trials and a decision tree addressing prolonged prophylaxis and maintenance. *Haematologica.* 2009;94(7):998-1005.www.epistemonikos.org/documents/c5bc170650f82359c8deacc462043f73ef7bae00
304. Mi J, Tian G, Liu S, Li X, Ni T, Zhang L, Wang B. The relationship between altered mitochondrial DNA copy number and cancer risk: a meta-analysis. *Scientific reports.* 2015;5:10039.
www.epistemonikos.org/documents/c5e8a2a5a4fd0ccf31fe1c953580ce79ea5bb81b
305. de Zwart, Verena, Gouw, Samantha C, Meyer-Wentrup, Friederike AG. Antibody therapies for lymphoma in children. *Cochrane Database of Systematic Reviews.* 2016;(1):CD011181.
www.epistemonikos.org/documents/c6229414225d7a86d98a03517cb2e40b5ee98f98
306. Pakos EE, Fotopoulos AD, Ioannidis JP. 18F-FDG PET for evaluation of bone marrow infiltration in staging of lymphoma: a meta-analysis. *Journal of nuclear medicine : official publication, Society of Nuclear Medicine.* 2005;46(6):958-63.
www.epistemonikos.org/documents/c63fd01ec3dc4ea69481a788ab1bbbafff026d83
307. Kwee TC, Kwee RM, Verdonck LF, Bierings MB, Nielstein RA. Magnetic resonance imaging for the detection of bone marrow involvement in malignant lymphoma. *British journal of haematology.* 2008;141(1):60-8.
www.epistemonikos.org/documents/c750d57a8f7327719d37ad917742f740931de126
308. Jayakody N, Harris EC, Coggon D. Phenoxy herbicides, soft-tissue sarcoma and non-Hodgkin lymphoma: a systematic review of evidence from cohort and case-control studies. *British medical bulletin.* 2015;114(1):75-94.
www.epistemonikos.org/documents/ca1f4ac81f9361126d11e8bd51b8803608fbc180
309. Qin W, Yuan Q, Wu J, Yu H, Wang Y, Chen Q. Prognostic value of pre-therapy C-reactive protein level in diffuse large B-cell lymphoma: a meta-analysis. *Leukemia & lymphoma.* 2019;60(2):1-9.
www.epistemonikos.org/documents/ca4f78743a0955dfa23113a2f4d4651d3b135c3f
310. Vinson F, Merhi M, Baldi I, Raynal H, Gamet-Payastre L. Exposure to pesticides and risk of childhood cancer: a meta-analysis of recent epidemiological studies. *Occupational and environmental medicine.* 2011;68(9):694-702.
www.epistemonikos.org/documents/cba782109c77049e300dd3b9fd387cf5a4dc27c6

311. Nath A, Agarwal R, Malhotra P, Varma S. Prevalence of hepatitis B virus infection in non-Hodgkin lymphoma: a systematic review and meta-analysis. Internal medicine journal. 2010;40(9):633-41.
www.epistemonikos.org/documents/cbe9071ccbaec7f0ed1e2e7ddb6df92a649fe0aa
312. Bernatsky S, Lee JL, Rahme E. Non-Hodgkin's lymphoma--meta-analyses of the effects of corticosteroids and non-steroidal anti-inflammatories. Rheumatology (Oxford, England). 2007;46(4):690-4.
www.epistemonikos.org/documents/cd7a7f8bc00d8200f4982b253053cdac2a2e6497
313. He S., Cen H., Tan X.-H.. 18F-FDG positron emission tomography for post-treatment evaluation of lymphoma:a Meta-analysis. Chinese Journal of Cancer Prevention and Treatment. 2014;21(15):1190-1197.
www.epistemonikos.org/documents/cdd56e977767deb152efbe9bf18d6be3d20b076d
314. Allen IE, Ross SD, Borden SP, Monroe MW, Kupelnick B, Connelly JE, Ozer H. Meta-analysis to assess the efficacy of interferon-alpha in patients with follicular non-Hodgkin's lymphoma. Journal of immunotherapy (Hagerstown, Md. : 1997). 2001;24(1):58-65.
www.epistemonikos.org/documents/cf25675a4380e1999b0b5baa8c93133c03c4580a
315. Castillo JJ, Dalia S. Cigarette smoking is associated with a small increase in the incidence of non-Hodgkin lymphoma: a meta-analysis of 24 observational studies. Leukemia & lymphoma. 2012;53(10):1911-9.
www.epistemonikos.org/documents/d088555f347fa3633b9b3b86577985de804d4a44
316. Vlaanderen J, Lan Q, Kromhout H, Rothman N, Vermeulen R. Occupational benzene exposure and the risk of lymphoma subtypes: a meta-analysis of cohort studies incorporating three study quality dimensions. Environmental health perspectives. 2011;119(2):159-67.
www.epistemonikos.org/documents/d127e0ac384e89f0e35b06b7ab0abc48bd5a1078
317. Yi B, Pei Y, Wang C, Jiang Y. [Association between cytotoxic T lymphocyte protein-4 polymorphisms and non-Hodgkin's lymphoma risk: a meta-analysis]. Xi bao yu fen zi mian yi xue za zhi = Chinese journal of cellular and molecular immunology. 2016;32(8):1099-104.
www.epistemonikos.org/documents/d1561c040371eed93a415c96494268b4e643d42d
318. Regacini, Rodrigo, Puchnick, Andrea, Shigueoka, David Carlos, Iared, Wagner, Lederman, Henrique Manoel. Whole-body diffusion-weighted magnetic resonance imaging versus FDG-PET/CT for initial lymphoma staging: systematic review on diagnostic test accuracy studies. São Paulo med. j. 2015;133(2):141-150.
www.epistemonikos.org/documents/d207148fba7ef84b43ed57b912a2022e60f8066e
319. Jin W., Fang B., Jiang J., Liu M., Lan Y., Qu Z., Ma G., Jiang Y., Liu Y., Zeng Y., Wang X.. Aidi injection combined with CHOP chemotherapy regimen in the treatment of malignant lymphoma: A meta-analysis based on randomized controlled trials. Journal of Cancer Research and Therapeutics. 2016;12(5):C11-C14.
www.epistemonikos.org/documents/d218e7ac2f5f4d54a8ed241802b6f0dc6ea73546
320. Yang C, Wang W, Zi Y, Han X, Qin X, Li J, Ren H. Association between tumor necrosis factor- α gene polymorphisms and diffuse large B-cell lymphoma in Chinese Han population: evidence from two center case-control study and a meta-analysis. International journal of clinical and experimental pathology. 2015;8(10):13011-22.
www.epistemonikos.org/documents/d27b1206d611f2774752cd7e374d919e4d9ec67b
321. Dal Maso L, Franceschi S. Hepatitis C virus and risk of lymphoma and other lymphoid neoplasms: a meta-analysis of epidemiologic studies. Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology. 2006;15(11):2078-85.
www.epistemonikos.org/documents/d2fb11f006fb11d8d773ec8b134a32b10dc06fb6
322. Fallahzadeh H, Cheraghi M, Amoori N, Alaf M. Red meat intake and risk of non-hodgkin lymphoma: a meta-analysis. Asian Pacific journal of cancer prevention : APJCP.

- 2014;15(23):10421-5.
www.epistemonikos.org/documents/d3c6fd10dcfeb77ef5695deb4eefa99653d81bd1
323. Fitzpatrick JJ, Ryan MA, Bruzzi JF. Diagnostic accuracy of diffusion-weighted imaging-magnetic resonance imaging compared to positron emission tomography/computed tomography in evaluating and assessing pathological response to treatment in adult patients with lymphoma: A systematic review. *Journal of medical imaging and radiation oncology.* 2018;62(4):530-539.
www.epistemonikos.org/documents/d3d45f6b45a06e1724c0536f303162744490c465
324. Kotlyar DS, Lewis JD, Beaugerie L, Tierney A, Brensinger CM, Gisbert JP, Loftus EV, Peyrin-Bioulet L, Blonski WC, Van Domselaar M, Chaparro M, Sandilya S, Bewtra M, Beigel F, Biancone L, Lichtenstein GR. Risk of Lymphoma in Patients With Inflammatory Bowel Disease Treated With Azathioprine and 6-Mercaptopurine: A Meta-analysis. *Clinical gastroenterology and hepatology : the official clinical practice journal of the American Gastroenterological Association.* 2015;13(5):847-58.e4; quiz e48-
[50.www.epistemonikos.org/documents/d425a704faf95a40ed7c8b742b3a245106b0ed41](http://www.epistemonikos.org/documents/d425a704faf95a40ed7c8b742b3a245106b0ed41)
325. Wang Y, Sun D, Wang J, Dou A, Zheng C. Predictive value of microRNAs as novel biomarkers in detection of lymphoma. *International journal of clinical and experimental medicine.* 2015;8(8):14479-89.
www.epistemonikos.org/documents/d4491524d2ae37c57113c5d881b812efec12eeb4
326. Shliakhtsitsava K, Romero SAD, Dewald SR, Su HI. Pregnancy and child health outcomes in pediatric and young adult leukemia and lymphoma survivors: a systematic review. *Leukemia & lymphoma.* 2018;59(2):1-17.
www.epistemonikos.org/documents/d5645e71483efb032c38a6e81893b8da0e8eaf03
327. Chen R, Wang F, Zhang H, Chen B. Brentuximab vedotin for treatment of relapsed or refractory malignant lymphoma: results of a systematic review and meta-analysis of prospective studies. *Drug design, development and therapy.* 2015;9:2277-83.
www.epistemonikos.org/documents/d68503b111b3c26bc0992f66905918152f0ed940
328. Larsson SC, Wolk A. Obesity and risk of non-Hodgkin's lymphoma: a meta-analysis. *International journal of cancer. Journal international du cancer.* 2007;121(7):1564-70.
[70.www.epistemonikos.org/documents/d6aadd72f605904dc545f0fdbf6bbcc81a1e69a4](http://www.epistemonikos.org/documents/d6aadd72f605904dc545f0fdbf6bbcc81a1e69a4)
329. Gao S., Zhu G., Lin Y., Fan X., Qian P., Zhu J., Yu Y.. Tumor necrosis factor-308 polymorphism with the risk and prognosis of non-hodgkin lymphomas: A meta-analysis study. *OncoTargets and Therapy.* 2016;9:1657-1670.
www.epistemonikos.org/documents/d74c4aa7a25ff00a0509bd7904d4af8e7ef90255
330. Jin Z, Xiang R, Qing K, Li X, Zhang Y, Wang L, Zhu H, Mao Y, Xu Z, Li J. The severe cytokine release syndrome in phase I trials of CD19-CAR-T cell therapy: a systematic review. *Annals of hematology.* 2018;97(8):1327-1335.
www.epistemonikos.org/documents/d82c760131ca854225208b4603c82a9011bc5d2a
331. Lin HY, Shi H, Li CY, Chen QC, Huang TB, Liu PC, Lou LM. LEP and LEPR polymorphisms in non-Hodgkin lymphoma risk: A systematic review and pooled analysis. *Journal of B.U.ON. : official journal of the Balkan Union of Oncology.* 2015;20(1):261-8.
www.epistemonikos.org/documents/d85665746240aff17b05e28afd7150a88d523cf7
332. MacDonald D, Lim S. Extranodal lymphoma arising within the maxillary alveolus: a systematic review. *Oral radiology.* 2018;34(2):113-126.
[126.www.epistemonikos.org/documents/d860eb14161509ed6c777346de9de2e91b2f59e7](http://www.epistemonikos.org/documents/d860eb14161509ed6c777346de9de2e91b2f59e7)
333. Knight C, Hind D, Brewer N, Abbott V. Rituximab (MABTHERA) for aggressive non-Hodgkin's lymphoma: systematic review and economic evaluation. *Health technology assessment (Winchester, England).* 2004;8(37):iii, ix-xi, 1-82.
www.epistemonikos.org/documents/d8817423d6f7a2dd7a36344ff4ee29f27faae0ec
334. Nabhan C, Ollberding NJ, Villines D, Chiu BC, Caces DB, Valdez TV, Ghielmini M, Hsu Schmitz SF, Smith SM. A systematic review of comparative schedule-related toxicities with

- maintenance rituximab in follicular and mantle cell lymphomas. *Leukemia & lymphoma.* 2014;55(6):1288-
94.www.epistemonikos.org/documents/d8d54745d8b7ffa52e04336acdc9fac5c0332d2d
335. Li L, Rong JH, Feng J. Neuroradiological features of lymphomatosis cerebri: A systematic review of the English literature with a new case report. *Oncology letters.* 2018;16(2):1463-1474.
www.epistemonikos.org/documents/d9e075adb2d1ea9a1390754801270fa52ecb6b45
336. Cao HY, Zou P, Zhou H. Genetic association of interleukin-10 promoter polymorphisms and susceptibility to diffuse large B-cell lymphoma: a meta-analysis. *Gene.* 2013;519(2):288-94.
www.epistemonikos.org/documents/da91613e4d335980c42a5e7a0f5776ec16c47fc0
337. Luo D, Zhou T, Tao Y, Feng Y, Shen X, Mei S. Exposure to organochlorine pesticides and non-Hodgkin lymphoma: a meta-analysis of observational studies. *Scientific reports.* 2016;6:25768.
www.epistemonikos.org/documents/dab37997a062ac90171f825ff56460c3c3faf33a
338. Fleury I, Chevret S, Pfreundschuh M, Salles G, Coiffier B, van Oers MH, Gisselbrecht C, Zucca E, Herold M, Ghielmini M, Thieblemont C. Rituximab and risk of second primary malignancies in patients with non-Hodgkin lymphoma: a systematic review and meta-analysis. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO.* 2016;27(3):390-397.
www.epistemonikos.org/documents/db725def3fbdeb3e94e420bcf0443facc3310e53
339. Thompson PA, Prince HM. Breast implant-associated anaplastic large cell lymphoma: a systematic review of the literature and mini-meta analysis. *Current hematologic malignancy reports.* 2013;8(3):196-210.
www.epistemonikos.org/documents/dbabf8270e22890a38b1eccbd544713b505c6ead
340. Rashidi A, Fisher SI. Primary adrenal lymphoma: a systematic review. *Annals of hematology.* 2013;92(12):1583-
93.www.epistemonikos.org/documents/dbf65d7c30e2cc5676f921bdcfd2b01336205f2
341. van der Rhee H, Coebergh JW, de Vries E. Sunlight, vitamin D and the prevention of cancer: a systematic review of epidemiological studies. *European journal of cancer prevention : the official journal of the European Cancer Prevention Organisation (ECP).* 2009;18(6):458-
75.www.epistemonikos.org/documents/dc9bd1f083486ccf762fe488408d7101c77a9951
342. Larsson SC, Wolk A. Body mass index and risk of non-Hodgkin's and Hodgkin's lymphoma: a meta-analysis of prospective studies. *European journal of cancer (Oxford, England : 1990).* 2011;47(16):2422-30.
www.epistemonikos.org/documents/dd09e16f066518a5b0890a1fbbb3ef5155414420
343. Beygi S, Sadashiv S, Reilly JB, Khan C, Lister J. Frontline treatment of diffuse large B-cell lymphoma in elderly: a systematic review of clinical trials in post-rituximab era. *Leukemia & lymphoma.* 2018;59(12):1-15.
www.epistemonikos.org/documents/ddbd309a011493e21ae8b4df5a4ae85e93084785
344. Vidal L, Gafter-Gvili A, Leibovici L, Shpilberg O. Rituximab as maintenance therapy for patients with follicular lymphoma. *Cochrane Database of Systematic Reviews.* 2009;(2):CD006552.
www.epistemonikos.org/documents/e00f0472239a01e594289b5652787f9bd7c2d0b9
345. El-Asmar J, Reljic T, Ayala E, Hamadani M, Nishihori T, Kumar A, Kharfan-Dabaja MA. Efficacy of High-Dose Therapy and Autologous Hematopoietic Cell Transplantation in Peripheral T Cell Lymphomas as Front-Line Consolidation or in the Relapsed/Refractory Setting: A Systematic Review/Meta-Analysis. *Biology of blood and marrow transplantation : journal of the American Society for Blood and Marrow Transplantation.* 2016;22(5):802-
14.www.epistemonikos.org/documents/e06421077fcfe01791258ec237043eb40fcdbb87
346. Kotlyar D.S., Brensinger C., Lewis J.D., Blonski W., Van Domselaar M., Porter D.L., Sandilya S., Lichtenstein G.R.. Meta-analysis of risk for lymphoma with immunomodulators for

- inflammatory bowel disease. *Journal of Clinical Oncology*. 2010; www.epistemonikos.org/documents/e1a5239991bd1052906939bb4c3a7bc703aa95e5
347. Wheat CL, Clark-Snustad K, Devine B, Grembowski D, Thornton TA, Ko CW. Worldwide Incidence of Colorectal Cancer, Leukemia, and Lymphoma in Inflammatory Bowel Disease: An Updated Systematic Review and Meta-Analysis. *Gastroenterology research and practice*. 2016;2016(no pagination):1632439. www.epistemonikos.org/documents/e318dd394b061936cc8ebae5a202475 47f2e4159
348. Peveling-Oberhag J, Arcaini L, Bankov K, Zeuzem S, Herrmann E.. The anti-lymphoma activity of antiviral therapy in HCV-associated B-cell non-Hodgkin lymphomas: A meta-analysis. *Journal of Viral Hepatitis*. 2016;23(7):536-544. www.epistemonikos.org/documents/e342eadfe3ea8120f366b1d9f4000275201c89e6
349. Zullo A, Hassan C, Ridola L, De Francesco V, Rossi L, Tomao S, Vaira D, Genta RM. Eradication therapy in Helicobacter pylori-negative, gastric low-grade mucosa-associated lymphoid tissue lymphoma patients: a systematic review. *Journal of clinical gastroenterology*. 2013;47(10):824- 7. www.epistemonikos.org/documents/e3574be7361c9ffe6eb3ba5acea29748dbab552
350. Guan B, Zhang X, Ma H, Zhou H, Zhou X. A meta-analysis of highly active anti-retroviral therapy for treatment of plasmablastic lymphoma. *Hematology/oncology and stem cell therapy*. 2010;3(1):7-12. www.epistemonikos.org/documents/e3962c249502653f8baa3d83725d45334038cc3b
351. Hu S, Zhou D, Zhang W. The optimal timing of radiotherapy in the combined modality therapy for limited-stage extranodal NK/T cell lymphoma (ENKTL): a systematic review and meta-analysis. *Annals of hematology*. 2018;97(12):2279-2287. www.epistemonikos.org/documents/e617bc27ceb01a49ffefd3c4888e95abb52f76bb
352. Al Khabori M, de Almeida JR, Guyatt GH, Kuruvilla J, Crump M. Autologous Stem Cell Transplantation in Follicular Lymphoma: a Systematic Review and Meta-analysis. *Journal of the National Cancer Institute*. 2012;104(1):18-28. www.epistemonikos.org/documents/e80ce05f7cbb67d21a39a46bcd629885441afdef
353. Yang YT, Tai CJ, Chen C, Wu HC, Mikhaylichenko N, Chiu HT, Chen YY, Hsu YE. Highly Diverse Efficacy of Salvage Treatment Regimens for Relapsed or Refractory Peripheral T-Cell Lymphoma: A Systematic Review. *PloS one*. 2016;11(10):e0161811. www.epistemonikos.org/documents/e81011feb4038a77ece889a1510e13f0af98f3cb
354. Sui L, Liu K, Shen W, Zhang L. Relationships between VEGF protein expression and pathological characteristics of diffuse large B cell lymphoma: a meta-analysis. *Tumour biology : the journal of the International Society for Oncodevelopmental Biology and Medicine*. 2014;35(9):9085- 93. www.epistemonikos.org/documents/eb2054bbe13bca310a0ede60904dd34653e238b9
355. Zhou JY, He LW, Liu J, Yu HL, Wei M, Ma WL, Shi R. Comprehensive assessment of associations between ERCC2 Lys751Gln/Asp312Asn polymorphisms and risk of non- Hodgkin lymphoma. *Asian Pacific journal of cancer prevention : APJCP*. 2014;15(21):9347- 53. www.epistemonikos.org/documents/ec57ac76b638b782e9e9987239fd1748acd2ecf4
356. Rumrich I.K., Viluksela M., Vaahaakangas K., Gissler M., Surcel H.-M., Haanninen O.. Maternal smoking and the risk of cancer in early life - A meta-analysis. *PLoS ONE*. 2016;11(11):e0165040. www.epistemonikos.org/documents/ec9f39e115f96f09b1b0d8e57133048cf59c697f
357. Smith, Adam M., Smith, Martyn T., La Merrill, Michele A., Liaw, Jane, Steinmaus, Craig. 2,4-dichlorophenoxyacetic acid (2,4-D) and risk of non-Hodgkin lymphoma: a meta-analysis accounting for exposure levels. *Annals of Epidemiology*. 2017;27(4):281-281. www.epistemonikos.org/documents/ef1b1712281491839b9c70f5890a868de7da0603

358. Wake B, Hyde C, Bryan S, Barton P, Song F, Fry-Smith A, Davenport C, Department of Public Health and Epidemiology, University of Birmingham, UK. Rituximab as third-line treatment for refractory or recurrent Stage III or IV follicular non-Hodgkin's lymphoma: a systematic review and economic evaluation. *Health Technology Assessment.* 2002;6(3):1-85.
www.epistemonikos.org/documents/ef4771408f3fa3469d4da7580fe2a98da27b3ea1
359. Li L, Li Y, Que X, Gao X, Gao Q, Yu M, Ma K, Xi Y, Wang T. Prognostic significances of overexpression MYC and/or BCL2 in R-CHOP-treated diffuse large B-cell lymphoma: A Systematic review and meta-analysis. *Scientific reports.* 2018;8(1):6267.
www.epistemonikos.org/documents/f03663575927d14f7ac7e40b43e31cc3d344f448
360. Chen R, Wang C, Zhou Y, Wen B. Prognostic implications of circulating Epstein-Barr virus DNA for extranodal natural killer/T-cell lymphoma, nasal type: a meta-analysis. *Cancer management and research.* 2018;10:2183-2192.
www.epistemonikos.org/documents/f07237981bd7e36b29c09e6216c4cb519019e3eb
361. Max Schlaak, Juliane Pickenhain, Sebastian Theurich, Nicole Skoetz, Michael von Bergwelt-Baildon, Peter Kurschat. Allogeneic stem cell transplantation versus conventional therapy for advanced primary cutaneous T-cell lymphoma. *Cochrane Database of Systematic Reviews.* 2013;8(8):CD008908.www.epistemonikos.org/documents/f10834a6bc5c3fbdf1b645f2b0306c54abb3c1
362. Oerlemans S, Mols F, Nijziel MR, Lybeert M, van de Poll-Franse LV. The impact of treatment, socio-demographic and clinical characteristics on health-related quality of life among Hodgkin's and non-Hodgkin's lymphoma survivors: a systematic review. *Annals of hematology.* 2011;90(9):993-1004.www.epistemonikos.org/documents/f109034e63f5e14b7310a868741312efa58529ed
363. Sacchi S., Pirani M., Marcheselli L., Marcheselli R., Bari A., Cirilli C., Massimo F.. Second malignancy after treatment for non-hodgkin lymphoma: A systematic review and a meta-analysis of population-based and cohort studies. *Blood.* 2009;
www.epistemonikos.org/documents/f1f98e91576770ffb4614769cce0341c51e597f1
364. Jonas Zacher, Benjamin Kasenda, Andreas Engert, Nicole Skoetz. The role of additional radiotherapy for primary central nervous system lymphoma. *Cochrane Database of Systematic Reviews.* 2014;6(6):CD009211.
www.epistemonikos.org/documents/f2d4b82f6cdcbc97e88c17862d14fd542f7e697f4
365. Kane EV, Newton R. Occupational exposure to gasoline and the risk of non-Hodgkin lymphoma: a review and meta-analysis of the literature. *Cancer epidemiology.* 2010;34(5):516-22.
www.epistemonikos.org/documents/f489b9abd4dbb7dfbd672106337b7ccfdea30009
366. Lin Y, Fang Z, Lin Z, Li Z, Zhao J, Luo Y, Xu B. The prognostic impact of long noncoding RNA HOTAIR in leukemia and lymphoma: a meta-analysis. *Hematology (Amsterdam, Netherlands).* 2018;23(9):1-8.
www.epistemonikos.org/documents/f4976c133fb56501bc809ffb6c7f04573720bade
367. Vidal L, Shpilberg O, Gurion R, Monsef I, Raanani P, Ram R, Gaftor-Gvili A. CHOP-like-14 compared to CHOP-like-21 for patients with aggressive lymphoma - a meta-analysis of randomized controlled trials. *Acta oncologica (Stockholm, Sweden).* 2016;55(1):1-8.
www.epistemonikos.org/documents/f4b3d4b658a6ffecbc930392dbd0077b2e09ab22
368. Treglia G, Zucca E, Sadeghi R, Cavalli F, Giovanella L, Ceriani L. Detection rate of fluorine-18-fluorodeoxyglucose positron emission tomography in patients with marginal zone lymphoma of MALT type: a meta-analysis. *Hematological oncology.* 2015;33(3):113-24.www.epistemonikos.org/documents/f4d378d361245a98f49eade819fc7b57a0c1071
369. Lu D., Xu F., Hu K., Yin L., Duan H., Zhang J., Zhang S.Z.. Occupational ultraviolet exposure and risk of non-Hodgkin's lymphomas: A meta-analysis. *Oncotarget.* 2017;8(37):62358-62370.
www.epistemonikos.org/documents/f690a02b43e5fc627859cc89e8963147c9c14225

370. Guimarães AC, de Carvalho GM, Correa CR, Gusmão RJ. Association between unilateral tonsillar enlargement and lymphoma in children: A systematic review and meta-analysis. Critical reviews in oncology/hematology. 2015;93(3):304-311.
www.epistemonikos.org/documents/f7ec958c73d8978d22744023bd5b867a95b36996
371. Li G., Li D.. Relationship between IL-10 gene polymorphisms and the risk of non-Hodgkin lymphoma: A meta-analysis. Human Immunology. 2016;77(5):418-425.
www.epistemonikos.org/documents/f888f4d30e01c60e034bd7a7aeee7be4d4a7ac9c4
372. Ren YR, Jin YD, Zhang ZH, Li L, Wu P. Rituximab treatment strategy for patients with diffuse large B-cell lymphoma after first-line therapy: a systematic review and meta-analysis. Chinese medical journal. 2015;128(3):378-383.
www.epistemonikos.org/documents/f9de3ac85537f6e8e83aaf49c071c697bc3d1738
373. Chen B., Han D., Ge B.H., Li C., Ma D., Yang J.. RETRACTED ARTICLE: The diagnostic performance of 18F-FDG PET in detecting bone marrow infiltration in Hodgkin's lymphoma and diffuse large B-cell lymphoma: a meta-analysis. Skeletal Radiology. 2015;44(2):311.
www.epistemonikos.org/documents/f9ecc181aeb8028e956d30b53d0f77a96f00784a
374. Huang YS, Zhou X, Yang ZF, Lv ZT. Elevated soluble CD23 level indicates increased risk of B cell non-Hodgkin's lymphomas: evidence from a meta-analysis. Annals of hematology. 2018;97(8):1317-1325.
www.epistemonikos.org/documents/fb15dbff47ee8612af3021388f9d548c2cbf4664
375. Yuan T, Zhang F, Yao QM, Liu YX, Zhu XJ, Wang X. Weekly versus biweekly bortezomib given in patients with indolent non-Hodgkin lymphoma: A meta-analysis. PloS one. 2017;12(5):e0177950.
www.epistemonikos.org/documents/fc63029e84e71ecf54d6a4422a9f1a249a87f64e
376. Fang C, Zhu D, Dong H, Ji M, Wu J, Xu X, Cheng G, Wu C, Jiang J. Lenalidomide alone or in combination with chemotherapy treatment for subtypes of diffuse large B cell lymphoma: a systematic review and meta-analysis. International journal of clinical and experimental medicine. 2015;8(7):10705-13.
www.epistemonikos.org/documents/fc7a9d16228b84d46045a476854afc86aede300e
377. Laribi K, Alani M, Truong C, de Materre AB. Evolving strategies for the treatment of T-cell lymphoma: a systematic review and recent patents. Recent patents on anti-cancer drug discovery. 2018;13(3):308-340.
www.epistemonikos.org/documents/fed735dff0627f87d61f048d444deb9566eb2efd
378. Amoori N, Cheraghi M, Fallahzadeh H, Rahmani H. Lack of association between using aspirin and development of non-Hodgkins lymphoma: a meta-analysis. Asian Pacific journal of cancer prevention : APJCP. 2015;16(2):787-92.
www.epistemonikos.org/documents/ff0baebb7ca2bc5b4ceb7c849f343cd238ce4175
379. Siddhartha G, Vijay P. R-CHOP versus R-CVP in the treatment of follicular lymphoma: a meta-analysis and critical appraisal of current literature. Journal of hematology & oncology. 2009;2(no pagination):14.
www.epistemonikos.org/documents/ff286aa1c69174564368d4f249bd4fabae9d67cd