

Informe de Búsqueda sistemática de evidencia de los efectos deseables e indeseables

Guía de Práctica Clínica Trastorno Bipolar en personas de 15 años y más

2018



ÍNDICE

TABLA RESUMEN	2
ESTRATEGIA DE BÚSQUEDA	3
CRITERIOS DE INCLUSIÓN	3
RECOLECCIÓN, ANÁLISIS Y SÍNTESIS DE DATOS	4
Selección de las revisiones	4
Extracción de datos	4
Mapeo de la evidencia	4
Apéndice 1. Estrategias de búsqueda:	5
Apéndice 2. Diagrama de flujo PRISMA	7
Apéndice 3. Referencias seleccionadas	8

TABLA RESUMEN

Problema de salud	Trastorno Bipolar
ICD10	F31
Fecha de entrega	01/12/2018
Investigador responsable	Gabriel Rada Giacaman
Número de revisiones sistemáticas	925
Número de preguntas	750
L-OVE	<i>Bipolar affective disorder</i>
L-OVE URL	https://love.epistemonikos.org/loves/5ad8d45a65dee01a7026d3b6

ESTRATEGIA DE BÚSQUEDA

Se realizaron búsquedas en Epistemonikos, una base de datos exhaustiva de revisiones sistemáticas relevantes para la toma de decisiones en salud. La búsqueda de evidencia fue realizada en las siguientes bases de datos¹ con las estrategias descritas en el Apéndice 1.

1. Cochrane database of systematic reviews (CDSR)
2. Database of Abstracts of Reviews of Effectiveness (DARE)
3. HTA Database
4. PubMed
5. LILACS
6. CINAHL.
7. PsychINFO.
8. EMBASE.
9. EPPI-Centre Evidence Library
10. 3ie Systematic Reviews and Policy Briefs Campbell Library
11. Clinical Evidence.
12. SUPPORT Summaries
13. WHO Institutional Repository for Information Sharing
14. NICE public health guidelines and systematic reviews
15. ACP Journal Club.
16. Evidencias en Pediatría
17. The JBI Database of Systematic Reviews and Implementation Reports

CRITERIOS DE INCLUSIÓN

Consideramos todas las revisiones sistemáticas que están sintetizando estudios primarios (tanto experimentales como observacionales) de acuerdo a la definición empleada por la Colaboración Cochrane y la declaración PRISMA.²

Una revisión elegible debe cumplir con los siguientes criterios operacionales:

1. Reporta una búsqueda en al menos una base de datos electrónica.
2. Reporta al menos uno de los siguientes criterios inclusión de los estudios:

¹ La actualización se realiza de manera semanal. Se encuentra disponible en la plataforma digital un sistema de alerta que permite informar a través de correo electrónico la publicación de nuevos estudios que dan respuesta a las preguntas definidas, de manera de mantener continuamente actualizada la evidencia.

² “Una revisión sistemática intenta recopilar toda la evidencia empírica para responder a una pregunta de investigación específica, que cumple con criterios previamente definidos. Utiliza métodos explícitos y sistemáticos, que se eligen con miras a minimizar el sesgo, de manera de entregar hallazgos confiables que permitan sacar conclusiones y tomar decisiones”.

- **Tipo de participantes:** Se incluyen todas las revisiones sistemáticas que resuman estudios que respondan la pregunta acerca de intervenciones para Trastorno Bipolar en personas de 15 años y más.
- **Tipo de desenlaces:** Se incluyen revisiones que presentan una síntesis (cuantitativa o cualitativa) de al menos un desenlace importante para el paciente u otra información relevante para tomar decisiones poblacionales o individuales acerca de intervenciones para Trastorno Bipolar en personas de 15 años y más.

RECOLECCIÓN, ANÁLISIS Y SÍNTESIS DE DATOS

SELECCIÓN DE LAS REVISIONES

Al menos dos revisores, de manera independiente, realizaron el cribado de los títulos y resúmenes para identificar los artículos relevantes. El texto completo de las revisiones potencialmente elegibles fue recuperado y evaluado, de manera independiente, para su inclusión final. Un tercer investigador resolvió cualquier discrepancia que pudiera haberse provocado entre los distintos revisores.

MAPEO DE LA EVIDENCIA

Con el objetivo de generar un listado exhaustivo de todas las posibles preguntas relacionadas con el tema del L-OVE: *Trastorno Bipolar*³, se realiza la agrupación de las revisiones resultantes en formato PICO, es decir: población, intervención, comparación y desenlace [*outcome*]) utilizamos las siguientes fuentes:

1. Guías y documentos
2. Criterios de inclusión de las revisiones sistemáticas identificadas
3. Consulta con expertos
4. Retroalimentación de los usuarios

Como resultado final la plataforma incluye toda la evidencia disponible en revisiones sistemáticas y sus estudios primarios incluidos, segregada por nodos de evidencia que representan cada una de las preguntas priorizadas para actualización de la guía (Ver “Diagrama de flujo PRISMA” en Apéndice 2 y “Referencia Seleccionada” en Apéndice 3).

ACTUALIZACIÓN – “LIVING”

Todas las búsquedas a través de esta plataforma se mantienen continuamente actualizada gracias a la tecnología implementada en el buscador de Epistemonikos y sus distintos colaboradores. Por lo cual, tanto la cantidad de revisiones, preguntas, entre otros datos cambian continuamente. Los datos presentados en este informe son los correspondientes a la fecha de entrega.

³Ver resultados de la búsqueda en: <https://love.epistemonikos.org/loves/5ad8d45a65dee01a7026d3b6>



APÉNDICE 1. ESTRATEGIAS DE BÚSQUEDA:⁴

Cochrane Library - Cochrane database of systematic reviews (CDSR)

<http://www.thecochranelibrary.com>

bipolar OR hypomani* OR "rapid cycling" OR ((depressi* OR mood) AND (mania* OR manic*)), in Title, Abstract, Keywords: Cochrane Reviews (Reviews NOT protocols)

Medline/PubMed - US National Library of Medicine

<http://www.ncbi.nlm.nih.gov/pubmed/>

bipolar OR hypomani* OR "rapid cycling" OR ((depressi* OR mood) AND (mania* OR manic*)) AND (MEDLINE[Title/Abstract] OR (systematic[Title/Abstract] AND review[Title/Abstract]) OR meta analysis[Publication Type])

EMBASE (Excerpta Medica dataBASE)

<http://www.embase.com>

Frequency of search: weekly

bipolar OR hypomani* OR "rapid cycling" OR ((depressi* OR mood) AND (mania* OR manic*)) AND (meta-analysis.tw. OR systematic review.tw)

CINAHL (Cumulative Index to Nursing and Allied Health Literature)

<https://www.ebscohost.com/nursing/products/cinahl-databases/the-cinahl-database>

bipolar OR hypomani* OR "rapid cycling" OR ((depressi* OR mood) AND (mania* OR manic*)) AND ((TI meta analys* or AB meta analys*) or (TI systematic review or AB systematic review))

PsycINFO

<http://www.apa.org/pubs/databases/psycinfo>

bipolar OR hypomani* OR "rapid cycling" OR ((depressi* OR mood) AND (mania* OR manic*)) AND (meta-analysis OR search*)

LILACS (Literatura Latinoamericana y del Caribe en Ciencias de la Salud)

<http://lilacs.bvsalud.org/en/>

bipolar OR hypomani* OR "rapid cycling" OR ((depressi* OR mood) AND (mania* OR manic*)) AND (tw:"revision sistematica" or tw:"revisao sistematica" or tw:"systematic review") or ((MH:"Literatura de Revisión como asunto" OR MH:"Metanalisis como asunto" OR PT:Revision OR PT:Metanalisis) and (TW:Metaanal\$ OR TW:"Meta-analysis" OR TW:"Meta-analise" OR TW:"Meta-analisis" OR TI:overview\$

⁴ No se aplican restricciones en base al idioma o estado de publicación.

or TW:"estudio sistematico" OR TW:"systematic study" OR TW:"estudo sistemático" OR TI:review OR TI:revisão OR TI:revision))

DARE (Database of Abstracts of Reviews of Effectiveness) - Centre for Reviews and Dissemination, University of York

<http://www.crd.york.ac.uk/CRDWeb/>

bipolar OR hypomani* OR "rapid cycling" OR ((depressi* OR mood) AND (mania* OR manic*)), in Any field: CRD assessed review (bibliographic)/ CRD assessed review (full abstract)

HTA

Database

<http://www.crd.york.ac.uk/CRDWeb/>

bipolar OR hypomani* OR "rapid cycling" OR ((depressi* OR mood) AND (mania* OR manic*)), in Any field

The

Campbell

Collaboration

Online

Library

<https://www.campbellcollaboration.org/library.html>

bipolar OR hypomani* OR "rapid cycling" OR ((depressi* OR mood) AND (mania* OR manic*)), in Title: Review

JBI Database of Systematic Reviews and Implementation Reports

<http://journals.lww.com/jbisrir/pages>


bipolar OR hypomani* OR "rapid cycling" OR ((depressi* OR mood) AND (mania* OR manic*)) AND (review OR meta*), in All fields

EPPI-Centre Evidence Library

<http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=56>

bipolar OR hypomani* OR "rapid cycling" OR ((depressi* OR mood) AND (mania* OR manic*)) All records in chronological list (<http://eppi.ioe.ac.uk/cms/Default.aspx?tabid=62>)

APÉNDICE 2. DIAGRAMA DE FLUJO PRISMA



APÉNDICE 3. REFERENCIAS SELECCIONADAS

1. García-Jiménez J, Álvarez-Fernández M, Aguado-Bailón L, Gutiérrez-Rojas L. Epidemiological and clinical variables related with the predominant polarity on bipolar disorder: A systematic review. *Revista de psiquiatria y salud mental.* 2019;12(1):52-62.
www.epistemonikos.org/documents/0035059153468497b388f97ba45ddcf4e13b7fc8
2. Wilde A, Chan HN, Rahman B, Meiser B, Mitchell PB, Schofield PR, Green MJ. A meta-analysis of the risk of major affective disorder in relatives of individuals affected by major depressive disorder or bipolar disorder. *Journal of affective disorders.* 2014;158:37-47.
www.epistemonikos.org/documents/00d0b3c528c4e4fd38c7f4a095b41cab55793162
3. Chitty KM, Lagopoulos J, Lee RS, Hickie IB, Hermens DF. A systematic review and meta-analysis of proton magnetic resonance spectroscopy and mismatch negativity in bipolar disorder. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology.* 2013;23(11):1348-63.
www.epistemonikos.org/documents/0155fe8221dd3493606c58ba21888663d67d114a
4. Faedda GL, Marangoni C, Serra G, Salvatore P, Sani G, Vázquez GH, Tondo L, Girardi P, Baldessarini RJ, Koukopoulos A. Precursors of bipolar disorders: a systematic literature review of prospective studies. *The Journal of clinical psychiatry.* 2015;76(5):614-24.
www.epistemonikos.org/documents/017798f820a113de5085ba5b4c692a9cf95eec60
5. Tsitsipa E, Fountoulakis KN. The neurocognitive functioning in bipolar disorder: a systematic review of data. *Annals of general psychiatry.* 2015;14(1):42.
www.epistemonikos.org/documents/01c0928ec0eb8b9b10629af2596805b4f804ef65
6. Fountoulakis KN, Gonda X, Vieta E, Schmidt F. Treatment of psychotic symptoms in bipolar disorder with aripiprazole monotherapy: a meta-analysis. *Annals of general psychiatry.* 2009;8(no pagination):27.
www.epistemonikos.org/documents/01fddd2168b7a49bc29ac9ee29a6ab5ac0128bf4
7. Foguet-Boreu Q, Fernandez San Martin MI, Flores Mateo G, Zabaleta Del Olmo E, Ayerbe García-Morzon L, Perez-Piñar López M, Martin-López LM, Montes Hidalgo J, Violán C. Cardiovascular risk assessment in patients with a severe mental illness: a systematic review and meta-analysis. *BMC psychiatry.* 2016;16(1):141.
www.epistemonikos.org/documents/028cc5fa467ba8616dc4641d0078cc0729855aaaf
8. Kluwe-Schiavon, Bruno, Viola, Thiago Wendt, Levandowski, Mateus Luz, Bortolotto, Vanessa Rezende, Souza, Leo Schuch Azevedo e, Tractenberg, Saulo Gantes, Soares, Tárcio. A systematic review of cognitive rehabilitation for bipolar disorder. *Trends psychiatry psychother. (Impr.).* 2015;37(4):194-201.
www.epistemonikos.org/documents/03092a5ee2dc260c97c9d9e4538ef75c87e7b65d
9. Killikelly C, He Z, Reeder C, Wykes T. Improving Adherence to Web-Based and Mobile Technologies for People With Psychosis: Systematic Review of New Potential Predictors of Adherence. *JMIR mHealth and uHealth.* 2017;5(7):e94.
www.epistemonikos.org/documents/03d57b534b877abf75fa1b700101611e7d1bc44c
10. Maneeton, Benchalak, Putthisri, Suwannee, Maneeton, Narong, Woottiluk, Pakapan, Suttajjit, Sirijit, Charnsil, Chawanun, Srisurapanont, Manit. Quetiapine monotherapy versus placebo in the treatment of children and adolescents with bipolar depression: A systematic review and meta-analysis. *Neuropsychiatric Disease and Treatment.* 2017;13.
www.epistemonikos.org/documents/043fb10c2caa6c6ed666c12d85747343df0735b7
11. Chong P.L.H., Ho N.F., Sum M.Y., Sim K.. Structure and connectivity of the amygdala in schizophrenia and bipolar disorder: A systematic review of neuroimaging findings. *Annals of the Academy of Medicine*

- Singapore. 2016;:S60.
www.epistemonikos.org/documents/04aefc642073560dc454400edab55dfa97c0d597
12. Miraj S, Kiani S. A scientific correlation between dystemprament in Unani medicine and diseases: a systematic review. *Electronic physician.* 2016;8(11):3240-3247.www.epistemonikos.org/documents/04f8238b7db5152891cd781a2b0c3b4614df2440
13. Brazier J, Connell J, Papaioannou D, Mukuria C, Mulhern B, Peasgood T, Jones ML, Paisley S, O'Cathain A, Barkham M, Knapp M, Byford S, Gilbody S, Parry G. A systematic review, psychometric analysis and qualitative assessment of generic preference-based measures of health in mental health populations and the estimation of mapping functions from widely used specific measures. *Health technology assessment (Winchester, England).* 2014;18(34):vii-viii, xiii-xxv, 1-188.www.epistemonikos.org/documents/0506790cc26eb7851c43c06b3ca357a76845dd70
14. Skokauskas N, Frodl T. Overlap between autism spectrum disorder and bipolar affective disorder. *Psychopathology.* 2015;48(4):209-16.www.epistemonikos.org/documents/051fdc1edeeaa51032afb01673ff2f15275d32437
15. Fornaro M., Stubbs B.. A meta-analysis investigating the prevalence and moderators of migraines among people with bipolar disorder. *Journal of Affective Disorders.* 2015;178((Fornaro M., mf3000@columbia.edu) New York Psychiatric Institute, Columbia University, NYC, United States):88-97.www.epistemonikos.org/documents/0555206c4eec677f57ffb290868fc0d51dbe98ef
16. Toma S, MacIntosh BJ, Swardfager W, Goldstein BI. Cerebral blood flow in bipolar disorder: A systematic review. *Journal of affective disorders.* 2018;241:505-513.www.epistemonikos.org/documents/05b5eb697e67c7c62d3ea07c5a24760422e45f33
17. Karasoulis E, Adams A. Assessing the Evidence for e-Resources for Mental Health Self-Management: A Systematic Literature Review. *JMIR mental health.* 2014;1(1):e3.www.epistemonikos.org/documents/05bb317732a53864e5ba8a262e456be40a011194
18. Bora, E., Bartholomeusz, C., Pantelis, C.. Meta-analysis of Theory of Mind (ToM) impairment in bipolar disorder. *Psychological Medicine.* 2016;46(2):253-264.www.epistemonikos.org/documents/05d6127b0681f5e6515849801208d810ee673059
19. Mauritz MW, Goossens PJ, Draijer N, van Achterberg T. Prevalence of interpersonal trauma exposure and trauma-related disorders in severe mental illness. *European journal of psychotraumatology.* 2013;4.
www.epistemonikos.org/documents/05ebe925359150cd4cfcc1aece36fcfd824ec93f01
20. Marino J, English C, Caballero J, Harrington C. The role of paliperidone extended release for the treatment of bipolar disorder. *Neuropsychiatric disease and treatment.* 2012;8:181-9.
www.epistemonikos.org/documents/060dbf787011b20aa8d7555a2f95eacb1fd63627
21. Fernandes BS, Molendijk ML, Köhler CA, Soares JC, Leite CM, Machado-Vieira R, Ribeiro TL, Silva JC, Sales PM, Quevedo J, Oertel-Knöchel V, Vieta E, González-Pinto A, Berk M, Carvalho AF. Peripheral brain-derived neurotrophic factor (BDNF) as a biomarker in bipolar disorder: a meta-analysis of 52 studies. *BMC medicine.* 2015;13(1):289.www.epistemonikos.org/documents/06e797e3e7bac380cdad97257d8e91c391b04c94
22. Amit BH, Weizman A. Antidepressant treatment for acute bipolar depression: an update. *Depression research and treatment.* 2012;2012:684725.www.epistemonikos.org/documents/071cd9b1f83e8a4bb3a10036e241ef9eb6580201
23. Poels EMP, Schrijver L, Kamperman AM, Hillegers MHJ, Hoogendoijk WJG, Kushner SA, Roza SJ. Long-term neurodevelopmental consequences of intrauterine exposure to lithium and antipsychotics: A systematic

- review and meta-analysis. European Child & Adolescent Psychiatry. 2018;27(9):1209-1230.www.epistemonikos.org/documents/07256a49cc23cf2eaefed4e8745ed22e244eef1e
24. McGirr A, Berlim MT, Bond DJ, Fleck MP, Yatham LN, Lam RW. A systematic review and meta-analysis of randomized, double-blind, placebo-controlled trials of ketamine in the rapid treatment of major depressive episodes. Psychological medicine. 2015;45(4):1-12.www.epistemonikos.org/documents/07365673b5a1456a2bdcd3fe1e2c6a42e717555e
25. Chu, Che-Sheng, Stubbs, Brendon, Chen, Tien-Yu, Tang, Chia-Hung, Li, Dian-Jeng, Yang, Wei-Cheng, Wu, Ching-Kuan, Carvalho, André F, Vieta, Eduard, Miklowitz, David J, Tseng, Ping-Tao, Lin, Pao-Yen. The effectiveness of adjunct mindfulness-based intervention in treatment of bipolar disorder: A systematic review and meta-analysis. J Affect Disord. 2018;225:234-245.
www.epistemonikos.org/documents/07df559298b679df2e9b07014c00156359d0c68e
26. Douglas J, Scott J. A systematic review of gender-specific rates of unipolar and bipolar disorders in community studies of pre-pubertal children. Bipolar disorders. 2014;16(1):5-15.
www.epistemonikos.org/documents/07ed89403e4268375637406b80a34473eb52d339
27. Pavlova B, Perlis RH, Alda M, Uher R. Lifetime prevalence of anxiety disorders in people with bipolar disorder: a systematic review and meta-analysis. The lancet. Psychiatry. 2015;2(8):710-7.
www.epistemonikos.org/documents/08545ee2102c9534120e0183c2a2cc802c5a5eed
28. McIntyre RS, Lee Y, Zhou AJ, Rosenblat JD, Peters EM, Lam RW, Kennedy SH, Rong C, Jerrell JM. The Efficacy of Psychostimulants in Major Depressive Episodes: A Systematic Review and Meta-Analysis. Journal of clinical psychopharmacology. 2017;37(4):412-418.www.epistemonikos.org/documents/086c7f3127222a196d5e66c5b465b01fe5035742
29. Solmi M., Veronese N., Zaninotto L., Van Der Loos M.L.M., Gao K., Schaffer A., Reis C., Normann C., Anhelescu I.-G., Correll C.U.. Lamotrigine compared to placebo and other agents with antidepressant activity in patients with unipolar and bipolar depression: A comprehensive meta-analysis of efficacy and safety outcomes in short-term trials. CNS Spectrums. 2016;21(5):403-418.
www.epistemonikos.org/documents/086d8176bfa6d415d04acaa0715527491dcb00f9
30. Vannucchi G, Masi G, Toni C, Dell'Osso L, Erfurth A, Perugi G. Bipolar disorder in adults with Asperger's Syndrome: a systematic review. Journal of affective disorders. 2014;168C((Vannucchi G.; Dell'Osso L.) Department of Clinical and Experimental Medicine, Psychiatry Unit, University of Pisa, Italy):151-160.www.epistemonikos.org/documents/08828e717d43b7e651b806949b581b22a83ee541
31. Marshe VS, Pira S, Mantere O, Bosche B, Looper KJ, Herrmann N, Müller DJ, Rej S. C-reactive protein and cardiovascular risk in bipolar disorder patients: A systematic review. Progress in neuro-psychopharmacology & biological psychiatry. 2017;Part B(Pt B):442-451.www.epistemonikos.org/documents/08c069e2ada643c7079aea6b35b81eb6430ba43f
32. Bora E, Yücel M, Pantelis C. Cognitive impairment in affective psychoses: a meta-analysis. Schizophrenia bulletin. 2010;36(1):112-25.www.epistemonikos.org/documents/0911e62fe791ddacbb959fbe2906e23c09c7e3fb
33. Bauer IE, Gálvez JF, Hamilton JE, Balanzá-Martínez V, Zunta-Soares GB, Soares JC, Meyer TD. Lifestyle interventions targeting dietary habits and exercise in bipolar disorder: A systematic review. Journal of psychiatric research. 2016;74:1-7.
www.epistemonikos.org/documents/0955c6679f05a123f1e7698afd36816b3a6fd583

34. Methaneethorn J. Population Pharmacokinetic Analyses of Lithium: A Systematic Review. European journal of drug metabolism and pharmacokinetics. 2018;43(1):1-10.www.epistemonikos.org/documents/09cdeb98109c42abc8b4331fbefab1ba7217199d
35. Meduri M, Gregoraci G, Baglivo V, Balestrieri M, Isola M, Brambilla P. A meta-analysis of efficacy and safety of aripiprazole in adult and pediatric bipolar disorder in randomized controlled trials and observational studies. Journal of affective disorders. 2016;191:187-208.www.epistemonikos.org/documents/0a1f476de06d254ccff3ce00909357a17b9251a1
36. Citrome L. Aerosolised antipsychotic assuages agitation: inhaled loxapine for agitation associated with schizophrenia or bipolar disorder. International journal of clinical practice. 2011;65(3):330-40.www.epistemonikos.org/documents/0a5a49ce025c3773665ed9ee70017fd9da828bf1
37. Vederine FE, Wessa M, Leboyer M, Houenou J. A meta-analysis of whole-brain diffusion tensor imaging studies in bipolar disorder. Progress in neuro-psychopharmacology & biological psychiatry. 2011;35(8):1820-6. www.epistemonikos.org/documents/0aed91b381dae84683e3723af101df2e9cb9a59b
38. Salvi V, Fagiolini A, Swartz HA, Maina G, Frank E. The use of antidepressants in bipolar disorder. The Journal of clinical psychiatry. 2008;69(8):1307-18.www.epistemonikos.org/documents/0b5b065c0daeba03d8b4edd386029570d6256535
39. Reardon CL, Factor RM. Sport psychiatry a systematic review of diagnosis and medical treatment of mental illness in athletes. Sports medicine (Auckland, N.Z.). 2010;40(11):961-80.www.epistemonikos.org/documents/0be7e7b5cd9e033bc66604edd682f94683dbb32b
40. Miskowiak KW, Carvalho AF, Vieta E, Kessing LV. Cognitive enhancement treatments for bipolar disorder: A systematic review and methodological recommendations. European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology. 2016;26(10):1541-61.www.epistemonikos.org/documents/0d02bb99eb0822a2db7ca16b782f791a4a9898df
41. Citrome L. Asenapine for schizophrenia and bipolar disorder: a review of the efficacy and safety profile for this newly approved sublingually absorbed second-generation antipsychotic. International journal of clinical practice. 2009;63(12):1762-84.www.epistemonikos.org/documents/0d57f039eb5f482c31fca42461a7e9cba773c379
42. Brochard H, Boudebesse C, Henry C, Godin O, Leboyer M, Étain B. [Metabolic syndrome and bipolar disorder: Is sleep the missing link?]. L'Encephale. 2016;42(6):562-567.www.epistemonikos.org/documents/0d92d3237d4866e6da1ea32bf03d8bc86bd78334
43. Vanstraelen M, Tyrer SP. Rapid cycling bipolar affective disorder in people with intellectual disability: a systematic review. Journal of intellectual disability research : JIDR. 1999;43 (Pt 5)(5):349-59.www.epistemonikos.org/documents/0dcbbd8a90d5da07072892f45028eb2f5bf999bb
44. Wu MK, Wang HY, Chen YW, Lin PY, Wu CK, Tseng PT. Significantly Higher Prevalence Rate of Asthma and Bipolar Disorder Co-Morbidity: A Meta-Analysis and Review Under PRISMA Guidelines. Medicine. 2016;95(13):e3217. www.epistemonikos.org/documents/0e1e58e6ea4785afb81f6784dbe35948fb51c7f3
45. van den Berg B, Knoppert-van der Klein EA, van Zaane J. [Psychotherapeutic treatment options for bipolar disorders. A review of randomized controlled studies]. Tijdschrift voor psychiatrie. 2006;48(12):905-13.www.epistemonikos.org/documents/0e96adaf3a87055ca26f0c4ed355b83f6ebc51b0
46. Arnone D, McIntosh AM, Chandra P, Ebmeier KP. Meta-analysis of magnetic resonance imaging studies of the corpus callosum in bipolar disorder. Acta psychiatrica Scandinavica. 2008;118(5):357-62.www.epistemonikos.org/documents/0f8249e521ece0ed1db5a5470baf7eef907afdb9

47. Fraguas D, Correll CU, Merchán-Naranjo J, Rapado-Castro M, Parellada M, Moreno C, Arango C. Efficacy and safety of second-generation antipsychotics in children and adolescents with psychotic and bipolar spectrum disorders: comprehensive review of prospective head-to-head and placebo-controlled comparisons. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology.* 2011;21(8):621-45. www.epistemonikos.org/documents/0f9a514d373e55e36dcbaec3bfff94fa88049e8e
48. Swinnen SG, Selten JP. Mood disorders and migration: meta-analysis. *The British journal of psychiatry : the journal of mental science.* 2007;190(1):6-10. www.epistemonikos.org/documents/115efc9feefa9ab8c238c742a86b027b3f2a17f7
49. Leboyer M, Kupfer DJ. Bipolar disorder: new perspectives in health care and prevention. *The Journal of clinical psychiatry.* 2010;71(12):1689-95. www.epistemonikos.org/documents/1266dcf539d80e5a2f2f380a97e47dcbfc17554e
50. Tsai AC, Rosenlicht NZ, Jureidini JN, Parry PI, Spielmans GI, Healy D. Aripiprazole in the maintenance treatment of bipolar disorder: a critical review of the evidence and its dissemination into the scientific literature. *PLoS medicine.* 2011;8(5):e1000434. www.epistemonikos.org/documents/12f1a704665a0d69527a5e168da8c69973e263e4
51. Fernandes BS, Dash S, Jacka F, Dodd S, Carvalho AF, Köhler CA, Steiner J, da Graça Cantarelli M, Nardin P, Gonçalves CA, Berk M. Leptin in bipolar disorder: A systematic review and meta-analysis. *European psychiatry : the journal of the Association of European Psychiatrists.* 2016;35:1-7. www.epistemonikos.org/documents/12fd7141c68ca9594ea52b781db0e439e7e1656b
52. Rej S, Quayle W, Forester BP, Dols A, Gatchel J, Chen P, Gough S, Fox R, Sajatovic M, Strejilevich SA, Eyler LT. Measurement tools for assessment of older age bipolar disorder: A systematic review of the recent global literature. *Bipolar disorders.* 2018;20(4):359-369. www.epistemonikos.org/documents/1313c5b204a2d3243fef2c628d0f30bef2e5e826
53. Chatterton M.L., Stockings E., Berk M., Barendregt J.J., Carter R., Mihalopoulos C.. Psychosocial therapies for the adjunctive treatment of bipolar disorder in adults: Network meta-analysis. *British Journal of Psychiatry.* 2017;210(5):333-341. www.epistemonikos.org/documents/1329dc4d5c0315d362540aaba0a7f62c27925458
54. Brahm NC, Gutierrez SL, Carnahan RM. Quetiapine for acute mania in bipolar disorder. *American journal of health-system pharmacy : AJHP : official journal of the American Society of Health-System Pharmacists.* 2007;64(10):1045-53. www.epistemonikos.org/documents/134bcea67140f98ce632f1138ffb88d22bf8a27c
55. Pompili M, Gonda X, Serafini G, Innamorati M, Sher L, Amore M, Rihmer Z, Girardi P. Epidemiology of suicide in bipolar disorders: a systematic review of the literature. *Bipolar disorders.* 2013;15(5):457-90. www.epistemonikos.org/documents/13711359bda7f3a3f7bd6a8d91bc641879bfdd74
56. Ghanizadeh A, Singh AB, Berk M, Torabi-Nami M. Homocysteine as a potential biomarker in bipolar disorders: a critical review and suggestions for improved studies. *Expert opinion on therapeutic targets.* 2015;19(7):927-39. www.epistemonikos.org/documents/13c9929bc397520e7125be8719fd46e3e3f81c5b
57. Lin PY, Su KP. A meta-analytic review of double-blind, placebo-controlled trials of antidepressant efficacy of omega-3 fatty acids. *The Journal of clinical psychiatry.* 2007;68(7):1056-61. www.epistemonikos.org/documents/13f593de1e7d5e9a34d41774925eed5c0c0c1592
58. Silva MT, Zimmermann IR, Galvao TF, Pereira MG. Olanzapine plus fluoxetine for bipolar disorder: a systematic review and meta-analysis. *Journal of affective disorders.* 2013;146(3):310-8. www.epistemonikos.org/documents/14106e3b7d68df20849f789024c362838f63e7d2

59. Penders T.M., Stanciu C.N., Schoemann A.M., Ninan P.T., Bloch R., Saeed S.A.. Bright light therapy as augmentation of pharmacotherapy for treatment of depression: A systematic review and meta-analysis. Primary Care Companion to the Journal of Clinical Psychiatry. 2016;18(5).www.epistemonikos.org/documents/14408627616e1a1a12d4dd13fa8cd1e2a945f8f7
60. Sienaert P, Lambrechts L, Dols A, De Fruyt J. Evidence-based treatment strategies for treatment-resistant bipolar depression: a systematic review. *Bipolar disorders*. 2013;15(1):61-9.
www.epistemonikos.org/documents/14631a257b97760178934a49a7c8087c56081397
61. Wang K, Song LL, Cheung EF, Lui SS, Shum DH, Chan RC. Bipolar disorder and schizophrenia share a similar deficit in semantic inhibition: a meta-analysis based on Hayling Sentence Completion Test performance. *Progress in neuro-psychopharmacology & biological psychiatry*. 2013;46:153-60.www.epistemonikos.org/documents/14791a5f01ab566693d67250d5f63bf3a4ccbba3
62. Esan O, Esan A. Epidemiology and burden of bipolar disorder in Africa: a systematic review of data from Africa. *Social psychiatry and psychiatric epidemiology*. 2016;51(1):93-100.
www.epistemonikos.org/documents/150fcbe9cca48d5287660c55274bbc50e2bd5740
63. Melvin CL, Carey TS, Goodman F, Oldham JM, Williams JW Jr., Ranney LM, The Cecil G. Sheps Center for Health Services Research, The University of North Carolina at Chapel Hill, 725 Martin Luther King Jr. Boulevard, CB#7590, Chapel Hill, NC 27599-7590, cathy-melvin@unc.edu. Effectiveness of antiepileptic drugs for the treatment of bipolar disorder: findings from a systematic review. *Journal of Psychiatric Practice*. 2008;14(Suppl1):9-14.
www.epistemonikos.org/documents/1513779eda2af54f7ab6e3b868d4c73ea3a32bfa
64. Gregory, Virgil L. Jr.. Cognitive-behavioral therapy for mania: A meta-analysis of randomized controlled trials. *Social Work in Mental Health*. 2010;8(6).
www.epistemonikos.org/documents/1518f55f4605fe28c233004cd81f7e8d66241892
65. Librenza-Garcia D, Kotzian BJ, Yang J, Mwangi B, Cao B, Pereira Lima LN, Bermudez MB, Boeira MV, Kapczinski F, Passos IC. The impact of machine learning techniques in the study of bipolar disorder: a systematic review. *Neuroscience and biobehavioral reviews*. 2017;80:538-554.
www.epistemonikos.org/documents/154dbaadf3ef683dc97c13913fb7b8b2e8cd38e5
66. De Crescenzo F, Serra G, Maisto F, Uchida M, Woodworth H, Casini MP, Baldessarini RJ, Vicari S. Suicide Attempts in Juvenile Bipolar Versus Major Depressive Disorders: Systematic Review and Meta-Analysis. *Journal of the American Academy of Child and Adolescent Psychiatry*. 2017;56(10):825-831.e3.
www.epistemonikos.org/documents/156b22fc434035be7f2877eefdaf95f6c2d55c5a
67. Vázquez G, Tondo L, Baldessarini RJ. Comparison of antidepressant responses in patients with bipolar vs. unipolar depression: a meta-analytic review. *Pharmacopsychiatry*. 2011;44(1):21-6.
www.epistemonikos.org/documents/15a076fb7dd98ca612955f0f903260c3f7c5c94e
68. Sarris J. Herbal medicines in the treatment of psychiatric disorders: 10-year updated review. *Phytotherapy research : PTR*. 2018;32(7):1147-1162.
www.epistemonikos.org/documents/15c6f90a19b7480dfc278bdfe1bbc8009a2499da
69. Lynch D, Laws KR, McKenna PJ. Cognitive behavioural therapy for major psychiatric disorder: does it really work? A meta-analytical review of well-controlled trials. *Psychological medicine*. 2010;40(1):9-24.
www.epistemonikos.org/documents/160a5035efbdac437adaee525b2ea64be13f6850
70. Kedzior KK, Gierke L, Gellersen HM, Berlim MT. Cognitive functioning and deep transcranial magnetic stimulation (DTMS) in major psychiatric disorders: A systematic review. *Journal of psychiatric research*. 2016;75:107-15.
www.epistemonikos.org/documents/16269540464e51f9db52936d8ecff6bfedfb85be

71. Mann-Wrobel MC, Carreno JT, Dickinson D. Meta-analysis of neuropsychological functioning in euthymic bipolar disorder: an update and investigation of moderator variables. *Bipolar disorders.* 2011;13(4):334-42. www.epistemonikos.org/documents/1640cbe0fe69c1a0ca36494628e2c22b55793f63
72. van Santvoort F, Hosman CM, Janssens JM, van Doesum KT, Reupert A, van Loon LM. The Impact of Various Parental Mental Disorders on Children's Diagnoses: A Systematic Review. *Clinical child and family psychology review.* 2015;18(4):281-99. www.epistemonikos.org/documents/164209a40245eba23f794c26fb1ad792d8d29f1e
73. Eiring Ø, Landmark BF, Aas E, Salkeld G, Nylenne M, Nytrøen K. What matters to patients? A systematic review of preferences for medication-associated outcomes in mental disorders. *BMJ open.* 2015;5(4):e007848. www.epistemonikos.org/documents/1703d10ade5c53f4f4d72c04e5fe423b5044991c
74. Szentagotai A, David D. The efficacy of cognitive-behavioral therapy in bipolar disorder: a quantitative meta-analysis. *The Journal of clinical psychiatry.* 2010;71(1):66-72. www.epistemonikos.org/documents/173f19fb17ad62a96dec40cd5327ffd77394ac5c
75. Daglas R, Yücel M, Cotton S, Allott K, Hetrick S, Berk M. Cognitive impairment in first-episode mania: a systematic review of the evidence in the acute and remission phases of the illness. *International journal of bipolar disorders.* 2015;3(1):9. www.epistemonikos.org/documents/17b63af89c54dd68a09ed72892a08d2c327ee362
76. Moreira A.L., Van Meter A., Youngstrom E.. Meta-analysis of epidemiological studies of adult bipolar disorder. *International Clinical Psychopharmacology.* 2011;:e16-e17. www.epistemonikos.org/documents/17e44b408313e0ea36591126e5bd10671378550e
77. Mensink GJ, Slooff CJ. Novel antipsychotics in bipolar and schizoaffective mania. *Acta psychiatrica Scandinavica.* 2004;109(6):405-19. www.epistemonikos.org/documents/181d98f33b4efa741994fe0d09ca6a0b94947cca
78. Young RC, Murphy CF, Heo M, Schulberg HC, Alexopoulos GS. Cognitive impairment in bipolar disorder in old age: literature review and findings in manic patients. *Journal of affective disorders.* 2006;92(1):125-31. www.epistemonikos.org/documents/183016047993ef899600c9a9119b424816bea12f
79. Kessing LV, Willer I, Andersen PK, Bukh JD. Rate and predictors of conversion from unipolar to bipolar disorder: A systematic review and meta-analysis. *Bipolar disorders.* 2017;19(5):324-335. www.epistemonikos.org/documents/1876a7f13d799a5ce6cba4f0f86a771e5bb25d37
80. Rise IV, Haro JM, Gjervan B. Clinical features, comorbidity, and cognitive impairment in elderly bipolar patients. *Neuropsychiatric disease and treatment.* 2016;12:1203-13. www.epistemonikos.org/documents/1884ea4c0d8a79630021cd4fa26a2be17271ddcc
81. Beentjes TA, Goossens PJ, Poslawsky IE. Caregiver Burden in Bipolar Hypomania and Mania: A Systematic Review. *Perspectives in psychiatric care.* 2012;48(4):187-97. www.epistemonikos.org/documents/1892544cc9403e548795e02ccdc9e12309787854
82. Gilbert E, Marwaha S. Predictors of employment in bipolar disorder: a systematic review. *Journal of affective disorders.* 2013;145(2):156-64. www.epistemonikos.org/documents/18964c4866be710a72339d9a98d37c40b5326428
83. Black E., Kisely S., Alichniewicz K., Toombs M.. Mood and anxiety disorders in Australia and New Zealand's indigenous populations: A systematic review and meta-analysis. *Psychiatry Research.* 2017;255:128-138. www.epistemonikos.org/documents/18985edaf2c8a718676c5fd1eeee7eff67cdac9d
84. Scott J, McNeill Y, Cavanagh J, Cannon M, Murray R. Exposure to obstetric complications and subsequent development of bipolar disorder: Systematic review. *The British journal of psychiatry : the journal of mental health.* 2013;197(1):1-10. www.epistemonikos.org/documents/18985edaf2c8a718676c5fd1eeee7eff67cdac9d

- science. 2006;189(1):3-11.
www.epistemonikos.org/documents/18c6b6b513c07c520371daa50add9099c10c46c
85. Ryles F, Meyer TD, Adan-Manes J, MacMillan I, Scott J. A systematic review of the frequency and severity of manic symptoms reported in studies that compare phenomenology across children, adolescents and adults with bipolar disorders. International journal of bipolar disorders. 2017;5(1):4.www.epistemonikos.org/documents/1956ed5f7b49ad5d1ead8fafd334cf48f16f8d48
86. Laxman KE, Lovibond KS, Hassan MK. Impact of bipolar disorder in employed populations. American Journal of Managed Care. 2008;14(11):757-764.www.epistemonikos.org/documents/19588505254bb803cb9aaa14561b07c844da7602
87. Clayton, Edward H., Hanstock, Tanya L., Garg, Manohar L., Hazell, Philip L.. Long chain omega-3 polyunsaturated fatty acids in the treatment of psychiatric illnesses in children and adolescents. Acta Neuropsychiatrica. 2007;19(2):92-103.
www.epistemonikos.org/documents/19e4af65e93210c0e1300a2c1d1493ba507103d8
88. Roda Â, Chendo I, Kunz M. Biomarkers and staging of bipolar disorder: a systematic review. Trends in psychiatry and psychotherapy. 2015;37(1):3-11.www.epistemonikos.org/documents/19fee120e24518c3d236d1ae9b2a5fed99c50dc1
89. Soo SA, Zhang ZW, Khong SJ, Low JEW, Thambyrajah VS, Alhabisy SHBT, Chew QH, Sum MY, Sengupta S, Vieta E, McIntyre RS, Sim K. Randomized Controlled Trials of Psychoeducation Modalities in the Management of Bipolar Disorder: A Systematic Review. The Journal of clinical psychiatry. 2018;79(3).www.epistemonikos.org/documents/1a48aad9982e07af9ce163c61059b0487edc5312
90. da Rosa MI, Simon C, Grande AJ, Barichello T, Oses JP, Quevedo J. Serum S100B in manic bipolar disorder patients: Systematic review and meta-analysis. Journal of affective disorders. 2016;206:210-215.
www.epistemonikos.org/documents/1aa610430a0ad2c7e912fe1eeb3f1b221841b578
91. Akshya Vasudev, Karine Macritchie, Kamini Vasudev, Stuart Watson, John Geddes, Allan H Young. Oxcarbazepine for acute affective episodes in bipolar disorder. Cochrane database of systematic reviews (Online). 2011;12(12):CD004857.
www.epistemonikos.org/documents/1b199f9f98ebcc3113cc236d24fb2ecd3db84bd1
92. Yadollahpour, Ali, Mirzaiyan, Maryam, Rashidi, Samaneh. Quantitative EEG for Early and Differential Diagnosis of Bipolar Disorders: a Comprehensive Review of the Literature. International Journal of Mental Health and Addiction. 2017;15(2).
www.epistemonikos.org/documents/1b4467972d0e7fde09ea33a3847f2c8cf7b33bc7
93. Camelo E.V.M., Velasques B., Ribeiro P., Netto T., Cheniaux E.. Attention impairment in bipolar disorder: A systematic review. Psychology and Neuroscience. 2013;6(3):299-309.
www.epistemonikos.org/documents/1b7af58a9496276396d868ffdd0f20f5003205da
94. Saddichha S, Schuetz C. Is impulsivity in remitted bipolar disorder a stable trait? A meta-analytic review. Comprehensive psychiatry. 2014;55(7):1479-84.
www.epistemonikos.org/documents/1b9e216d89ac89be647e286312c2da296c8632c7
95. Spijker AT, van Zaane J, Koenders MA, Hoekstra R, Kupka RW. [Bipolar disorder and alcohol use disorder: practical recommendations for treatment, based on a literature review]. Tijdschrift voor psychiatrie. 2018;60(2):87-95. www.epistemonikos.org/documents/1c187c0bdcc03c1b04d1e853910ca4ecfb5169d5
96. Cuomo A, Goracci A, Fagiolini A. Aripiprazole use during pregnancy, peripartum and lactation. A systematic literature search and review to inform clinical practice. Journal of affective disorders. 2018;228:229-237.
www.epistemonikos.org/documents/1c8641c2653f99e693ffc0d52dc77bef04a729cc

97. Lao S., He Y., Wong I.C.K., Besag F.M.C., Chan E.W.. Tolerability/safety profile of cariprazine in treating psychotic disorders/bipolar disorder: A systematic review with meta-analysis of RCTs. *Pharmacoepidemiology and Drug Safety*. 2016;:590.
www.epistemonikos.org/documents/1cb95b2252f481cd724a7408c60279ce68bb933f
98. Fernandes BS, Gama CS, Ceresér KM, Yatham LN, Fries GR, Colpo G, de Lucena D, Kunz M, Gomes FA, Kapczinski F. Brain-derived neurotrophic factor as a state-marker of mood episodes in bipolar disorders: a systematic review and meta-regression analysis. *Journal of psychiatric research*. 2011;45(8):995-1004.www.epistemonikos.org/documents/1cbe0791a184a6dd4261c527c1acdb7647bfc9bb
99. Berlim MT, van den Eynde F, Tovar-Perdomo S, Daskalakis ZJ. Response, remission and drop-out rates following high-frequency repetitive transcranial magnetic stimulation (rTMS) for treating major depression: a systematic review and meta-analysis of randomized, double-blind and sham-controlled trials. *Psychological medicine*. 2014;44(2):225-39.
www.epistemonikos.org/documents/1ce8bf1e794fbdee9a4b7ffed1bbf75bd0675e9f
100. Tohen M, Zhang F, Taylor CC, Burns P, Zarate C, Sanger T, Tollefson G. A meta-analysis of the use of typical antipsychotic agents in bipolar disorder. *Journal of affective disorders*. 2001;65(1):85-93.
www.epistemonikos.org/documents/1cf42f44a7e5d5d38204e4b09b2b5f53c8644a4d
101. Smith LM, Johns LC, Mitchell R. Characterizing the experience of auditory verbal hallucinations and accompanying delusions in individuals with a diagnosis of bipolar disorder: A systematic review. *Bipolar disorders*. 2017;19(6):417-433.
www.epistemonikos.org/documents/1d20915782cc63c42ed7d1934905fdfbe73eea04
102. Goldsmith D.R., Miller B.J., Rapaport M.H.. Meta-analysis of cytokine alterations in acutely ill psychiatric patients: Comparisons between schizophrenia, bipolar disorder, and depression. *Schizophrenia Bulletin*. 2015;:S140.www.epistemonikos.org/documents/1d9ac367799f97d6907382e2cd5b08d473ad0604
103. Crowe M, Wilson L, Inder M. Patients' reports of the factors influencing medication adherence in bipolar disorder - an integrative review of the literature. *International journal of nursing studies*. 2011;48(7):894-903.www.epistemonikos.org/documents/1e606d4c728ae403c2f89b7b185ee368c9860cf0
104. Moffa, Adriano H., Valiengo, Leandro, Shiozawa, Pedro, Brunoni, André Russowsky, Moffa, Adriano H., Valiengo, Leandro, Shiozawa, Pedro, Brunoni, André Russowsky. Novel neurotherapeutics in psychiatry: use and rationale of transcranial direct current stimulation in major depressive disorder. *Archives of Clinical Psychiatry*. 2014;41(1):15-20.www.epistemonikos.org/documents/1e6beda1718a56ff54566f45ffbcbbf513f3cd2f
105. Preve M., Bolla E., Godio M., Suardi N.E., Traber R., Colombo R.A.. The role of medical condition in perplexity inside psychotic mixed states in bipolar disorder: Case series and literature review. *European Psychiatry*. 2016;:S338.
www.epistemonikos.org/documents/1ed200fe7ccb62b54a8d59ac368dd2b36167e1a4
106. Samara, Myrto T, Goldberg, Yair, Levine, Stephen Z, Furukawa, Toshi A, Geddes, John R, Cipriani, Andrea, Davis, John M, Leucht, Stefan. Initial symptom severity of bipolar I disorder and the efficacy of olanzapine: A meta-analysis of individual participant data from five placebo-controlled studies. *The Lancet Psychiatry*. 2017;4(11):859-867.www.epistemonikos.org/documents/1f0687890c530278b112c91259d9bb851fdf0f9c
107. Watkins HB, Meyer TD. Is there an empirical link between impulsivity and suicidality in bipolar disorders? A review of the current literature and the potential psychological implications of the relationship.

- Bipolar disorders. 2013;15(5):542-58.
www.epistemonikos.org/documents/1f9a8e7337530e2d44fd743e858d37baf4976af7
108. Martins JG. EPA but not DHA appears to be responsible for the efficacy of omega-3 long chain polyunsaturated fatty acid supplementation in depression: evidence from a meta-analysis of randomized controlled trials. *Journal of the American College of Nutrition*. 2009;28(5):525-42.www.epistemonikos.org/documents/1fb19d41215cb7dbde1df8f2891a674050165296
109. Hidalgo-Mazzei D, Mateu A, Reinares M, Matic A, Vieta E, Colom F. Internet-based psychological interventions for bipolar disorder: Review of the present and insights into the future. *Journal of affective disorders*. 2015;188:1-13.
www.epistemonikos.org/documents/201a7e796b283dd5ee4dc38c4f72983d9a993d13
110. Wang K., Song L.-L., Cheung E., Lui S.S.Y., Shum D., Chan R.C.K.. Comparing the executive function in schizophrenia and bipolar disorder: A meta-analysis with hayling sentence completion test. *Schizophrenia Bulletin*. 2013;:S252.www.epistemonikos.org/documents/204ff77f6f46317285f023861e0f32df427fa60a
111. Ellison N, Mason O, Scior K. Bipolar disorder and stigma: a systematic review of the literature. *Journal of affective disorders*. 2013;151(3):805-20.www.epistemonikos.org/documents/2071a4cd04e7320b66faa46a677b88e8b1010e2e
112. Cipriani A, Hawton K, Stockton S, Geddes JR. Lithium in the prevention of suicide in mood disorders: updated systematic review and meta-analysis. *BMJ (Clinical research ed.)*. 2013;346(7916):f3646.
www.epistemonikos.org/documents/207a6bd292942d19483dff0ad7d866dbe621e85a
113. Muneer A. The Treatment of Adult Bipolar Disorder with Aripiprazole: A Systematic Review. *Curēus*. 2016;8(4):e562.www.epistemonikos.org/documents/209b8c657fcb028d76f3680d86c6b14e8b7abd7d
114. Beynon S, Soares-Weiser K, Woolacott N, Duffy S, Geddes JR. Pharmacological interventions for the prevention of relapse in bipolar disorder: a systematic review of controlled trials. *Journal of psychopharmacology (Oxford, England)*. 2009;23(5):574-91.www.epistemonikos.org/documents/212ff65cb9d177c0c535cc5554baad48be5d66ea
115. Verdolini N, Pacchiarotti I, Köhler CA, Reinares M, Samalin L, Colom F, Tortorella A, Stubbs B, Carvalho AF, Vieta E, Murru A. Violent criminal behavior in the context of bipolar disorder: Systematic review and meta-analysis. *Journal of affective disorders*. 2018;239:161-170.www.epistemonikos.org/documents/2154d634ae622c5c1ab218eeeecad473bc49c2cd
116. Health Quality Ontario. Pharmacogenomic Testing for Psychotropic Medication Selection: A Systematic Review of the Assurex GeneSight Psychotropic Test. *Ontario health technology assessment series*. 2017;17(4):1-39.
www.epistemonikos.org/documents/2157ef42919c0868d9310a9280bb90679c1c18f8
117. Vancampfort D, Mitchell AJ, De Hert M, Sienaert P, Probst M, Buys R, Stubbs B. Prevalence and predictors of type 2 diabetes mellitus in people with bipolar disorder: a systematic review and meta-analysis. *The Journal of clinical psychiatry*. 2015;76(11):1490-9.www.epistemonikos.org/documents/216cbe6dc2467f0eb96dc61326253e026a303175
118. Kishimoto T., Chawla J., Kane J., Correll C.. Ketamine and non-ketamine NMDA receptor antagonists for unipolar and bipolar depression: A meta-analysis. *International Journal of Neuropsychopharmacology*. 2014;:56-57.www.epistemonikos.org/documents/2185705e9e450d1ef0922483109e4a6615f02d16
119. Akshya Vasudev, Karine Macritchie, Sanjay NK Rao, John Geddes, Allan H Young. Tiagabine in the maintenance treatment of bipolar disorder. *Cochrane database of systematic reviews (Online)*.

- 2011;12(12):CD005173.
www.epistemonikos.org/documents/21e5dae1b05e5280befd4b647c1f77b6f8a2c60f
120. Schaffer A, Isometsä ET, Tondo L, Moreno DH, Sinyor M, Kessing LV, Turecki G, Weizman A, Azorin JM, Ha K, Reis C, Cassidy F, Goldstein T, Rihmer Z, Beautrais A, Chou YH, Diazgranados N, Levitt AJ, Zarate CA, Yatham L. Epidemiology, neurobiology and pharmacological interventions related to suicide deaths and suicide attempts in bipolar disorder: Part I of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. *The Australian and New Zealand journal of psychiatry*. 2015;49(9):785-802. www.epistemonikos.org/documents/222fa5365df86d2b070331cf487225559f266950
121. Mitchell A., Nanni M.G., Grassi L.. Elevated cancer mortality in unipolar and bipolar affective disorders: A meta-analysis of population studies. *Psycho-Oncology*. 2016;:116-117.
www.epistemonikos.org/documents/224589ffcab1d3a1fb1843b734edd5837335607a
122. Bojic S, Becerra R. Mindfulness-Based Treatment for Bipolar Disorder: A Systematic Review of the Literature. *Europe's journal of psychology*. 2017;13(3):573-598. www.epistemonikos.org/documents/22e4e484bb6a362def8b24f0a430782834a8b2dc
123. Morgan AJ, Reavley NJ, Ross A, Too LS, Jorm AF. Interventions to reduce stigma towards people with severe mental illness: Systematic review and meta-analysis. *Journal of psychiatric research*. 2018;103:120-133. www.epistemonikos.org/documents/23012864592ea44ff4179cbfed04cf34af0fd4a
124. Robinson LJ, Ferrier IN. Evolution of cognitive impairment in bipolar disorder: a systematic review of cross-sectional evidence. *Bipolar disorders*. 2006;8(2):103-16. www.epistemonikos.org/documents/2381fb71cc2813407b30d6caa0c8ebc15e5f69c5
125. Mazza M, Di Nicola M, Martinotti G, Taranto C, Pozzi G, Conte G, Janiri L, Bria P, Mazza S. Oxcarbazepine in bipolar disorder: a critical review of the literature. *Expert opinion on pharmacotherapy*. 2007;8(5):649-56. www.epistemonikos.org/documents/239ffe706dac0e8af5b928eddecb4cb57628ea7c
126. Balanzá-Martínez V, Crespo-Facorro B, González-Pinto A, Vieta E. Bipolar disorder comorbid with alcohol use disorder: focus on neurocognitive correlates. *Frontiers in physiology*. 2015;6:108. www.epistemonikos.org/documents/240b2493c9a0fcebbd33b54bca512bfce1512745
127. Chiesa A, Chierzi F, De Ronchi D, Serretti A. Quetiapine for bipolar depression: a systematic review and meta-analysis. *International clinical psychopharmacology*. 2012;27(2):76-90. www.epistemonikos.org/documents/249236d6dada17bd5c0cd0f9f53154de18c38c7d
128. Azorin JM, Kaladjian A. An update on the treatment of bipolar depression. *Expert opinion on pharmacotherapy*. 2009;10(2):161-72. www.epistemonikos.org/documents/24cd3b6d2e1d96a3b930f548e7e850cd2f9e735a
129. Tondo L, Vázquez G, Baldessarini RJ. Mania associated with antidepressant treatment: comprehensive meta-analytic review. *Acta psychiatrica Scandinavica*. 2010;121(6):404-14. www.epistemonikos.org/documents/24faeafc594136e839752d62abb25373ee07f0be
130. Geoffroy PA, Bellivier F, Scott J, Etain B. Seasonality and bipolar disorder: a systematic review, from admission rates to seasonality of symptoms. *Journal of affective disorders*. 2014;168C((Geoffroy P.A., pierre.a.geoffroy@gmail.com; Bellivier F.) Inserm, U1144, Paris F-75006, France):210-223. www.epistemonikos.org/documents/25a2c0b827b6bfe13df5b48c51efaf2018dc23e1
131. Aiken CB. Pramipexole in psychiatry: a systematic review of the literature. *The Journal of clinical psychiatry*. 2007;68(8):1230-6. www.epistemonikos.org/documents/2604233178c2cf470aea3dae141028fbeaa67a14

132. Menon V, Rajan TM, Sarkar S. Psychotherapeutic Applications of Mobile Phone-based Technologies: A Systematic Review of Current Research and Trends. Indian journal of psychological medicine. 2017;39(1):4-11. www.epistemonikos.org/documents/26926c665241eb0e2e2855f60977c55e62ad0328
133. Mitchell RH, Goldstein BI. Inflammation in children and adolescents with neuropsychiatric disorders: a systematic review. Journal of the American Academy of Child and Adolescent Psychiatry. 2014;53(3):274-296. www.epistemonikos.org/documents/26ba09be388d9bf67cea68e1b9e4a478770c3a04
134. Cirillo PC, Passos RB, Bevilaqua MC, López JR, Nardi AE. Bipolar disorder and Premenstrual Syndrome or Premenstrual Dysphoric Disorder comorbidity: a systematic review. Revista brasileira de psiquiatria (São Paulo, Brazil : 1999). 2012;34(4):467-79. www.epistemonikos.org/documents/270e1d406d2502fc0e2319bf96f00415e42b0ef3
135. Frazier EA, Fristad MA, Arnold LE. Multinutrient supplement as treatment: literature review and case report of a 12-year-old boy with bipolar disorder. Journal of child and adolescent psychopharmacology. 2009;19(4):453-60. www.epistemonikos.org/documents/2716417dfe40bb7c5cabe5d66806b00b8b0b70c2
136. Gregory VL. Cognitive-behavioral therapy for depression in bipolar disorder: a meta-analysis. Journal of evidence-based social work. 2010;7(4):269-79. www.epistemonikos.org/documents/273190c8e31d7055bf2fc3baa4bb50f3b1fa6ea2
137. Kraguljac NV, Montori VM, Pavuluri M, Chai HS, Wilson BS, Unal SS. Efficacy of omega-3 fatty acids in mood disorders - a systematic review and metaanalysis. Psychopharmacology bulletin. 2009;42(3):39-54. www.epistemonikos.org/documents/27b0c5bd3398418aed4fcda24a8017695da3fac47
138. Scherk H, Pajonk FG, Leucht S. Second-generation antipsychotic agents in the treatment of acute mania: a systematic review and meta-analysis of randomized controlled trials. Archives of general psychiatry. 2007;64(4):442-55. www.epistemonikos.org/documents/27c03188e9d8ead6c185ab399f652ed1c89d4845
139. Cubała, Wiesław Jerzy, Springer, Janusz. Quetiapine abuse and dependence in psychiatric patients: a systematic review of 25 case reports in the literature. Journal of Substance Use. 2014;19(5):388-393. www.epistemonikos.org/documents/2859221ebae1e2952b4bd678cc4e4d2e78b85e87
140. Vancampfort D, Firth J, Schuch F, Rosenbaum S, De Hert M, Mugisha J, Probst M, Stubbs B. Physical activity and sedentary behavior in people with bipolar disorder: A systematic review and meta-analysis. Journal of affective disorders. 2016;201:145-52. www.epistemonikos.org/documents/2868fbe5a7265eb46f408ea607753db2997b074f
141. Cipriani A, Pretty H, Hawton K, Geddes JR. Lithium in the prevention of suicidal behavior and all-cause mortality in patients with mood disorders: a systematic review of randomized trials. The American journal of psychiatry. 2005;162(10):1805-19. www.epistemonikos.org/documents/2891eb32613e37dc6633eff4274d91e00e3dfd6
142. De Fazio P., Gaetano R., Caroleo M., Pavia M., De Sarro G., Fagiolini A., Segura-Garcia C.. Lithium in late-life mania: A systematic review. Neuropsychiatric Disease and Treatment. 2017;13:755-766. www.epistemonikos.org/documents/28ed8d0c8b7109bdc8944f1d51543cc6d11afff5
143. Nguyen TT, Kosciollek T, Eyler LT, Knight R, Jeste DV. Overview and systematic review of studies of microbiome in schizophrenia and bipolar disorder. Journal of psychiatric research. 2018;99:50-61. www.epistemonikos.org/documents/28f05131b028c1e448ea142a7272643372e8ab31
144. Angst, J., Stabl, M.. Efficacy of moclobemide in different patient groups: A meta-analysis of studies. Psychopharmacology. 1992;106(Suppl). www.epistemonikos.org/documents/29998e004dc342a3d7d66df878f28b00a3ada7d5

145. Santelmann H, Franklin J, Bußhoff J, Baethge C. Interrater reliability of schizoaffective disorder compared with schizophrenia, bipolar disorder, and unipolar depression - A systematic review and meta-analysis. *Schizophrenia research.* 2016;176(2-3):357-63.www.epistemonikos.org/documents/299e6395f6aefd55e3968b2b0378730948a6687d
146. Goldstein BI, Kemp DE, Soczynska JK, McIntyre RS. Inflammation and the phenomenology, pathophysiology, comorbidity, and treatment of bipolar disorder: a systematic review of the literature. *The Journal of clinical psychiatry.* 2009;70(8):1078-90.
www.epistemonikos.org/documents/29cfa2b1093b0b5eee09a33c267f61c5d13e93cc
147. Tseng, Ping-Tao, Chen, Yen-Wen, Tu, Kun-Yu, Chung, Weilun, Wang, Hung-Yu, Wu, Ching-Kuan, Lin, Pao-Yen. Light therapy in the treatment of patients with bipolar depression: A meta-analytic study. *European Neuropsychopharmacology.* 2016;26(6):1037-1047.www.epistemonikos.org/documents/2a208633c5a563f017feb262eca88367e05ead38
148. Visser HM, Van Der Mast RC. Bipolar disorder, antidepressants and induction of hypomania or mania. A systematic review. *The world journal of biological psychiatry : the official journal of the World Federation of Societies of Biological Psychiatry.* 2005;6(4):231-41.www.epistemonikos.org/documents/2a305414ab410e54bce9c7c8329c5296335e3974
149. Nabavi B, Mitchell AJ, Nutt D. A Lifetime Prevalence of Comorbidity Between Bipolar Affective Disorder and Anxiety Disorders: A Meta-analysis of 52 Interview-based Studies of Psychiatric Population. *EBioMedicine.* 2015;2(10):1405-19.
www.epistemonikos.org/documents/2a5aa3c9dae2bade270aa74eba0942ffc458aa68
150. Van Meter A.R., Moreira A.L., Youngstrom E.A.. Meta-analysis of epidemiological studies of pediatric bipolar disorder. *Bipolar Disorders.* 2010;:55.www.epistemonikos.org/documents/2aa2652bea3dd6f46e826c9f2bda5b1a0a67aa36
151. Batra S, Baker RA, Wang T, Forma F, DiBiasi F, Peters-Strickland T. Digital health technology for use in patients with serious mental illness: a systematic review of the literature. *Medical devices (Auckland, N.Z.).* 2017;10:237-251.
www.epistemonikos.org/documents/2aa69ce696627d2956fc0e50945bd040a3c55d8a
152. Fusar-Poli P, Howes O, Bechdolf A, Borgwardt S. Mapping vulnerability to bipolar disorder: a systematic review and meta-analysis of neuroimaging studies. *Journal of psychiatry & neuroscience : JPN.* 2012;37(3):170-84. www.epistemonikos.org/documents/2aae49a729866235ed8a452a803fede37933ce80
153. Prieto ML, Cuéllar-Barboza AB, Bobo WV, Roger VL, Bellivier F, Leboyer M, West CP, Frye MA. Risk of myocardial infarction and stroke in bipolar disorder: a systematic review and exploratory meta-analysis. *Acta psychiatrica Scandinavica.* 2014;130(5):342-53.
www.epistemonikos.org/documents/2ad3b7e58d24ad98a3976c9236905fb916903fd1
154. Joyce K, Thompson A, Marwaha S. Is treatment for bipolar disorder more effective earlier in illness course? A comprehensive literature review. *International journal of bipolar disorders.* 2016;4(1):19.
www.epistemonikos.org/documents/2aff34f1951cf9393a537d1ce6367d013c8ed895
155. Rocca, Cristiana C A, Lafer, Beny. Neuropsychological disturbances in bipolar disorder. *Rev. bras. psiquiatr.* 2006;28(3):226-237.www.epistemonikos.org/documents/2b30feeb66ba2a1d9d25bfac6e8a22ed413bdd0a
156. Ernst CL, Goldberg JF. Antisuicide properties of psychotropic drugs: a critical review. *Harvard review of psychiatry.* 2004;12(1):14-41.www.epistemonikos.org/documents/2bb5acad54bdb36c34adf347b8c226ee9b6bda41

157. Edgcomb JB, Tseng CH, Kerner B. Medically unexplained somatic symptoms and bipolar spectrum disorders: A systematic review and meta-analysis. *Journal of affective disorders.* 2016;204:205-213.
www.epistemonikos.org/documents/2bc12eaf85784dfca08809ff0ff69022e53cdcfb
158. Lovas DA, Schuman-Olivier Z. Mindfulness-based cognitive therapy for bipolar disorder: A systematic review. *Journal of affective disorders.* 2018;240:247-261.
www.epistemonikos.org/documents/2bc6ad59fe09943203b74dbc2a827b0321acf6e7
159. Gama, Clarissa Severino, Kunz, Maurício, Magalhães, Pedro V.S., Kapczinski, Flavio. Staging and neuroprogression in bipolar disorder: a systematic review of the literature. *Rev. bras. psiquiatr.* 2013;35(1):70-74. www.epistemonikos.org/documents/2bf8a2ff99c4ac9720d9d8521cdd93adacd2e433
160. Pompili M, Venturini P, Innamorati M, Serafini G, Telesforo L, Lester D, Tatarelli R, Girardi P. The role of asenapine in the treatment of manic or mixed states associated with bipolar I disorder. *Neuropsychiatric disease and treatment.* 2011;7:259-65.
www.epistemonikos.org/documents/2c04cf0633c22ad62c86e120034a92caa2f1bd2f
161. Sharma V, Pope CJ. Pregnancy and bipolar disorder: a systematic review. *The Journal of clinical psychiatry.* 2012;73(11):1447-55.
www.epistemonikos.org/documents/2c5dae0bab4d0b358c8d51135c5a12b2d0d61334
162. Brambilla P, Barale F, Soares JC. Atypical antipsychotics and mood stabilization in bipolar disorder. *Psychopharmacology.* 2003;166(4):315-32.
www.epistemonikos.org/documents/2ce5e44853f6c51f96e1408fd3c3362d657c46a7
163. Takwoingi Y, Riley RD, Deeks JJ. Meta-analysis of diagnostic accuracy studies in mental health. *Evidence-based mental health.* 2015;18(4):103-9.
www.epistemonikos.org/documents/2d44db50864f7f58a6d469652d1d1e8d584d6803
164. Hauser M, Galling B, Correll CU. Suicidal ideation and suicide attempts in children and adolescents with bipolar disorder: a systematic review of prevalence and incidence rates, correlates, and targeted interventions. *Bipolar disorders.* 2013;15(5):507-23.
www.epistemonikos.org/documents/2d9f4cdce957c1446fb4e9054a66d38c6712d669
165. Miziou S, Tsitsipa E, Moysidou S, Karavelas V, Dimelis D, Polyzoidou V, Fountoulakis KN. Psychosocial treatment and interventions for bipolar disorder: a systematic review. *Annals of general psychiatry.* 2015;14(1):19.
www.epistemonikos.org/documents/2e320311dcf47e32db6db5be528f183cb4f67b9b
166. Amerio A, Ossola P, Scagnelli F, Odone A, Allinovi M, Cavalli A, Iacopelli J, Tonna M, Marchesi C, Ghaemi SN. Safety and efficacy of lithium in children and adolescents: A systematic review in bipolar illness. *European psychiatry : the journal of the Association of European Psychiatrists.* 2018;54:85-97.
www.epistemonikos.org/documents/2e872ac1e66be4cec201ab302f6bef937d02c5fc
167. Cakir S., Ucok A.. Schizophrenia and bipolar disorder in terms of cognitive impairments; similarities and differences - a systematic review. *Noropsikiyatri Arsivi.* 2010;47(2):150-157.
www.epistemonikos.org/documents/2eab4704507df9f6cd2b24c5664f35274015a6fa
168. Cotrena C, Branco LD. Influence of clinical features on cognition in bipolar disorder: Comment on the meta-analysis published by Bora (2018). *Journal of affective disorders.* 2019;254:115-116.
www.epistemonikos.org/documents/2eb69407ac508133cfa4927ce5305665dd123edb
169. Stubbs, Brendon. A random effects meta-analysis investigating the prevalence of bipolar disorder in people with fibromyalgia: An updated analysis. *Journal of Affective Disorders.* 2016;191:308-309.
www.epistemonikos.org/documents/2edcac2ba46c54577c2b9e2f57c7c13e78f151ac

170. Montgomery P, Richardson AJ. Omega-3 fatty acids for bipolar disorder. Cochrane database of systematic reviews (Online). 2008;(2):CD005169. www.epistemonikos.org/documents/2ef74be87b3ec3e3c969ee9d4d2e3b93c41be293
171. Corp SA, Gitlin MJ, Altshuler LL. A review of the use of stimulants and stimulant alternatives in treating bipolar depression and major depressive disorder. *The Journal of clinical psychiatry*. 2014;75(9):1010-8. www.epistemonikos.org/documents/2f74460a94d6dd7de64df4c74e99f1873c888565
172. Jones RM, Thompson C, Bitter I. A systematic review of the efficacy and safety of second generation antipsychotics in the treatment of mania. *European psychiatry : the journal of the Association of European Psychiatrists*. 2006;21(1):1-9. www.epistemonikos.org/documents/2f987d88d0733102a569feea3eb791013108641b
173. Crossley NA, Bauer M. Acceleration and augmentation of antidepressants with lithium for depressive disorders: two meta-analyses of randomized, placebo-controlled trials. *The Journal of clinical psychiatry*. 2007;68(6):935-40. www.epistemonikos.org/documents/2f99d1167d9f07f038a76a9121c97a2d503346fe
174. Valiente-Gómez A, Moreno-Alcázar A, Treen D, Cedrón C, Colom F, Pérez V, Amann BL. EMDR beyond PTSD: A Systematic Literature Review. *Frontiers in psychology*. 2017;8:1668. www.epistemonikos.org/documents/2f9dd7bfefc338ae986416cb9843c0dc27dcef82
175. Wang AK, Miller BJ. Meta-analysis of Cerebrospinal Fluid Cytokine and Tryptophan Catabolite Alterations in Psychiatric Patients: Comparisons Between Schizophrenia, Bipolar Disorder, and Depression. *Schizophrenia bulletin*. 2018;44(1):75-83. www.epistemonikos.org/documents/2fda619df4c784456eebc1576064161690cc144a
176. Liu B, Zhang Y, Fang H, Liu J, Liu T, Li L. Efficacy and safety of long-term antidepressant treatment for bipolar disorders - A meta-analysis of randomized controlled trials. *Journal of affective disorders*. 2017;223:41-48. www.epistemonikos.org/documents/2fe4f0e6648c74a03c8369fec88c79bf9adee9d2
177. Hadjipavlou G, Mok H, Yatham LN. Pharmacotherapy of bipolar II disorder: a critical review of current evidence. *Bipolar disorders*. 2004;6(1):14-25. www.epistemonikos.org/documents/2ff0f0e0fa3f8f4dae3bdcfeccb5498f7d29d3cd
178. Miller B., Goldsmith D., Rapaport M.. Meta-analysis of cytokine alterations in acutely ill psychiatric patients: Comparisons between schizophrenia, bipolar disorder, and depression. *Neuropsychopharmacology*. 2014;:S530. www.epistemonikos.org/documents/2ff1692d44d27724e01733a70fc6b2c7aad98ce4
179. Carvalho AF, McIntyre RS, Dimelis D, Gonda X, Berk M, Nunes-Neto PR, Cha DS, Hyphantis TN, Angst J, Fountoulakis KN. Predominant polarity as a course specifier for bipolar disorder: a systematic review. *Journal of affective disorders*. 2014;163:56-64. www.epistemonikos.org/documents/300403c29e421dab08b736367fbbaa016dc578708
180. Videbech P, Ravnkilde B. Hippocampal volume and depression: a meta-analysis of MRI studies. *The American journal of psychiatry*. 2004;161(11):1957-66. www.epistemonikos.org/documents/3025a47017b6e81c8debd6d7e626cc2332e999e8
181. Bentley K.H., Cassiello-Robbins C.F., Vittorio L., Sauer-Zavala S., Barlow D.H.. The association between nonsuicidal self-injury and the emotional disorders: A meta-analytic review. *Clinical Psychology Review*. 2015;37((Bentley K.H., khb@bu.edu; Cassiello-Robbins C.F.; Vittorio L.; Sauer-Zavala S.; Barlow D.H.) Center for Anxiety and Related Disorders, Boston University, United States):72-88. www.epistemonikos.org/documents/3030b3b847cf2acd7207f04b6509a7e595697375

182. Richard-Devantoy S, Olié E, Guillaume S, Courtet P. Decision-making in unipolar or bipolar suicide attempters. *Journal of affective disorders.* 2016;190:128-136. www.epistemonikos.org/documents/30daf45043dd45cb7f0e332e2d0ece436ede7583
183. Akshya Vasudev, Karine Macritchie, Sanjay K Rao, John Geddes, Allan H Young. Tiagabine for acute affective episodes in bipolar disorder. *Cochrane Database of Systematic Reviews.* 2012;12(12):CD004694. www.epistemonikos.org/documents/30ecd04100ace30a8a4060ab05f9a86038ba53fd
184. Li DJ, Tseng PT, Chen YW, Wu CK, Lin PY. Significant Treatment Effect of Bupropion in Patients With Bipolar Disorder but Similar Phase-Shifting Rate as Other Antidepressants: A Meta-Analysis Following the PRISMA Guidelines. *Medicine.* 2016;95(13):e3165. www.epistemonikos.org/documents/31451a668c14a133f888a8db3b1fc0b073b4c023
185. De Girolamo G., Bani M., Dagani J., Ferrari C., Pastore A., Signorini G.. Age of onset of bipolar disorders: A systematic review and meta-analysis. *European Psychiatry.* 2016;;S56. www.epistemonikos.org/documents/3162a01877ee82bdf9afb5321d79ef9a053f9e9e
186. Bora E, Yucel M, Pantelis C. Cognitive endophenotypes of bipolar disorder: a meta-analysis of neuropsychological deficits in euthymic patients and their first-degree relatives. *Journal of affective disorders.* 2009;113(1-2):1-20. www.epistemonikos.org/documents/319869e64ff6ff65f2ccfc6819e5bb96a9911675
187. Bunse T, Wobrock T, Strube W, Padberg F, Palm U, Falkai P, Hasan A. Motor cortical excitability assessed by transcranial magnetic stimulation in psychiatric disorders: a systematic review. *Brain stimulation.* 2014;7(2):158-69. www.epistemonikos.org/documents/3199af0b600e478dfc9010a31b81cfbeb74ea5af
188. Sepede G, Lorusso M, Spano MC, Di Nanno P, Di Iorio G, Di Giannantonio M. Efficacy and Safety of Atypical Antipsychotics in Bipolar Disorder With Comorbid Substance Dependence: A Systematic Review. *Clinical neuropharmacology.* 2018;41(5):181-191. www.epistemonikos.org/documents/31a4e4c7f8b9dd4abc7590c92adcf7ab33afc351
189. Sajatovic M, DiBiasi F, Legacy SN. Attitudes toward antipsychotic treatment among patients with bipolar disorders and their clinicians: a systematic review. *Neuropsychiatric disease and treatment.* 2017;13:2285-2296. www.epistemonikos.org/documents/31bc1e7d45b078f738ec195fd59bbe4e050368f5
190. Morsel AM, Morrens M, Dhar M, Sabbe B. Systematic review of cognitive event related potentials in euthymic bipolar disorder. *Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology.* 2018;129(9):1854-1865. www.epistemonikos.org/documents/31daae0daf3944ef7c2d4e3810092fa88d3f7b1c
191. Schür RR, Draisma LW, Wijnen JP, Boks MP, Koevoets MG, Joëls M, Klomp DW, Kahn RS, Vinkers CH. Brain GABA levels across psychiatric disorders: A systematic literature review and meta-analysis of (1)H-MRS studies. *Human brain mapping.* 2016;37(9):3337-3352. www.epistemonikos.org/documents/31ef1ba02931ffa4841ae26aeb7fcd0ac3bfef07
192. Wozniak J, Faraone SV, Martelon M, McKillop HN, Biederman J. Further evidence for robust familiality of pediatric bipolar I disorder: results from a very large controlled family study of pediatric bipolar I disorder and a meta-analysis. *The Journal of clinical psychiatry.* 2012;73(10):1328-34. www.epistemonikos.org/documents/32144ed7da5dcf3a5dbcc659ce8b2cf50825c952
193. Rocca CC, Heuvel Ev, Caetano SC, Lafer B. Facial emotion recognition in bipolar disorder: a critical review. *Revista brasileira de psiquiatria (São Paulo, Brazil : 1999).* 2009;31(2):171-80. www.epistemonikos.org/documents/329e4d7b125b6584fd168eb4daee8d4a4f4c5221

194. Robinson LJ, Thompson JM, Gallagher P, Goswami U, Young AH, Ferrier IN, Moore PB. A meta-analysis of cognitive deficits in euthymic patients with bipolar disorder. *Journal of affective disorders.* 2006;93(1-3):105-15. www.epistemonikos.org/documents/32d770df40dd2d8f16a9beafbdc6999ce47cee0
195. Lapalme M, Hodgins S, LaRoche C. Children of parents with bipolar disorder: a metaanalysis of risk for mental disorders. *Canadian journal of psychiatry. Revue canadienne de psychiatrie.* 1997;42(6):623-31. www.epistemonikos.org/documents/330448e70614de9fca4f33789ac2c7bcd2570884
196. Steele A, Maruyama N, Galynker I. Psychiatric symptoms in caregivers of patients with bipolar disorder: a review. *Journal of affective disorders.* 2010;121(1-2):10-21.www.epistemonikos.org/documents/3324b9230c0a45a6f8ddf33bf5394351b670c79b
197. de Barros JL, Barbosa IG, Salem H, Rocha NP, Kummer A, Okusaga OO, Soares JC, Teixeira AL. Is there any association between Toxoplasma gondii infection and bipolar disorder? A systematic review and meta-analysis. *Journal of affective disorders.* 2017;209:59-65.www.epistemonikos.org/documents/3328d85b69c4b6ae49a61ba11ff08c07432469dd
198. Nortje G, Oladeji B, Gureje O, Seedat S. Effectiveness of traditional healers in treating mental disorders: a systematic review. *The lancet. Psychiatry.* 2016;3(2):154-70.www.epistemonikos.org/documents/336f62fe24ad954f97797be11ca8bb2a5098018f
199. Castano-Ramirez O.M., Sepulveda-Arias J.C., Duica K., Diaz Zuluaga A.M., Vargas C., Lopez-Jaramillo C.. Inflammatory Markers in the Staging of Bipolar Disorder: A Systematic Review of the Literature. *Revista Colombiana de Psiquiatria.* 2018;47(2):119-128.www.epistemonikos.org/documents/33e108279682312bd91e75a79c8637aa06908b65
200. Novick DM, Swartz HA, Frank E. Suicide attempts in bipolar I and bipolar II disorder: a review and meta-analysis of the evidence. *Bipolar disorders.* 2010;12(1):1-9.www.epistemonikos.org/documents/33f0f0e82a9ef403cbff8cd87cb752340f6fd3db
201. Bora E., Ozerdem A.. A meta-analysis of neurocognition in youth with familial high risk for bipolar disorder. *European Psychiatry.* 2017;44:17-23.www.epistemonikos.org/documents/33ff6af0a801f05e0c13f9922997f3cc35a73810
202. Czepielewski L, Daruy Filho L, Brietzke E, Grassi-Oliveira R. Bipolar disorder and metabolic syndrome: a systematic review. *Revista brasileira de psiquiatria (São Paulo, Brazil : 1999).* 2013;35(1):88-93. www.epistemonikos.org/documents/3418439e1cfad19ec27902cd8d1a23012a477007
203. Leiknes KA, Cooke MJ, Jarosch-von Schweder L, Harboe I, Høie B. Electroconvulsive therapy during pregnancy: a systematic review of case studies. *Archives of women's mental health.* 2015;18(1):1-39. www.epistemonikos.org/documents/34667cd89891f0783221da48fd6ee810eddefd7d
204. Beynon S, Soares-Weiser K, Woolacott N, Duffy S, Geddes JR. Psychosocial interventions for the prevention of relapse in bipolar disorder: systematic review of controlled trials. *The British journal of psychiatry : the journal of mental science.* 2008;192(1):5-11.www.epistemonikos.org/documents/34700463bc4a75885c3f5640c1b24756bfab1e3e
205. Husain MI, Strawbridge R, Stokes PR, Young AH. Anti-inflammatory treatments for mood disorders: Systematic review and meta-analysis. *Journal of psychopharmacology (Oxford, England).* 2017;31(9):269881117725711. www.epistemonikos.org/documents/348cdbfc70f7e3fdb45aebeb9e5508d1a43db92a
206. Schur R.R., Draisma L.W., Wijnen J.P., Boks M.P., Koevoets M.G., Joels M., Klomp D.W., Kahn R.S., Vinkers C.H.. Brain GABA levels across psychiatric disorders: A systematic literature review and meta-

- analysis of 1H-MRS studies. *Human Brain Mapping*. 2016;37(9):3337-3352.www.epistemonikos.org/documents/34b85da301a93f0fd7d42ec95b89efb6d8499967
207. Frangou S.. White matter correlates of antipsychotic and lithium response in bipolar disorder: A meta-analysis and metaregression of diffusion tensor imaging findings. *Neuropsychopharmacology*. 2012;:S71.www.epistemonikos.org/documents/34c46d48d799cb24b80681d283a578e645401360
208. Bauer MS, Mitchner L. What is a "mood stabilizer"? An evidence-based response. *The American journal of psychiatry*. 2004;161(1):3-18.www.epistemonikos.org/documents/34c8aa55ac500fa4697dcb1012fa59504d505dac
209. Tulloch KJ, Zed PJ. Intramuscular olanzapine in the management of acute agitation. *The Annals of pharmacotherapy*. 2004;38(12):2128-35.www.epistemonikos.org/documents/358faf0fb6bfe4c09d53b6a8c3599f12c752f87
210. Smith LA, Cornelius V, Warnock A, Tacchi MJ, Taylor D. Acute bipolar mania: a systematic review and meta-analysis of co-therapy vs. monotherapy. *Acta psychiatrica Scandinavica*. 2007;115(1):12-20.www.epistemonikos.org/documents/35bb19f64bfb64a13cb73790f4681ba4d53646b8
211. Wesseloo R, Kamperman A., Munk-Olsen T, Pop V, Kushner S, Bergink V.. Postpartum relapse risk in bipolar disorder and postpartum psychosis: A systematic review and meta-analysis. *European Neuropsychopharmacology*. 2015;:S414.www.epistemonikos.org/documents/35d9913644bce6ba8b76e1d5173dc0443f3797c0
212. Jainer, A. K., King, Metiedett, Sridharan, Sanjana, Raayasa, Srikanth. New Perspectives in the Treatment of Bipolar Affective Disorder. *International Medical Journal*. 2005;12(4).www.epistemonikos.org/documents/3604176ffad75fd0f2f93a9b7cac5c52ed59cd98
213. Welten CC, Koeter MW, Wohlfarth TD, Storosum JG, van den Brink W, Gispen-de Wied CC, Leufkens HG, Denys DA. Efficacy of drug treatment for acute mania differs across geographic regions: An individual patient data meta-analysis of placebo-controlled studies. *Journal of psychopharmacology (Oxford, England)*. 2015;29(8):923-32.www.epistemonikos.org/documents/36262ef7370361601c42f207b057a21f9c22dd97
214. Lin PY. State-dependent decrease in levels of brain-derived neurotrophic factor in bipolar disorder: a meta-analytic study. *Neuroscience letters*. 2009;466(3):139-43.www.epistemonikos.org/documents/36dd032ff6d427419fe3f0cda8eb702ca46e0ba4
215. Ceron-Litvoc D, Soares BG, Geddes J, Litvoc J, de Lima MS. Comparison of carbamazepine and lithium in treatment of bipolar disorder: a systematic review of randomized controlled trials. *Human psychopharmacology*. 2009;24(1):19-28.www.epistemonikos.org/documents/36f4ccb8bf55639a26d8a8c8b8e6b4f6db381f16
216. Lee, Moon-Soo, Anumagalla, Purnima, Talluri, Prasanth, Pavuluri, Mani N.. Meta-analyses of developing brain function in high-risk and emerged bipolar disorder. *Frontiers in Psychiatry*. 2014;5.www.epistemonikos.org/documents/37222977362aa6c05df059f9a12c68ad3b630ad0
217. Parkinson B.T., Von Maltzahn R.. A systematic review of pharmacological treatments for bipolar I mania. *Value in Health*. 2009;:A351-A352.www.epistemonikos.org/documents/372ff8cb37570fa015ebd681dcfaa2c1f2e7c4bd
218. Dargel A.A., Godin O., Kapczinski F., Kupfer D., Leboyer M.. C-reactive protein levels in bipolar disorder: A review and meta-analysis. *Biological Psychiatry*. 2014;:41S-42S.www.epistemonikos.org/documents/373b50def3621fa958aaafdd5a801d7bc7b4a221

219. Waraich P, Goldner EM, Somers JM, Hsu L. Prevalence and incidence studies of mood disorders: a systematic review of the literature. Canadian journal of psychiatry. Revue canadienne de psychiatrie. 2004;49(2):124-38. www.epistemonikos.org/documents/37c2b00c8ac40a849b130edb534d458b4ae6d63e
220. Popovic D, Reinares M, Amann B, Salamero M, Vieta E. Number needed to treat analyses of drugs used for maintenance treatment of bipolar disorder. Psychopharmacology. 2011;213(4):657-67. www.epistemonikos.org/documents/37d6de8d097dfb22b513f6e14ce623c6d192c5ba
221. Cullen B, Ward J, Graham NA, Deary IJ, Pell JP, Smith DJ, Evans JJ. Prevalence and correlates of cognitive impairment in euthymic adults with bipolar disorder: A systematic review. Journal of affective disorders. 2016;205:165-181. www.epistemonikos.org/documents/388b547951f15000ef67b5b04a64a34159903690
222. Mohr P., Novak T., Cermak J., Rodriguez M.. A systematic review of controlled clinical trials in bipolar disorder. European Neuropsychopharmacology. 2008;:S370-S371.www.epistemonikos.org/documents/38c03b73d23f8c921b43ac3209234ce6c73fc16
223. Krabbendam L, Arts B, van Os J, Aleman A. Cognitive functioning in patients with schizophrenia and bipolar disorder: a quantitative review. Schizophrenia research. 2005;80(2-3):137-49. www.epistemonikos.org/documents/38ed71de12acfb04745fe7948735a4982e57122d
224. Amerio A, Tonna M, Odone A, Stubbs B, Ghaemi SN. Course of illness in comorbid bipolar disorder and obsessive-compulsive disorder patients. Asian journal of psychiatry. 2016;20:12-4. www.epistemonikos.org/documents/391ffc6de2ed67cfb0a328e08cd77357afc1cf2c
225. Bo Q, Mao Z, Li X, Wang Z, Wang C, Ma X. Use of the MATRICS consensus cognitive battery (MCCB) to evaluate cognitive deficits in bipolar disorder: A systematic review and meta-analysis. PloS one. 2017;12(4):e0176212. www.epistemonikos.org/documents/3977c33a757133b5b192cf443e135e4ebcbc0248
226. Pavlova, Barbara, Perlis, Roy H., Alda, Martin, Uher, Rudolf. Lifetime prevalence of anxiety disorders in people with bipolar disorder: A systematic review and meta-analysis. The Lancet Psychiatry. 2015;2(8). www.epistemonikos.org/documents/397e6ffdca8a7985ba1f13ffe61798f18f12688b
227. Bassett D. A literature review of heart rate variability in depressive and bipolar disorders. The Australian and New Zealand journal of psychiatry. 2016;50(6):511-9.www.epistemonikos.org/documents/39b99a1cb20fa98bd4950f14f6048b098ddc701f
228. Stratford HJ, Cooper MJ, Di Simplicio M, Blackwell SE, Holmes EA. Psychological therapy for anxiety in bipolar spectrum disorders: A systematic review. Clinical psychology review. 2015;35C((Stratford H.J., emily.holmes@mrc-cbu.cam.ac.uk; Cooper M.J.) Oxford Institute of Clinical Psychology Training, University of Oxford, Oxford, United Kingdom):19-34. www.epistemonikos.org/documents/39fe65de22cdaea23964283ba34dbd42228226e5
229. Bushe CJ, Bradley AJ, Doshi S, Karagianis J. Changes in weight and metabolic parameters during treatment with antipsychotics and metformin: do the data inform as to potential guideline development? A systematic review of clinical studies. International journal of clinical practice. 2009;63(12):1743-61.www.epistemonikos.org/documents/3adc2e012d188dbbc2b18f557b8f0197fbe55ca3
230. Vieta E, Günther O, Locklear J, Ekman M, Miltenburger C, Chatterton ML, Åström M, Paulsson B. Effectiveness of psychotropic medications in the maintenance phase of bipolar disorder: a meta-analysis of randomized controlled trials. The international journal of neuropsychopharmacology / official scientific journal of the Collegium Internationale Neuropsychopharmacologicum (CINP). 2011;14(8):1029-49. www.epistemonikos.org/documents/3afa05e5624e3e3a7589c648843daa6f08e02473

231. Torres IJ, Boudreau VG, Yatham LN. Neuropsychological functioning in euthymic bipolar disorder: a meta-analysis. *Acta psychiatica Scandinavica. Supplementum.* 2007;116(434):17-26.
www.epistemonikos.org/documents/3b549c9f92e0b2d6cdc14cf8ab82755a7c1d76e8
232. Cheng, Chia-Hsiung, Chan, Pei-Ying S., Liu, Chia-Yih, Hsu, Shih-Chieh. Auditory sensory gating in patients with bipolar disorders: A meta-analysis. *Journal of Affective Disorders.* 2016;203:199-203.
www.epistemonikos.org/documents/3ba8a46ce1708d33ae9ae3580973e85799e5da83
233. Consoli A, Bouzamondo A, Guilé JM, Lechat P, Cohen D. Comorbidity with ADHD decreases response to pharmacotherapy in children and adolescents with acute mania: evidence from a metaanalysis. *Canadian journal of psychiatry. Revue canadienne de psychiatrie.* 2007;52(5):323-8.
www.epistemonikos.org/documents/3be6fbc2b6c5c577abd4d98b23723ef7bb11fabf
234. Bora E., Pantelis C.. Is there a functional brain imaging biomarker of bipolar disorder? A systematic review and metaanalysis. *Bipolar Disorders.* 2012;:64.
www.epistemonikos.org/documents/3c1c11e733608be37cf0eeb276c9687f718f597f
235. Li XB, Zheng W, Ning YP, Cai DB, Yang XH, Ungvari GS, Ng CH, Wang CY, Xiang YT. Erythropoietin for Cognitive Deficits Associated with Schizophrenia, Bipolar Disorder, and Major Depression: A Systematic Review. *Pharmacopsychiatry.* 2018;51(3):100-104.
www.epistemonikos.org/documents/3c4afbffa5aae62752e711f5bc00e6099675ed0e
236. Cheniaux, Elie. The pharmacological treatment of bipolar disorder: a systematic and critical review of the methodological aspects of modern clinical trials. *Rev. bras. psiquiatr.* 2011;33(1):72-80.
www.epistemonikos.org/documents/3c90dd3c3c8bb871be978237b81cde2b072130fd
237. Youngstrom, Eric A., Genzlinger, Jacquelynne E., Egerton, Gregory A., Van Meter, Anna R.. Multivariate meta-analysis of the discriminative validity of caregiver, youth, and teacher rating scales for pediatric bipolar disorder: Mother knows best about mania. *Archives of Scientific Psychology.* 2015;3(1).
www.epistemonikos.org/documents/3d5f8667f51f7f14f6c754c53aea52160ab94abe
238. Liu HY, Potter MP, Woodworth KY, Yorks DM, Petty CR, Wozniak JR, Faraone SV, Biederman J. Pharmacologic treatments for pediatric bipolar disorder: a review and meta-analysis. *Journal of the American Academy of Child and Adolescent Psychiatry.* 2011;50(8):749-62.e39.
www.epistemonikos.org/documents/3d7c18d46381a9838361e89fce7f24d8d2bafaa0
239. Viguera AC, Tondo L, Baldessarini RJ. Sex differences in response to lithium treatment. *The American journal of psychiatry.* 2000;157(9):1509-11.
www.epistemonikos.org/documents/3ddf80d49c56316376dacafb9b3683110c8cf3a3
240. Selle V, Schalkwijk S, Vázquez GH, Baldessarini RJ. Treatments for acute bipolar depression: meta-analyses of placebo-controlled, monotherapy trials of anticonvulsants, lithium and antipsychotics. *Pharmacopsychiatry.* 2014;47(2):43-52.
www.epistemonikos.org/documents/3e71b50597246272c272188055793e7ad1684ff3
241. Hajek T, Kopecek M, Kozeny J, Gunde E, Alda M, Höschl C. Amygdala volumes in mood disorders--meta-analysis of magnetic resonance volumetry studies. *Journal of affective disorders.* 2009;115(3):395-410.
www.epistemonikos.org/documents/3ef1bf8640e548213f2e41b199a23ecd1064b943
242. Coyle CM, Laws KR. The use of ketamine as an antidepressant: a systematic review and meta-analysis. *Human psychopharmacology.* 2015;30(3):152-63.
www.epistemonikos.org/documents/3f289bd76fa4fadbd8a50b66e78e56ef5df13733

243. Backer HS, Miller AL, van den Bosch LM. [Dialectical behaviour therapy for adolescents; a literature review]. Tijdschrift voor psychiatrie. 2009;51(1):31-41.www.epistemonikos.org/documents/3f3656dd6cf08f9ec39448452c947a5bc9e0ca5a
244. Cerimele JM, Chwastiak LA, Dodson S, Katon WJ. The prevalence of bipolar disorder in general primary care samples: a systematic review. General hospital psychiatry. 2014;36(1):19-25.www.epistemonikos.org/documents/4063d0a00ae0b0398c842124cd53fe134a79a6f2
245. Gregory Jr. V.L.. Cognitive-behavioral therapy for comorbid bipolar and substance use disorders: A systematic review of controlled trials. Mental Health and Substance Use: Dual Diagnosis. 2011;4(4):302-313.www.epistemonikos.org/documents/40657ef2d7947f89fa51953ad2a2ac9d97583594
246. Looney SW, el-Mallakh RS. Meta-analysis of erythrocyte Na,K-ATPase activity in bipolar illness. Depression and anxiety. 1997;5(2):53-65.www.epistemonikos.org/documents/40d3496dee9931b8dfda65ba7c0bc1273654880b
247. Geddes JR, Calabrese JR, Goodwin GM. Lamotrigine for treatment of bipolar depression: independent meta-analysis and meta-regression of individual patient data from five randomised trials. The British journal of psychiatry : the journal of mental science. 2009;194(1):4-9.www.epistemonikos.org/documents/40d5d76a068d2223f4c6047a3cbd7613ab20f8d6
248. Lister S., Pitsi D., Mehta R., Kusel J.. An economic systematic review on bipolar disorder in children and adolescents: Cost-effectiveness of treatments, costs of care and quality of life. Value in Health. 2012;::A336.www.epistemonikos.org/documents/41ef680f38a65c2cc727dd09fff35b5c9a5387da
249. Kristiansen ST, Videbech P, Kragh M, Thisted CN, Bjerrum MB. Patients' experiences of patient education on psychiatric inpatient wards; a systematic review. Patient education and counseling. 2018;101(3):389-398.www.epistemonikos.org/documents/430f97d2ab4692b2eb0b9ac51c86f0ae566c8291
250. Narayan AJ, Allen TA, Cullen KR, Klimes-Dougan B. Disturbances in reality testing as markers of risk in offspring of parents with bipolar disorder: a systematic review from a developmental psychopathology perspective. Bipolar disorders. 2013;15(7):723-40.www.epistemonikos.org/documents/433af81c88f00768966d0bc703686d9723168bb2
251. Bora E.. A comparative meta-analysis of neurocognition in first-degree relatives of patients with schizophrenia and bipolar disorder. European Psychiatry. 2017;45:121-128.www.epistemonikos.org/documents/4344c346b55995e34d4e5acae2f95560811e2360
252. Youngstrom EA, Egerton GA, Genzlinger J, Freeman LK, Rizvi SH, Van Meter A. Improving the Global Identification of Bipolar Spectrum Disorders: Meta-Analysis of the Diagnostic Accuracy of Checklists. Psychological bulletin. 2018;144(3):315-342.www.epistemonikos.org/documents/4370dc5b8f837f16979667608d1dc03633660693
253. Gruber O., Lewandowski M., Diekhof E.K.. Hyper- or hyporesponsivity of prefrontal cortices in bipolar affective disorder? - A metaanalysis using activation likelihood estimation. Bipolar Disorders. 2009;:46.www.epistemonikos.org/documents/4378472277fc66422cc840c0532db88090a3de0f
254. Hunt GE, Malhi GS, Cleary M, Lai HM, Sitharthan T. Prevalence of comorbid bipolar and substance use disorders in clinical settings, 1990-2015: Systematic review and meta-analysis. Journal of affective disorders. 2016;206:331-349.www.epistemonikos.org/documents/444039ac05f145a63676c869e9c3241dae80dbd1
255. Andrea Cipriani, Jennifer M Rendell, John Geddes. Olanzapine in long-term treatment for bipolar disorder. Cochrane Database of Systematic Reviews. 2009;(1):CD004367.www.epistemonikos.org/documents/445b73e4cebfaf7e39b4196c05215e4e4cb0a54

256. McHugh RK, Whitton SW, Peckham AD, Welge JA, Otto MW. Patient preference for psychological vs pharmacologic treatment of psychiatric disorders: a meta-analytic review. *The Journal of clinical psychiatry.* 2013;74(6):595-602. www.epistemonikos.org/documents/452c3b7984d1f4ef4f1b35dff6c50118853d1216
257. Sayana P., Colpo G.D., Simoes L.R., Giridharan V.V., Teixeira A.L., Quevedo J., Barichello T.. A systemic review of evidence for the role of inflammatory biomarkers in bipolar patients. *Journal of Psychiatric Research.* 2017;92:160-182.
www.epistemonikos.org/documents/452d41b6ee13eab5ad1fbf855d2710f08da7522a
258. Hartung D., Low A., Jindai K., Mansoor D., Judge M., Mendelson A., Kansagara D., Motu'apuaka M., Freeman M., Kondo K.. Interventions to Improve Pharmacological Adherence Among Adults With Psychotic Spectrum Disorders and Bipolar Disorder: A Systematic Review. *Psychosomatics.* 2017;58(2):101-112.www.epistemonikos.org/documents/453d05c21b73b1b3d5316a21ca496974028b26aa
259. Jennifer M Rendell, John Geddes. Risperidone in long-term treatment for bipolar disorder. *Cochrane database of systematic reviews (Online).* 2006;(4):CD004999.www.epistemonikos.org/documents/454ab8900f996b0b85af3c886071eb3f118c780c
260. Pope CJ, Sharma V, Sharma S, Mazmanian D. A Systematic Review of the Association Between Psychiatric Disturbances and Endometriosis. *Journal of obstetrics and gynaecology Canada : JOGC = Journal d'obstétrique et gynécologie du Canada : JOGC.* 2015;37(11):1006-15.www.epistemonikos.org/documents/45564d46ca9c77c0e63c109faa539405d5537378
261. Glue P, Herbison P. Comparative efficacy and acceptability of combined antipsychotics and mood stabilizers versus individual drug classes for acute mania: Network meta-analysis. *The Australian and New Zealand journal of psychiatry.* 2015;49(12):1215-20.
www.epistemonikos.org/documents/45975cd4573bc0d7355525d633e2dc8f0eed08a9
262. Smith LA, Cornelius VR, Azorin JM, Perugi G, Vieta E, Young AH, Bowden CL. Valproate for the treatment of acute bipolar depression: systematic review and meta-analysis. *Journal of affective disorders.* 2010;122(1-2):1-9. www.epistemonikos.org/documents/45ce12da27356fbab601aa901e0375cf988b186f
263. Rosenblat JD, Kakar R, Berk M, Kessing LV, Vinberg M, Baune BT, Mansur RB, Brietzke E, Goldstein BI, McIntyre RS. Anti-inflammatory agents in the treatment of bipolar depression: a systematic review and meta-analysis. *Bipolar disorders.* 2016;18(2):89-101.www.epistemonikos.org/documents/462d1d4f79fe2f2faae4d483f7232288c98092e3
264. Ratheesh A, Berk M, Davey CG, McGorry PD, Cotton SM. Instruments that prospectively predict bipolar disorder - A systematic review. *Journal of affective disorders.* 2015;179:65-73.
www.epistemonikos.org/documents/4630de9019d7386ed8fff0baa23260c792e789f8
265. Lam DH, Burbeck R, Wright K, Pilling S. Psychological therapies in bipolar disorder: the effect of illness history on relapse prevention - a systematic review. *Bipolar disorders.* 2009;11(5):474-82.
www.epistemonikos.org/documents/46c6f7009555fb8b12603f4211f4142d515020ae
266. Rowland T, Perry BI, Upthegrove R, Barnes N, Chatterjee J, Gallacher D, Marwaha S. Neurotrophins, cytokines, oxidative stress mediators and mood state in bipolar disorder: systematic review and meta-analyses. *The British journal of psychiatry : the journal of mental science.* 2018;213(3):514-525.www.epistemonikos.org/documents/46e2aa70d3cc954dd80dde19b4eb5919ba14a5cc
267. Kraus C, Rabl U, Vanicek T, Carlberg L, Popovic A, Spies M, Bartova L, Gryglewski G, Papageorgiou K, Lanzenberger R, Willeit M, Winkler D, Rybakowski JK, Kasper S. Administration of ketamine for unipolar and bipolar depression. *International journal of psychiatry in clinical practice.* 2017;21(1):1-12.www.epistemonikos.org/documents/475527e3f01a23a1c8a248807d746b7dddb8eee7

268. Greene M, Paladini L, Lemmer T, Piedade A, Touya M, Clark O. Systematic literature review on patterns of pharmacological treatment and adherence among patients with bipolar disorder type I in the USA. *Neuropsychiatric disease and treatment.* 2018;14:1545-1559.www.epistemonikos.org/documents/4761638f83ed161714e49951befa92e95f511802
269. Crowe M, Whitehead L, Wilson L, Carlyle D, O'Brien A, Inder M, Joyce P. Disorder-specific psychosocial interventions for bipolar disorder -- a systematic review of the evidence for mental health nursing practice. *International journal of nursing studies.* 2010;47(7):896-908.www.epistemonikos.org/documents/47c9f4ec87a11278312ae79492f142fc2e30e159
270. Vieta E, Locklear J, Günther O, Ekman M, Miltenburger C, Chatterton ML, Aström M, Paulsson B. Treatment options for bipolar depression: a systematic review of randomized, controlled trials. *Journal of clinical psychopharmacology.* 2010;30(5):579-90.www.epistemonikos.org/documents/4815f774dfdac79d0d3845e8347fc85849b33e2c
271. Ayerbe L, Forgnone I, Addo J, Siguero A, Gelati S, Ayis S. Hypertension risk and clinical care in patients with bipolar disorder or schizophrenia; a systematic review and meta-analysis. *Journal of affective disorders.* 2018;225:665-670.www.epistemonikos.org/documents/482a9f4f1be946fadbb2ccb709bb9e13d4221538
272. Giaroli, Giovanni, Bass, Nicholas, Strydom, Andre, Rantell, Khadija, McQuillin, Andrew. Does rare matter? Copy number variants at 16p11.2 and the risk of psychosis: A systematic review of literature and meta-analysis. *Schizophrenia Research.* 2014;159(2-3).www.epistemonikos.org/documents/486be096947c7d55e8d1a87ad4ea67256a7c62f0
273. Van Meter AR, Moreira AL, Youngstrom EA. Meta-analysis of epidemiologic studies of pediatric bipolar disorder. *The Journal of clinical psychiatry.* 2011;72(9):1250-6.www.epistemonikos.org/documents/4880a22f74b98b3a0a258e2957f4411ecf5e6c0b
274. Alústiza, Irene, Radua, Joaquim, Pla, Marta, Martin, Raquel, Ortúño, Felipe. Meta-analysis of functional magnetic resonance imaging studies of timing and cognitive control in schizophrenia and bipolar disorder: Evidence of a primary time deficit. *Schizophrenia Research.* 2017;188:21-32.www.epistemonikos.org/documents/48c861d165cba3ee15f66f1ee79351d7a3e202f6
275. Zhang Y, Yang H, Yang S, Liang W, Dai P, Wang C, Zhang Y. Antidepressants for bipolar disorder: A meta-analysis of randomized, double-blind, controlled trials. *Neural regeneration research.* 2013;8(31):2962-74.www.epistemonikos.org/documents/48cf44444db9dbe3ab1c6c865b29a602edace3e1
276. Snellen M., Power J., Blankley G., Galbally M.. Pharmacological lactation suppression with D2 receptor agonists and risk of postpartum psychosis: A systematic review. *Australian and New Zealand Journal of Obstetrics and Gynaecology.* 2016;56(4):336-340.www.epistemonikos.org/documents/4944e7ef3f1aef3de94134b23a9f7a7f55c9779b
277. Ellison-Wright I., Bullmore E.. Anatomy of bipolar disorder and schizophrenia: A meta-analysis. *Psiquiatria Biologica.* 2011;18(1):6-17.www.epistemonikos.org/documents/49888905ae87c8de257e03f01b090bf9d2ab8277
278. Altshuler LL, Curran JG, Hauser P, Mintz J, Denicoff K, Post R. T2 hyperintensities in bipolar disorder: magnetic resonance imaging comparison and literature meta-analysis. *The American journal of psychiatry.* 1995;152(8):1139-44.www.epistemonikos.org/documents/498b6c843f6c10d56ddbf5c5c10241b5eb46f790
279. Rodrigo C, de Silva NL, Gunaratne R, Rajapakse S, De Silva VA, Hanwella R. Lower estimated glomerular filtration rates in patients on long term lithium: a comparative study and a meta-analysis of

- literature. *BMC psychiatry.* 2014;14(1):4.
www.epistemonikos.org/documents/49c5bba87fe9c4e7ab3ccf80d5de4a7e0adec80c
280. Marwaha S., Durrani A., Singh S.. Employment outcomes in people with bipolar disorder: A systematic review. *European Psychiatry.* 2012;www.epistemonikos.org/documents/49db347b39af225239d6c401aebececb8ae5adb0
281. Romeo B, Blecha L, Locatelli K, Benyamina A, Martelli C. Meta-analysis and review of dopamine agonists in acute episodes of mood disorder: Efficacy and safety. *Journal of psychopharmacology (Oxford, England).* 2018;32(4):385-396.
www.epistemonikos.org/documents/4abffd36628a22d2a7bb462f8a3a8b4d5c9c93bd
282. Roshanaei-Moghaddam B, Katon W, Department of Psychiatry and Behavioral Sciences, University of Washington School of Medicine, Seattle, USA. Premature mortality from general medical illnesses among persons with bipolar disorder: a review. *Psychiatric Services.* 2009;60(2):147-156.www.epistemonikos.org/documents/4aedb3322f4bc2f146df000507cb8af3472dce56
283. Cerullo MA, Strakowski SM. A systematic review of the evidence for the treatment of acute depression in bipolar I disorder. *CNS spectrums.* 2013;18(4):199-208.www.epistemonikos.org/documents/4b81d04652d21a4b60f948955e2728f769a97c0b
284. Preti A, Vrublevska J, Veroniki AA, Huedo-Medina TB, Fountoulakis KN. Prevalence, impact and treatment of generalised anxiety disorder in bipolar disorder: a systematic review and meta-analysis. *Evidence-based mental health.* 2016;19(3):73-81.
www.epistemonikos.org/documents/4bb99ccf83c6301b56d2dc6133c06678ef870697
285. Walker ER, McGee RE, Druss BG. Mortality in mental disorders and global disease burden implications: a systematic review and meta-analysis. *JAMA psychiatry.* 2015;72(4):334-41.
www.epistemonikos.org/documents/4bf27d7d21937ca5bc31e7015e4ad8f765b96b2b
286. Kato T.. Whole genome/exome sequencing in mood and psychotic disorders. *Psychiatry and Clinical Neurosciences.* 2015;69(2):65-76.www.epistemonikos.org/documents/4bf87018f988e6419b83942bc3bcc056731e60f
287. De León OA. Antiepileptic drugs for the acute and maintenance treatment of bipolar disorder. *Harvard review of psychiatry.* 2001;9(5):209-22.www.epistemonikos.org/documents/4c4ae27f9f844cf2e211895525e18147546b1578
288. Spanemberg L, Massuda R, Lovato L, Paim L, Vares EA, Sica da Rocha N, Ceresér KM. Pharmacological treatment of bipolar depression: qualitative systematic review of double-blind randomized clinical trials. *The Psychiatric quarterly.* 2012;83(2):161-75.
www.epistemonikos.org/documents/4c6f0377a42af5c9229d660db6d62979d18c0dd4
289. Pimentel, Maria Emília Pereira, Siquara, Gustavo Marcelino. The use of psychoeducation in the treatment of patients with bipolar disorder: a systematic review. *Rev. Bras. Psicoter. (Online).* 2017;19(1):43-54. www.epistemonikos.org/documents/4d341948decb322e265ac2622859aa5f4fe61635
290. Vanstraelen M, Tyrer SP. Rapid cycling bipolar affective disorder in people with intellectual disability: a systematic review. *Journal of Intellectual Disability Research.* 1999;43(5):349-359.
www.epistemonikos.org/documents/4d8aa655a76a28920823ea13df15765c0c9b4831
291. Knorr U, Simonsen AH, Zetterberg H, Blennow K, Hasselbalch SG, Kessing LV. Biomarkers in cerebrospinal fluid of patients with bipolar disorder versus healthy individuals: A systematic review. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology.* 2018;28(7):783-794.www.epistemonikos.org/documents/4e14ec7639fed86a7133dfa76a2c24007aaf10a2

292. Miettunen J.. Temperament in schizophrenia and bipolar disorders-a meta-analysis. International Clinical Psychopharmacology. 2011;:e139.www.epistemonikos.org/documents/4e64df60c241751faaee8603b774c2ced2c81fd7
293. Luchini F, Medda P, Mariani MG, Mauri M, Toni C, Perugi G. Electroconvulsive therapy in catatonic patients: Efficacy and predictors of response. World journal of psychiatry. 2015;5(2):182-92.www.epistemonikos.org/documents/4e87150232ec683b04853188f33119dae87c0961
294. Suttaijit S, Srisurapanont M, Maneeton N, Maneeton B. Quetiapine for acute bipolar depression: a systematic review and meta-analysis. Drug design, development and therapy. 2014;8:827-38.www.epistemonikos.org/documents/4e9d2b6b725947798a69dc84776ac8bdc921723b
295. Gao K, Gajwani P, Elhaj O, Calabrese JR. Typical and atypical antipsychotics in bipolar depression. The Journal of clinical psychiatry. 2005;66(11):1376-85.www.epistemonikos.org/documents/4ea4f5062e35fc9b405ac682ffd2d6fc33d5e2e2
296. Volavka J. Violence in schizophrenia and bipolar disorder. Psychiatria Danubina. 2013;25(1):24-33.www.epistemonikos.org/documents/4f339373a665fa6fa393e96756f2e35ad957bb07
297. Vancampfort D, Correll CU, Galling B, Probst M, De Hert M, Ward PB, Rosenbaum S, Gaughran F, Lally J, Stubbs B. Diabetes mellitus in people with schizophrenia, bipolar disorder and major depressive disorder: a systematic review and large scale meta-analysis. World psychiatry : official journal of the World Psychiatric Association (WPA). 2016;15(2):166-74.www.epistemonikos.org/documents/4f7af345f6acb67c1ae4f9f1314d101f58ca264
298. MacQueen G., Sidor M.. A meta-analysis examining risk of switch following treatment with antidepressants in patients with bipolar depression. Bipolar Disorders. 2012;:31.www.epistemonikos.org/documents/4fd7224b459ebc927029e61c83c57bd783af23b8
299. Preve M., Godio M., Suardi N.E., Traber R., Colombo R.A.. Psychotic mixed state in bipolar I disorder due to neurosyphilis: Case report and literature review. European Psychiatry. 2016;:S339.www.epistemonikos.org/documents/501e7cc7e78d95b40a0294172b571b450cb09157
300. Kempton MJ, Salvador Z, Munafò MR, Geddes JR, Simmons A, Frangou S, Williams SC. Structural neuroimaging studies in major depressive disorder. Meta-analysis and comparison with bipolar disorder. Archives of general psychiatry. 2011;68(7):675-90.www.epistemonikos.org/documents/50808e80dc07ca5492cdb72e2c71cc440079b396
301. Gentile S. Clinical usefulness of second-generation antipsychotics in treating children and adolescents diagnosed with bipolar or schizophrenic disorders. Paediatric drugs. 2011;13(5):291-302.www.epistemonikos.org/documents/50f9c4ff36e2c57f073d6e049ad7e258b69c224e
302. Otten M, Meeter M. Hippocampal structure and function in individuals with bipolar disorder: A systematic review. Journal of affective disorders. 2015;174C((Otten M., mara.otten@vu.nl; Meeter M.) Department of Cognitive Psychology, VU University Amsterdam, Amsterdam, Netherlands):113-125.www.epistemonikos.org/documents/5101096bd568d8b8c66845db16cf4d9831aa70b7
303. Yildiz A, Sachs GS, Dorer DJ, Renshaw PF. 31P Nuclear magnetic resonance spectroscopy findings in bipolar illness: a meta-analysis. Psychiatry research. 2001;106(3):181-91.www.epistemonikos.org/documents/51662255fa1505aa97eeb9493476c731427a3ddd
304. Ostacher M.J., Ng-Mak D., Patel P., Ntais D., Schlueter M., Loebel A.. Comparative efficacy and tolerability of lurasidone for the management of bipolar depression: A systematic review and network meta-analysis. Value in Health. 2016;:A183.www.epistemonikos.org/documents/51b92bd7a3944f2950d65baf95e695dfd187903f

305. Stanton R, Happell B. Exercise for mental illness: A systematic review of inpatient studies. International journal of mental health nursing. 2014;23(3):232-42. www.epistemonikos.org/documents/5217be835d24be0566adaa794b0a971163d097cf
306. Trotta A., MacCabe J.H., Murray R.M.. Premorbid and post-onset cognitive functioning in schizophrenia and bipolar disorders. A meta-analysis. Schizophrenia Research. 2012;:S233. www.epistemonikos.org/documents/527c67639b34a7086f998914cb502fe28e54c516
307. Sacchetti E, Galluzzo A, Valsecchi P. Oral ziprasidone in the treatment of patients with bipolar disorders: a critical review. Expert review of clinical pharmacology. 2011;4(2):163-79. www.epistemonikos.org/documents/5291aa068993915a7b456ca603ac9695d364dfe7
308. Khokhar, Mariam A, Rathbone, John. Droperidol for psychosis-induced aggression or agitation. Cochrane Database of Systematic Reviews. 2016;12:CD002830. www.epistemonikos.org/documents/52a9af9e6027345180218aa12e2657096093e4e5
309. Gibbs M, Winsper C, Marwaha S, Gilbert E, Broome M, Singh SP. Cannabis use and mania symptoms: A systematic review and meta-analysis. Journal of affective disorders. 2015;171C((Gibbs M.; Winsper C.; Marwaha S., s.marwaha@warwick.ac.uk; Singh S.P.) Division of Mental Health and Wellbeing, Warwick Medical School, University of Warwick, , United Kingdom):39-47. www.epistemonikos.org/documents/52b899aa9b5580e2ca9b7a16701efb3292ca3a36
310. O'Neill, Elizabeth A., Black, Denise Ratliff. Collaborative care for individuals with bipolar disorder or schizophrenia and co-occurring physical health conditions: A systematic review. Social Work in Mental Health. 2017;15(6):705-729. www.epistemonikos.org/documents/52dc469c3c190f3a9840fa1c8e55480304215ccf
311. Fountoulakis KN, Vieta E, Schmidt F. Aripiprazole monotherapy in the treatment of bipolar disorder: a meta-analysis. Journal of affective disorders. 2011;133(3):361-70. www.epistemonikos.org/documents/52f495a9aae1e67ea38f99aedef24fefe5c988e6
312. Fountoulakis, K. N., Balaris, D., Nikolaou, V., Nimatoudis, J.. Non-conventional pharmacological agents for the treatment of bipolar disorder: A systematic review of the evidence. Psychiatriki. 2016;27(4):253-263. www.epistemonikos.org/documents/52f5c5d0bd7f537074d18343f7ae0156ce13ead7
313. Pompili M, Longo L, Dominici G, Serafini G, Lamis DA, Sarris J, Amore M, Girardi P. Polyunsaturated Fatty Acids and Suicide Risk in Mood Disorders: A Systematic Review. Progress in neuro-psychopharmacology & biological psychiatry. 2017;74:43-56. www.epistemonikos.org/documents/53652236dc8df905523be160d081abeeca32091e
314. Leo R.J., Singh J.. Migraine headache and bipolar disorder comorbidity: A systematic review of the literature and clinical implications. Scandinavian Journal of Pain. 2016;11:136-145. www.epistemonikos.org/documents/53a94128cd8ac2960ff204575c98d99e186ec236
315. Ellison-Wright I, Bullmore E. Anatomy of bipolar disorder and schizophrenia: a meta-analysis. Schizophrenia research. 2010;117(1):1-12. www.epistemonikos.org/documents/53bbe91210e94e3d05021cb98acc8e52d252744e
316. Van Lieshout RJ, MacQueen GM. Efficacy and acceptability of mood stabilisers in the treatment of acute bipolar depression: systematic review. The British journal of psychiatry : the journal of mental science. 2010;196(4):266-73. www.epistemonikos.org/documents/53d1d979c53a686d364ac36746ebabcaf944a65d
317. Sarris J, Mischoulon D, Schweitzer I. Omega-3 for bipolar disorder: meta-analyses of use in mania and bipolar depression. The Journal of clinical psychiatry. 2012;73(1):81-6. www.epistemonikos.org/documents/53defc7da72df77a95d5e87c4385c49a55916dfc

318. Sutterland A., Fond G., Kuin A., Koeter M., Lutter R., Van Gool T.V., Yolken R., Szoke A., Leboyer M., De Haan L.D.. Transdiagnostic exploration of the association of Toxoplasma gondii with psychiatric disorders: A systematic review and meta-analysis. *Early Intervention in Psychiatry*. 2014;8((Sutterland A.; Kuin A.; Koeter M.; Lutter R.; Van Gool T.V.; De Haan L.D.) Academic Medical Centre (AMC), Amsterdam, Netherlands):12. www.epistemonikos.org/documents/53ee518b2a29ea70c1330b6846f9253f663c1592
319. Daruy-Filho L, Brietzke E, Lafer B, Grassi-Oliveira R. Childhood maltreatment and clinical outcomes of bipolar disorder. *Acta Psychiatrica Scandinavica*. 2011;124(6):427-34. www.epistemonikos.org/documents/544353763c49f82288a96ab47f2fff899328de08
320. Chiang KJ, Tsai JC, Liu D, Lin CH, Chiu HL, Chou KR. Efficacy of cognitive-behavioral therapy in patients with bipolar disorder: A meta-analysis of randomized controlled trials. *PloS one*. 2017;12(5):e0176849. www.epistemonikos.org/documents/54884ceb898fa967f437dfa88fe61290d5abee3
321. Szulc, Agata, Wiedlocha, Magdalena, Waszkiewicz, Napoleon, Galińska-Skok, Beata, Marcinowicz, Piotr, Gierus, Jacek, Mosiolek, Anna. Proton magnetic resonance spectroscopy changes after lithium treatment. Systematic review. *Psychiatry Research: Neuroimaging*. 2018;273:1-8. www.epistemonikos.org/documents/5498d8f0fa068e06e5de90abbcf957abe2fd3668
322. Mavranezouli I, Lokkerbol J. A Systematic Review and Critical Appraisal of Economic Evaluations of Pharmacological Interventions for People with Bipolar Disorder. *PharmacoEconomics*. 2017;35(3):271-296. www.epistemonikos.org/documents/54f3a3ae0aea67e8b680c824950cc01f522a7cf5
323. Birur B., Kraguljac N.V., Shelton R.C., Lahti A.C.. Brain structure, function, and neurochemistry in schizophrenia and bipolar disorder- A systematic review of the magnetic resonance neuroimaging literature. *npj Schizophrenia*. 2017;3(1). www.epistemonikos.org/documents/54f4608ad7b18ed934124cf6506d9612dddfb72d
324. Szmulowicz AG, Valerio MP, Smith JM, Samamé C, Martino DJ, Strejilevich SA. Neuropsychological profiles of major depressive disorder and bipolar disorder during euthymia. A systematic literature review of comparative studies. *Psychiatry research*. 2017;248:127-133. www.epistemonikos.org/documents/5510a9f1e9cb1d1ff671d155a00384ad6d43b603
325. Stubbs B, Vancampfort D, Veronese N, Solmi M, Gaughran F, Manu P, Rosenbaum S, De Hert M, Fornaro M. The prevalence and predictors of obstructive sleep apnea in major depressive disorder, bipolar disorder and schizophrenia: A systematic review and meta-analysis. *Journal of affective disorders*. 2016;197:259-67. www.epistemonikos.org/documents/55112cfdbe26f8b242c5c4602a81979ff223c94a
326. McNamara B, Ray JL, Arthurs OJ, Boniface S. Transcranial magnetic stimulation for depression and other psychiatric disorders. *Psychological medicine*. 2001;31(7):1141-6. www.epistemonikos.org/documents/5563396dde46805fc01847aa0a0836e443b23707
327. Kamioka H, Tsutani K, Yamada M, Park H, Okuzumi H, Honda T, Okada S, Park SJ, Kitayuguchi J, Abe T, Handa S, Mutoh Y. Effectiveness of horticultural therapy: a systematic review of randomized controlled trials. *Complementary therapies in medicine*. 2014;22(5):930-43. www.epistemonikos.org/documents/557871ccb785211e1114660216f9595527c454a0
328. Bedeschi L.. EMDR for bipolar disorder: A systematic review of the existing studies in literature. *Clinical Neuropsychiatry*. 2018;15(3):222-225. www.epistemonikos.org/documents/55d4fcbb6410330867008e75deb96483ab546c72
329. Raucher-Chéné D, Achim AM, Kaladjian A, Besche-Richard C. Verbal fluency in bipolar disorders: A systematic review and meta-analysis. *Journal of affective disorders*. 2017;207:359-366. www.epistemonikos.org/documents/55fd699db53d179864764a04e342b9d8f31ba3de

330. Frías, Álvaro, Baltasar, Itziar, Birmaher, Boris. Comorbidity between bipolar disorder and borderline personality disorder: Prevalence, explanatory theories, and clinical impact. *Journal of Affective Disorders.* 2016;202:210-9. www.epistemonikos.org/documents/5639b22bd47a75c6b59536a5f6c0a98f9e1db667
331. Ghaemi SN, Rosenquist KJ. Is insight in mania state-dependent?: A meta-analysis. *The Journal of nervous and mental disease.* 2004;192(11):771-5.www.epistemonikos.org/documents/574bd9ef6f4ed180ce2c60e35bcd5421b23a4f87
332. Hirota T, Kishi T. Adenosine hypothesis in schizophrenia and bipolar disorder: a systematic review and meta-analysis of randomized controlled trial of adjuvant purinergic modulators. *Schizophrenia research.* 2013;149(1-3):88-95.
www.epistemonikos.org/documents/5761ea24aebc8027aadcd8bc26065541abea0275
333. Solmi, Marco, Zaninotto, Leonardo, Toffanin, Tommaso, Veronese, Nicola, Lin, Kangguang, Stubbs, Brendon, Fornaro, Michele, Correll, Christoph U.. A comparative meta-analysis of TEMPS scores across mood disorder patients, their first-degree relatives, healthy controls, and other psychiatric disorders. *Journal of Affective Disorders.* 2016;196:32-46.
www.epistemonikos.org/documents/57af5d05a3471bf1fffeb240e274412d9c709769
334. Vancampfort D, Stubbs B, Probst M, Mugisha J. Physiotherapy for people with mental health problems in Sub-Saharan African countries: a systematic review. *Archives of physiotherapy.* 2018;8:2.
www.epistemonikos.org/documents/57b8bc0d8411b1fd860f8bf70b445afcd52b089a
335. Geoffroy PA, Scott J, Boudebesse C, Lajnef M, Henry C, Leboyer M, Bellivier F, Etain B. Sleep in patients with remitted bipolar disorders: a meta-analysis of actigraphy studies. *Acta psychiatica Scandinavica.* 2015;131(2):89-99.
www.epistemonikos.org/documents/57e74b67772f7b2f13802cda071758003b689ee8
336. Hautzinger M, Meyer TD. [Psychotherapy for bipolar disorder : a systematic review of controlled studies]. *Der Nervenarzt.* 2007;78(11):1248-60.www.epistemonikos.org/documents/580ef7ff14a51a5a59f1f60af84267c8941d5c39
337. Fornaro M, Orsolini L, Marini S, De Berardis D, Perna G, Valchera A, Ganaça L, Solmi M, Veronese N, Stubbs B. The prevalence and predictors of bipolar and borderline personality disorders comorbidity: Systematic review and meta-analysis. *Journal of affective disorders.* 2016;195:105-18.www.epistemonikos.org/documents/5835b6770995cc6b8946c03694bb9d0af27ba0f9
338. Ferrer P, Ballarín E, Sabaté M, Vidal X, Rottenkolber M, Amelio J, Hasford J, Schmiedl S, Ibáñez L. Antiepileptic drugs and suicide: a systematic review of adverse effects. *Neuroepidemiology.* 2014;42(2):107-120.www.epistemonikos.org/documents/5890426b09e12f86fc1563c67308f23d7f04e2ba
339. Vasconcelos AG, Malloy-Diniz LF, Nascimento Ed, Neves F, Corrêa H. [Temperament traits associated with bipolar affective disorder: an integrative literature review]. *Trends in psychiatry and psychotherapy.* 2011;33(3):169-80.
www.epistemonikos.org/documents/58a3011dfe5baa360535368d8b04ee3c93c2c81d
340. Oud M, Mayo-Wilson E, Braidwood R, Schulte P, Jones SH, Morriss R, Kupka R, Cuijpers P, Kendall T. Psychological interventions for adults with bipolar disorder: systematic review and meta-analysis. *The British journal of psychiatry : the journal of mental science.* 2016;208(3):213-22.www.epistemonikos.org/documents/58def3459d600e101dcaa24ee018207c0519f2f8
341. Shiozawa, Pedro, Cordeiro, Quirino, Cho, Hyong Jin, Trevizol, Alisson Paulino, Brietzke, Elisa. A critical review of trials of transcranial direct current stimulation and trigeminal nerve stimulation for

- depression: the issue of treatment-emergent mania. *Trends psychiatry psychother.* (Impr.). 2017;39(1):48-53.www.epistemonikos.org/documents/59d795dc0b49ffd000cfabc43ee9eccbc11f05
342. Pearlman DM, Najjar S. Meta-analysis of the association between N-methyl-d-aspartate receptor antibodies and schizophrenia, schizoaffective disorder, bipolar disorder, and major depressive disorder. *Schizophrenia research.* 2014;157(1-3):249-58.
www.epistemonikos.org/documents/59e132dabffdfcff9e997040827913c268ea9bf8
343. Chan R.C., Song L.L., Wang K., Cheung E.F., Lui S.S., Shum D.. Semantic inhibition performances in bipolar disorders and schizophrenia: A meta-analysis of hayling sentence completion test. *Schizophrenia Research.* 2012;:S143.
www.epistemonikos.org/documents/5a27b55d5100cdf59f7fdc1d9bac4d93c3ae953c
344. Bridle C, Palmer S, Bagnall A, Darba J, Duffy S, Sculpher M, Riemsma R. A rapid and systematic review and economic evaluation of the clinical and cost-effectiveness of newer drugs for treatment of mania associated with bipolar affective disorder. *Health Technology Assessment.* 2004;8(19):iii-iv, 1-187.www.epistemonikos.org/documents/5a5905afd07fff20183c80f0ac5fbd0aa65f92b1
345. Bradford DW, Cunningham NT, Slubicki MN, McDuffie JR, Kilbourne AM, Nagi A, Williams JW. An evidence synthesis of care models to improve general medical outcomes for individuals with serious mental illness: a systematic review. *The Journal of clinical psychiatry.* 2013;74(8):e754-64.www.epistemonikos.org/documents/5a7a3549c6024a08baea09460ce963cbac28f244
346. Welten, Carlijn C. M., Koeter, Maarten W. J., Wohlfarth, Tamar D., Storosum, Jitschak G., van den Brink, Wim, Gispen-de Wied, Christine C., Leufkens, Hubert G. M., Denys, Damiaan A. J. P.. Does insight affect the efficacy of antipsychotics in acute mania?: An individual patient data regression meta-analysis. *Journal of Clinical Psychopharmacology.* 2016;36(1):71-76.
www.epistemonikos.org/documents/5ae6e1c556c0dbfeb01b934ec6612052636fd50a
347. Uchida M, Serra G, Zayas L, Kenworthy T, Hughes B, Koster A, Faraone SV, Biederman J. Can manic switches be predicted in pediatric major depression? A systematic literature review. *Journal of affective disorders.* 2015;172C((Uchida M., muchida@partners.org; Kenworthy T.; Hughes B.; Koster A.; Biederman J.) Massachusetts General Hospital, Department of Pediatric Psychopharmacology, Boston, United States):300-306.www.epistemonikos.org/documents/5b0da7627f1785e8e0df533892f893ac71611210
348. Ayerbe L, Forgnone I, Foguet-Boreu Q, González E, Addo J, Ayis S. Disparities in the management of cardiovascular risk factors in patients with psychiatric disorders: a systematic review and meta-analysis. *Psychological medicine.* 2018;48(16):1-9.
www.epistemonikos.org/documents/5be24be385c381634f148436bca852de5644c680
349. De Fazio P, Gaetano R, Caroleo M, Cerminara G, Giannini F, Jaén Moreno M, Moreno Díaz M, Medina León A, Segura-García C. Religiousness and Spirituality in patients with Bipolar Disorders. *International journal of psychiatry in clinical practice.* 2015;19(4):1-15.www.epistemonikos.org/documents/5c5e49fd0e6c58e1ac990c4fa5e4e62f7984b3f2
350. Samame C., Szmulewicz A.G., Valerio M.P., Martino D.J., Strejilevich S.A.. Are major depression and bipolar disorder neuropsychologically distinct? A meta-analysis of comparative studies. *European Psychiatry.* 2017;39:17-26.
www.epistemonikos.org/documents/5c9336c962a3c88f53d510da12a1720a5466d1e0
351. Dogan AE, Yuksel C, Du F, Chouinard VA, Öngür D. Brain lactate and pH in schizophrenia and bipolar disorder: a systematic review of findings from magnetic resonance studies. *Neuropsychopharmacology :*

- official publication of the American College of Neuropsychopharmacology. 2018;43(8):1681-1690.www.epistemonikos.org/documents/5ca1d2d3c0a679b733266371526e5c91594613b3
352. Pesut, Barbara, Clark, Nancy, Maxwell, Victoria, Michalak, Erin E., School of Nursing, University of British Columbia, 3333 University Way, Okanagan, Kelowna, BC, Canada, V1V 1V7. Religion and spirituality in the context of bipolar disorder: a literature review. *Mental Health, Religion & Culture.* 2011;14(8):785-796.www.epistemonikos.org/documents/5cb5657b98cb1ed423ad9ea226b170542ef6de28
353. Soraggi-Frez C, Santos FH, Albuquerque PB, Malloy-Diniz LF. Disentangling Working Memory Functioning in Mood States of Bipolar Disorder: A Systematic Review. *Frontiers in psychology.* 2017;8:574.www.epistemonikos.org/documents/5d0df72ed63e9456b1c8dda1f04d9f8285a725b5
354. Ratheesh A, Davey C, Hetrick S, Alvarez-Jimenez M, Voutier C, Bechdolf A, McGorry PD, Scott J, Berk M, Cotton SM. A systematic review and meta-analysis of prospective transition from major depression to bipolar disorder. *Acta psychiatica Scandinavica.* 2017;135(4):273-284.www.epistemonikos.org/documents/5d8a253d39be87b4e85d66c81efe4cddf8409c30
355. Bora E. Neurocognitive features in clinical subgroups of bipolar disorder: A meta-analysis. *Journal of affective disorders.* 2018;229:125-134.www.epistemonikos.org/documents/5dc4e94eca14b369f4175b35bf3385795dc074a
356. Tondo L, Hennen J, Baldessarini RJ. Rapid-cycling bipolar disorder: effects of long-term treatments. *Acta psychiatica Scandinavica.* 2003;108(1):4-14.www.epistemonikos.org/documents/5e3a11ed34d1fe38b4384b661b4c478245d24151
357. Cipriani A, Rendell JM, Geddes JR. Haloperidol alone or in combination for acute mania. *Cochrane Database of Systematic Reviews.* 2006;(3):CD004362.www.epistemonikos.org/documents/5f0c862816eeeea7aa7c8014ce7cd149a74e04b1f
358. Bora, Emre, Pantelis, Christos. Social cognition in schizophrenia in comparison to bipolar disorder: A meta-analysis. *Schizophrenia Research.* 2016;175(1-3):72-78.www.epistemonikos.org/documents/5f17e0f2a87b2e92395bf62d31a2b1dc718571f3
359. Severus WE, Kleindienst N, Seemüller F, Frangou S, Möller HJ, Greil W. What is the optimal serum lithium level in the long-term treatment of bipolar disorder--a review?. *Bipolar disorders.* 2008;10(2):231-7.www.epistemonikos.org/documents/5f7f5fa3b3239d55b5c5fd40ecb8ba6f9f33fba8
360. Geddes JR, Burgess S, Hawton K, Jamison K, Goodwin GM. Long-term lithium therapy for bipolar disorder: systematic review and meta-analysis of randomized controlled trials. *The American journal of psychiatry.* 2004;161(2):217-22.www.epistemonikos.org/documents/5f950d2eeb16bf9f398d70a3e5facd6dc9c0df04
361. Viswanath B, Jose SP, Squassina A, Thirthalli J, Purushottam M, Mukherjee O, Vladimirov V, Patrinos GP, Del Zompo M, Jain S. Cellular models to study bipolar disorder: A systematic review. *Journal of affective disorders.* 2015;184:36-50.www.epistemonikos.org/documents/5f96de3ef784e3d428be9e5effd2620694faaa1a
362. Christensen MV, Kessing LV. Clinical use of coping in affective disorder, a critical review of the literature. *Clinical practice and epidemiology in mental health : CP & EMH.* 2005;1(1):20.www.epistemonikos.org/documents/5fb8668dc9096eea239b5859bea981aaa6d0acca
363. Roda, Ângela, Chendo, Inês, Kunz, Mauricio. Biomarkers and staging of bipolar disorder: a systematic review. *Trends psychiatry psychother. (Impr.).* 2015;37(1):3-11.www.epistemonikos.org/documents/6078a3e3dae9ad1e64dce3c338a2390cb3a846d5

364. Reinares M, Bonnín CM, Hidalgo-Mazzei D, Sánchez-Moreno J, Colom F, Vieta E. The role of family interventions in bipolar disorder: A systematic review. *Clinical psychology review*. 2016;43:47-57.
www.epistemonikos.org/documents/60c14e3704b6f92bb41667d623109fea6314c50b
365. Dondé C, Amad A, Nieto I, Brunoni AR, Neufeld NH, Bellivier F, Poulet E, Geoffroy PA. Transcranial direct-current stimulation (tDCS) for bipolar depression: A systematic review and meta-analysis. *Progress in neuro-psychopharmacology & biological psychiatry*. 2017;78:123-131.
www.epistemonikos.org/documents/60eee421694846b7747e3fe7f10fd9422ffede0a
366. Daban C, Martínez-Aran A, Torrent C, Tabarés-Seisdedos R, Balanzá-Martínez V, Salazar-Fraile J, Selva-Vera G, Vieta E. Specificity of cognitive deficits in bipolar disorder versus schizophrenia. A systematic review. *Psychotherapy and psychosomatics*. 2006;75(2):72-84.
www.epistemonikos.org/documents/619f9a988b0156507ecc9b7d1f6c3a0821559e67
367. Greene M., Clark O.A., Paladini L., Touya M.. Economic burden of bipolar disorder in the United States: A systematic review of the literature. *Value in Health*. 2017;:A295.
www.epistemonikos.org/documents/61a9889aeb3157405a010379a9d44afe6c5ff331
368. Popovic D, Nuss P, Vieta E. Revisiting loxapine: a systematic review. *Annals of general psychiatry*. 2015;14(1):15.
www.epistemonikos.org/documents/61f0bece0f6e083037410603265af4a5248192eb
369. Zimmerman M, Galione JN. Screening for bipolar disorder with the Mood Disorders Questionnaire: a review. *Harvard review of psychiatry*. 2011;19(5):219-28.
www.epistemonikos.org/documents/628c2195ea2327ed8ca0b0ddcef6d554c79c714b
370. Slotema CW, Blom JD, Hoek HW, Sommer IE. Should we expand the toolbox of psychiatric treatment methods to include Repetitive Transcranial Magnetic Stimulation (rTMS)? A meta-analysis of the efficacy of rTMS in psychiatric disorders. *The Journal of clinical psychiatry*. 2010;71(7):873-84.
www.epistemonikos.org/documents/62a158828d7b2a06a4dc477af4cfa0156b166918
371. Darrow S.M., Verhoeven J.E., Revesz D., Lindqvist D., Penninx B.W.J.H., Delucchi K.L., Wolkowitz O.M., Mathews C.A.. The association between psychiatric disorders and telomere length: A meta-analysis involving 14,827 persons. *Psychosomatic Medicine*. 2016;78(7):776-787.
www.epistemonikos.org/documents/62ade53369e69f783c8a96e75a1b30ab2494c9ff
372. Seitz D, Purandare N, Conn D. Prevalence of psychiatric disorders among older adults in long-term care homes: a systematic review. *International psychogeriatrics / IPA*. 2010;22(7):1025-39.
www.epistemonikos.org/documents/62bb8a1ab956db9bf053773279643a66ea6199e9
373. Solomon D, Adams J. The use of complementary and alternative medicine in adults with depressive disorders. A critical integrative review. *Journal of affective disorders*. 2015;179:101-113.
www.epistemonikos.org/documents/62cb28cfab66061e3559e830aa971bdd30743b86
374. Bezerra-Filho, Severino, Almeida, Amanda Galvão-de, Studart, Paula, Rocha, Marlos V., Lopes, Frederico L., Miranda-Scippa, Ângela. Personality disorders in euthymic bipolar patients: a systematic review. *Rev. bras. psiquiatr.* 2015;37(2):162-167.
www.epistemonikos.org/documents/62cd42df21985b81dac740ca3398cf465dfc971d
375. Fovet T, Geoffroy PA, Vaiva G, Adins C, Thomas P, Amad A. Individuals with bipolar disorder and their relationship with the criminal justice system: a critical review. *Psychiatric services (Washington, D.C.)*. 2015;66(4):348-53. www.epistemonikos.org/documents/62dfaaf7f70d0c754a60c23a40775d1c2dc7e1b
376. Schaffer A, Isometsä ET, Azorin JM, Cassidy F, Goldstein T, Rihmer Z, Sinyor M, Tondo L, Moreno DH, Turecki G, Reis C, Kessing LV, Ha K, Weizman A, Beautrais A, Chou YH, Diazgranados N, Levitt AJ, Zarate CA, Yatham L. A review of factors associated with greater likelihood of suicide attempts and suicide deaths

- in bipolar disorder: Part II of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. *The Australian and New Zealand journal of psychiatry.* 2015;49(11):1006-20. www.epistemonikos.org/documents/630252edc633ff6a6f7b7c49060bfa98a793c17a
377. Cardenas SA, Kassem L, Brotman MA, Leibenluft E, McMahon FJ. Neurocognitive Functioning in Euthymic Patients with Bipolar Disorder and Unaffected Relatives: A Review of the Literature. *Neuroscience and biobehavioral reviews.* 2016;69:193-215. www.epistemonikos.org/documents/630a0465d6d7ee60e4f11ecbd45c9d444b1ab8f0
378. Fisher A, Manicavasagar V, Kiln F, Juraskova I. Communication and decision-making in mental health: A systematic review focusing on Bipolar disorder. *Patient education and counseling.* 2016;99(7):1106-20. www.epistemonikos.org/documents/636caddad45c30cc51ab985d619ecf9c345a58a8
379. Kumar R. Approved and investigational uses of modafinil : an evidence-based review. *Drugs.* 2008;68(13):1803-39. www.epistemonikos.org/documents/6402da5703c05373fa155c34993d50dba58c562b
380. Barbosa, Izabela Guimarães, Huguet, Rodrigo Barreto, Neves, Fernando Silva, Bauer, Moisés Evandro, Teixeira, Antônio Lúcio. Immunology of bipolar disorder. *J. bras. psiquiatr.* 2009;58(1):52-59. www.epistemonikos.org/documents/641b2348e680a0d227f4f68b97f49a29b53a2deb
381. Rocca, Cristiana Castanho de Almeida, Van den Heuvel, Eveline, Caetano, Sheila C, Lafer, Beny. Facial emotion recognition in bipolar disorder: a critical review. *Rev. bras. psiquiatr.* 2009;31(2):171-180. www.epistemonikos.org/documents/64e9f7d0e4aa7920ecdcd71be29fa97aab992628
382. Romeo B, Choucha W, Fossati P, Rotge JY. Meta-analysis of central and peripheral γ-aminobutyric acid levels in patients with unipolar and bipolar depression. *Journal of psychiatry & neuroscience : JPN.* 2017;42(6):160228. www.epistemonikos.org/documents/6527e8c35d974d837194f8926ea8ba2ea83e5116
383. Smith LA, Cornelius V, Warnock A, Bell A, Young AH. Effectiveness of mood stabilizers and antipsychotics in the maintenance phase of bipolar disorder: a systematic review of randomized controlled trials. *Bipolar disorders.* 2007;9(4):394-412. www.epistemonikos.org/documents/653c4516747c6796d31163fae819beb2d3b5df0b
384. Amann B, Born C, Crespo JM, Pomarol-Clotet E, McKenna P. Lamotrigine: when and where does it act in affective disorders? A systematic review. *Journal of psychopharmacology (Oxford, England).* 2011;25(10):1289-94. www.epistemonikos.org/documents/6548f2e4371e29f1952c06a6ff933043ef2537ef
385. Kemp DE, Zhao J, Cazorla P, Landbloom RP, Mackle M, Snow-Adami L, Szegedi A. Weight change and metabolic effects of asenapine in patients with schizophrenia and bipolar disorder. *The Journal of clinical psychiatry.* 2014;75(3):238-45. www.epistemonikos.org/documents/657951d76ea6800fa3d16bc1a2661b20647e083e
386. Kemp DE, Calabrese JR, Eudicone JM, Ganocy S, Tran QV, McQuade RD, Marcus RN, Vester-Blokland E, Owen R, Carlson BX. Predictive value of early improvement in bipolar depression trials: a post-hoc pooled analysis of two 8-week aripiprazole studies. *Psychopharmacology bulletin.* 2010;43(2):5-27. www.epistemonikos.org/documents/65a942e7a5c06b09e7a3ca67ab7b1ac92d1cbb60
387. Tseng PT, Zeng BS, Chen YW, Wu MK, Wu CK, Lin PY. A meta-analysis and systematic review of the comorbidity between irritable bowel syndrome and bipolar disorder. *Medicine.* 2016;95(33):e4617. www.epistemonikos.org/documents/65ca06b8dbf0d7e3c493ee16dba9f8a677c8052b
388. Correll CU, Sheridan EM, DelBello MP. Antipsychotic and mood stabilizer efficacy and tolerability in pediatric and adult patients with bipolar I mania: a comparative analysis of acute, randomized, placebo-

- controlled trials. *Bipolar disorders.* 2010;12(2):116-41.
www.epistemonikos.org/documents/65f2c84e068c66e7176feb38fbcc315c7c7e6130
389. Detera-Wadleigh SD, McMahon FJ. G72/G30 in schizophrenia and bipolar disorder: review and meta-analysis. *Biological psychiatry.* 2006;60(2):106-14.www.epistemonikos.org/documents/66664c3e54c91c191745d56ee7ed2bd82b637b93
390. Bostock ECS, Kirkby KC, Garry MI, Taylor BVM. Systematic Review of Cognitive Function in Euthymic Bipolar Disorder and Pre-Surgical Temporal Lobe Epilepsy. *Frontiers in psychiatry.* 2017;8(AUG):133.
www.epistemonikos.org/documents/670dd83f856238b7839489ca484a445a2aefba4e
391. Wingo AP, Ghaemi SN. A systematic review of rates and diagnostic validity of comorbid adult attention-deficit/hyperactivity disorder and bipolar disorder. *The Journal of clinical psychiatry.* 2007;68(11):1776-84.
www.epistemonikos.org/documents/674c2db116a7bd3c81fb7051254ae47792889066
392. Kazour F, Richa S, Desmidt T, Lemaire M, Atanasova B, Elhage W. OLFACtORY AND GUSTATORY FUNCTIONS IN BIPOLAR DISORDERS: A SYSTEMATIC REVIEW. *Neuroscience and biobehavioral reviews.* 2017;80:69-79.www.epistemonikos.org/documents/67cdb72cc111ae637c04eba12fddc9e5a9e6f43c
393. Carvalho AF, Dimellis D, Gonda X, Vieta E, McIntyre RS, Fountoulakis KN. Rapid cycling in bipolar disorder: a systematic review. *The Journal of clinical psychiatry.* 2014;75(6):e578-86.
www.epistemonikos.org/documents/67f9cf94df6e3042c8a5dd663cc9172039f68b32
394. Geoffroy PA, Auffret M, Deheul S, Bordet R, Cottencin O, Rolland B. Baclofen-induced manic symptoms: case report and systematic review. *Psychosomatics.* 2014;55(4):326-32.
www.epistemonikos.org/documents/68776726b778c5db74cea152cb53a262752cc491
395. Mutz J, Edgcumbe DR, Brunoni MD AR, Fu MD CHY. Efficacy and acceptability of non-invasive brain stimulation for the treatment of adult unipolar and bipolar depression: A systematic review and meta-analysis of randomised sham-controlled trials. *Neuroscience and biobehavioral reviews.* 2018;92:291-303.www.epistemonikos.org/documents/688918aee73cc81effd235b3fbc912b564ed6287
396. Frías Á, Palma C, Farriols N. Comorbidity in pediatric bipolar disorder: Prevalence, clinical impact, etiology and treatment. *Journal of affective disorders.* 2015;174C((Frias A., afrias@csdm.cat; Palma C.; Farriols N.) FPCEE Blanquerna, University of Ramon-Llull, Barcelona, Spain):378-389.www.epistemonikos.org/documents/696cd4eb5243aa0f126f236e063590f6e7d0cd71
397. Hawton K, Sutton L, Haw C, Sinclair J, Harriss L. Suicide and attempted suicide in bipolar disorder: a systematic review of risk factors. *The Journal of clinical psychiatry.* 2005;66(6):693-704.
www.epistemonikos.org/documents/699a3dcaa4c333d74e5f584b947f8d4a7db32c8a
398. Swartz HA, Thase ME. Pharmacotherapy for the treatment of acute bipolar II depression: current evidence. *The Journal of clinical psychiatry.* 2011;72(3):356-66.www.epistemonikos.org/documents/69c565fae99295c35ff7e0a703003ad55a6c5a31
399. Loo C, Katalinic N, Mitchell PB, Greenberg B. Physical treatments for bipolar disorder: a review of electroconvulsive therapy, stereotactic surgery and other brain stimulation techniques. *Journal of affective disorders.* 2011;132(1-2):1-13.
www.epistemonikos.org/documents/69e9e493bb8aa186cecabeb0c5980ccc0bea7b3
400. Reece AS. Chronic toxicology of cannabis. *Clinical toxicology (Philadelphia, Pa.).* 2009;47(6):517-24.www.epistemonikos.org/documents/69efbb3c74339180418579adde7ddb0e7a5778b3

401. Pinto JV, Moulin TC, Amaral OB. On the transdiagnostic nature of peripheral biomarkers in major psychiatric disorders: a systematic review. *Neuroscience and biobehavioral reviews*. 2017;83:97-108.
www.epistemonikos.org/documents/69f5d7f95fd2ebb44bcd5a8a962b382c52ef38ea
402. Andrea Cipriani, Keith Reid, Allan H Young, Karine Macritchie, John Geddes. Valproic acid, valproate and divalproex in the maintenance treatment of bipolar disorder. *Cochrane Database of Systematic Reviews*. 2013;10(10):CD003196.
www.epistemonikos.org/documents/6ac661feabc603650bc3ce558c4f5a931e178b25
403. Bezerra-Filho S, Almeida AG, Studart P, Rocha MV, Lopes FL, Miranda-Scippa Â. Personality disorders in euthymic bipolar patients: a systematic review. *Revista brasileira de psiquiatria (Sao Paulo, Brazil : 1999)*. 2015;37(2):0.
www.epistemonikos.org/documents/6afe0c014fff38e7037ff6d40d03c1ad1abdcb3b
404. Cipriani A, Barbui C, Salanti G, Rendell J, Brown R, Stockton S, Purgato M, Spineli LM, Goodwin GM, Geddes JR. Comparative efficacy and acceptability of antimanic drugs in acute mania: a multiple-treatments meta-analysis. *Lancet*. 2011;378(9799):1306-15.
www.epistemonikos.org/documents/6b156f089144f7318a3d5b1a585de37ceecaa951
405. Munkholm K, Braüner JV, Kessing LV, Vinberg M. Cytokines in bipolar disorder vs. healthy control subjects: a systematic review and meta-analysis. *Journal of psychiatric research*. 2013;47(9):1119-33.
www.epistemonikos.org/documents/6b504cea007d774bae0dba17986ea5339217dd31
406. Grangeon MC, Seixas C, Quarantini LC, Miranda-Scippa A, Pompili M, Steffens DC, Wenzel A, Lacerda AL, de Oliveira IR. White matter hyperintensities and their association with suicidality in major affective disorders: a meta-analysis of magnetic resonance imaging studies. *CNS spectrums*. 2010;15(6):375-81.
www.epistemonikos.org/documents/6b61126d98eb3f0d79b2d9f1c20c92db420c56a6
407. Vöhringer PA, Barroilhet SA, Amerio A, Reale ML, Alvear K, Vergne D, Ghaemi SN. Cognitive impairment in bipolar disorder and schizophrenia: a systematic review. *Frontiers in psychiatry*. 2013;4(AUG):87.
www.epistemonikos.org/documents/6ba6de3d16f0444aaaf70671a32b806de43027ef2
408. Haukvik UK, Tamnes CK, Söderman E, Agartz I. Neuroimaging hippocampal subfields in schizophrenia and bipolar disorder: A systematic review and meta-analysis. *Journal of psychiatric research*. 2018;104:217-226.
www.epistemonikos.org/documents/6bbcb1d2cff8619526ef5c55d157baed54df82ea
409. Vita A, De Peri L, Siracusano A, Sacchetti E, ATOM group. Efficacy and tolerability of asenapine for acute mania in bipolar I disorder: meta-analyses of randomized-controlled trials. *International clinical psychopharmacology*. 2013;28(5):219-27.
www.epistemonikos.org/documents/6bcea7bf5d58c803d010b247d29f86d691393021
410. Chen LP, Murad MH, Paras ML, Colbenson KM, Sattler AL, Goranson EN, Elamin MB, Seime RJ, Shinozaki G, Prokop LJ, Zirakzadeh A. Sexual abuse and lifetime diagnosis of psychiatric disorders: systematic review and meta-analysis. *Mayo Clinic proceedings*. 2010;85(7):618-29.
www.epistemonikos.org/documents/6bf33dc23add9ded2e8e01be4aa151128e8b547f
411. Davis JM, Janicak PG, Hogan DM. Mood stabilizers in the prevention of recurrent affective disorders: a meta-analysis. *Acta psychiatrica Scandinavica*. 1999;100(6):406-17.
www.epistemonikos.org/documents/6c6b3712e5a081cde1b2d0f8824066c174accf59
412. Hutchison SL, Ghuman JK, Ghuman HS, Karpov I, Schuster JM. Efficacy of atomoxetine in the treatment of attention-deficit hyperactivity disorder in patients with common comorbidities in children, adolescents and adults: a review. *Therapeutic advances in psychopharmacology*. 2016;6(5):317-334.
www.epistemonikos.org/documents/6cd4d057caa0cedf79715068d3125425779044d8

413. Greene M., Clark O.A., Paladini L., Hartry A.. A systematic literature review of clinical practice guidelines for the treatment of bipolar disorder type i (BD-I). *Value in Health.* 2017;:A305.
www.epistemonikos.org/documents/6d2da8b02213bd2258bdf36f99221b75d9f5c5c1
414. Bond K, Anderson IM. Psychoeducation for relapse prevention in bipolar disorder: a systematic review of efficacy in randomized controlled trials. *Bipolar disorders.* 2015;17((Bond K.) Specialist Service for Affective Disorders Manchester Mental Health and Social Care Trust Manchester UK):349-62.www.epistemonikos.org/documents/6d435254691b59478c014ed059d7f5df86feb024
415. Bearden CE, Hoffman KM, Cannon TD. The neuropsychology and neuroanatomy of bipolar affective disorder: a critical review. *Bipolar disorders.* 2001;3(3):106-50; discussion 151-3.
www.epistemonikos.org/documents/6de8506c98afdbae50a63423a24e8d5e2f081849
416. Cassella J.. A Meta analysis of the efficacy of inhaled loxapine for the acute treatment of agitation in patients with schizophrenia or bipolar 1 disorder: Baseline severity analysis. *Schizophrenia Bulletin.* 2013;:S324.www.epistemonikos.org/documents/6e063864ce0f7b38e85acc88b5489649c0eaa85b
417. Visser H.M., Van Der Mast R.C., Blom A.. Bipolar disorder, antidepressants and induction of (hypo)mania. A systematic review. *Tijdschrift voor Psychiatrie.* 2002;44(9):599-608.
www.epistemonikos.org/documents/6e5aa75fca23c2141b0e6cf999cb7e768113692e
418. Parsaik AK, Singh B, Khosh-Chashm D, Mascarenhas SS. Efficacy of Ketamine in Bipolar Depression: Systematic Review and Meta-analysis. *Journal of psychiatric practice.* 2015;21(6):427-35.
www.epistemonikos.org/documents/6e67c5a91dd8a2d369e613627e6ed8d13ec14204
419. Li XB, Tang YL, Wang CY, de Leon J. Clozapine for treatment-resistant bipolar disorder: a systematic review. *Bipolar disorders.* 2015;17(3):235-47.www.epistemonikos.org/documents/6e8890aa8f91eb36ea9c4989d8aaeada435dc746
420. Barichello T, Badawy M, Pitcher MR, Saigal P, Generoso JS, Goularte JA, Simões LR, Quevedo J, Carvalho AF. Exposure to Perinatal Infections and Bipolar Disorder: A Systematic Review. *Current molecular medicine.* 2016;16(2):106-18.
www.epistemonikos.org/documents/6ea0a19ebcbfc3ad8958949c7d1e5a3b14697717
421. Fond G, Loundou A, Rabu C, Macgregor A, Lançon C, Brittner M, Micoulaud-Franchi JA, Richieri R, Courtet P, Abbar M, Roger M, Leboyer M, Boyer L. Ketamine administration in depressive disorders: a systematic review and meta-analysis. *Psychopharmacology.* 2014;231(18):3663-76.www.epistemonikos.org/documents/6f578c75a2ab3d9f464bd8ba1a61553a01365124
422. Samame C., Martino D.J., Strejilevich S.A.. An individual task meta-analysis of social cognition in euthymic bipolar disorders. *Journal of Affective Disorders.* 2015;173((Samame C.; Martino D.J.; Strejilevich S.A., sstrexilevich@ffavaloro.org) Bipolar Disorders Program, Institute of Neurosciences, Favaloro University, Ciudad Autonoma de Buenos Aires, Argentina):146-153.
www.epistemonikos.org/documents/6fc4437313118bdd85f779b0baeef8837550a32f
423. Gao K, Kemp DE, Ganoczy SJ, Gajwani P, Xia G, Calabrese JR. Antipsychotic-induced extrapyramidal side effects in bipolar disorder and schizophrenia: a systematic review. *Journal of clinical psychopharmacology.* 2008;28(2):203-9.
www.epistemonikos.org/documents/700519a834cdd14a359f630d4b052bb8bca6a898
424. Christensen MV, Kessing LV. Do personality traits predict first onset in depressive and bipolar disorder?. *Nordic journal of psychiatry.* 2006;60(2):79-88.www.epistemonikos.org/documents/7073c72e73ca702d9a5caa8917db282b3e111e16

425. Sylvia LG, Peters AT, Deckersbach T, Nierenberg AA. Nutrient-based therapies for bipolar disorder: a systematic review. *Psychotherapy and psychosomatics.* 2013;82(1):10-9.
www.epistemonikos.org/documents/709ee928cb2237eb1fc19d825c58e7cb0bdd4377
426. Sajatovic M, Davies M, Hrouda DR. Enhancement of treatment adherence among patients with bipolar disorder. *Psychiatric services (Washington, D.C.).* 2004;55(3):264-9.
www.epistemonikos.org/documents/70b0a45358da553a7eb9db4af87269c63c7d7fc5
427. Camelo, Evelyn V. M., Velasques, Bruna, Ribeiro, Pedro, Netto, Tania, Cheniaux, Elie. Attention impairment in bipolar disorder: a systematic review. *Psychol. neurosci. (Impr.).* 2013;6(3):299-309.
www.epistemonikos.org/documents/7103aa78a6ad5b63446ed62fc9511c32b7275eb7
428. Melo MC, Garcia RF, Linhares Neto VB, Sá MB, de Mesquita LM, de Araújo CF, de Bruin VM. Sleep and circadian alterations in people at risk for bipolar disorder: A systematic review. *Journal of psychiatric research.* 2016;83:211-219.
www.epistemonikos.org/documents/712cd511db6b1ce20f54b28fd67cd3871eba61b9
429. Baldessarini RJ, Tondo L, Hennen J. Lithium treatment and suicide risk in major affective disorders: update and new findings. *The Journal of clinical psychiatry.* 2003;64 Suppl 5:44-52.
www.epistemonikos.org/documents/718643e2b0d1a973600fca5a60f7e2f7f6875507
430. Syan SK, Smith M, Frey BN, Remtulla R, Kapczinski F, Hall GBC, Minuzzi L. Resting-state functional connectivity in individuals with bipolar disorder during clinical remission: a systematic review. *Journal of psychiatry & neuroscience : JPN.* 2018;43(5):298-316.
www.epistemonikos.org/documents/7213b2d7ef6ded2034e84477039e28b24ba0a0a3
431. Macritchie K, Geddes JR, Scott J, Haslam D, de Lima M, Goodwin G. Valproate for acute mood episodes in bipolar disorder. *Cochrane Database of Systematic Reviews.* 2003;(1):CD004052.
www.epistemonikos.org/documents/723e0fdec7874a229e75a6e8b469ce21b7ddf9d8
432. Wright L, Lipszyc J, Dupuis A, Thayapararajah SW, Schachar R. Response inhibition and psychopathology: a meta-analysis of go/no-go task performance. *Journal of abnormal psychology.* 2014;123(2):429-39. www.epistemonikos.org/documents/72428b20acf4daced3322e940680f8317126beff
433. das Neves Peixoto FS, de Sousa DF, Luz DCRP, Vieira NB, Gonçalves Júnior J, Dos Santos GCA, da Silva FCT, Rolim Neto ML. Bipolarity and suicidal ideation in children and adolescents: a systematic review with meta-analysis. *Annals of general psychiatry.* 2017;16(1):22.
www.epistemonikos.org/documents/72516e6b6384a2d36fd95d2e1b4db5b0a8b89703
434. Sutterland AL, Fond G, Kuin A, Koeter MW, Lutter R, van Gool T, Yolken R, Szoke A, Leboyer M, de Haan L. Beyond the association. *Toxoplasma gondii* in schizophrenia, bipolar disorder, and addiction: systematic review and meta-analysis. *Acta psychiatrica Scandinavica.* 2015;132(3):161-79.
www.epistemonikos.org/documents/72c61f48f0b3ee20fcf3848646e8e572d12f4124
435. Di Florio A, Craddock N, van den Bree M. Alcohol misuse in bipolar disorder. A systematic review and meta-analysis of comorbidity rates. *European psychiatry : the journal of the Association of European Psychiatrists.* 2014;29(3):117-24.
www.epistemonikos.org/documents/72f69949b8f1e1907aa8f075da49db73d9afe925
436. Vasudev A., Macritchie K.A.N., Vasudev K., Watson S., Geddes J., Young A.H.. Oxcarbazepine for acute affective episodes of bipolar disorder: A cochrane review and meta-analysis. *Neuropsychopharmacology.* 2011;:S359.
www.epistemonikos.org/documents/730010eaf8da55a7d9ef71f86abfb75957382cf

437. Quirk H, Crank H, Harrop D, Hock E, Copeland R. Understanding the experience of initiating community-based physical activity and social support by people with serious mental illness: a systematic review using a meta-ethnographic approach. *Systematic reviews*. 2017;6(1):214. www.epistemonikos.org/documents/731c4f0407bb9cc01e7b19dc838ddbc0abe13092
438. Zornberg GL, Pope HG. Treatment of depression in bipolar disorder: new directions for research. *Journal of clinical psychopharmacology*. 1993;13(6):397-408. www.epistemonikos.org/documents/7395e10ff3763c386d559b797e390536541538e2
439. Kraguljac NV, Reid M, White D, Jones R, den Hollander J, Lowman D, Lahti AC. Neurometabolites in schizophrenia and bipolar disorder - a systematic review and meta-analysis. *Psychiatry research*. 2012;203(2-3):111-25. www.epistemonikos.org/documents/748865aa5a237bad5db9ebcd54c0b21c987fa1b3
440. Dundar Y., Greenhalgh J.. Short-term management of agitation associated with psychotic or bipolar disorders: A systematic review. *European Psychiatry*. 2013; www.epistemonikos.org/documents/74a7df2d59b36e2c744c2ac9a7b355b9dbdcafe1
441. Yildiz-Yesiloglu A, Ankerst DP. Neurochemical alterations of the brain in bipolar disorder and their implications for pathophysiology: a systematic review of the in vivo proton magnetic resonance spectroscopy findings. *Progress in neuro-psychopharmacology & biological psychiatry*. 2006;30(6):969-95. www.epistemonikos.org/documents/74b4b99f21145fe36de88a17bbe0fd39e8e6d97a
442. Kroksmark H, Vinberg M. Does S100B have a potential role in affective disorders? A literature review. *Nordic journal of psychiatry*. 2018;72(7):1-9. www.epistemonikos.org/documents/75c0e19313f95e046a7bda957f0eacf8721ab1c
443. Gao K, Kemp DE, Fein E, Wang Z, Fang Y, Ganocy SJ, Calabrese JR. Number needed to treat to harm for discontinuation due to adverse events in the treatment of bipolar depression, major depressive disorder, and generalized anxiety disorder with atypical antipsychotics. *The Journal of clinical psychiatry*. 2011;72(8):1063-71. www.epistemonikos.org/documents/75e2efadeacd4528068eeb7b7b41ef36eae3b6d
444. Costa LD, Alencar AP, Neto PJ, Santos MD, da Silva CG, Pinheiro SD, Teixeira Silveira R, Bianco BA, Pinheiro Júnior RF, de Lima MA, Reis AO, Neto ML. Risk factors for suicide in bipolar disorder: A systematic review. *Journal of affective disorders*. 2015;170C((Costa L.D.S., lucas_10_00@hotmail.com; Alencar A.P.; Neto P.J.N.; Dos Santos M.D.S.V.) Laboratorio de Escrita Científica, Faculdade de Medicina, Universidade Federal Do Cariri, UFCA, Barbalha, Ceará, Brazil):237-254. www.epistemonikos.org/documents/76642d51f61bec23156ede91a859e1361673c658
445. Mata Saenz B., Nuevo Fernandez L., Asensio Aguerri L., Lopez Lavela E., Garcia Lazaro F., Diaz Quero I.. Systematic review of the evidence on genetic biomarkers on the response to lithium in patients with bipolar disorder type I. *Psiquiatria Biologica*. 2017;24(3):106-112. www.epistemonikos.org/documents/766ec346ff94fb0465c517dc165a0b8cc5fccef6
446. Vargas-Huicochea, Ingrid, Tamayo, Jorge M., Ruiz, Ignacio. A systematic review of combined olanzapine-fluoxetine as therapy for bipolar depression in adult and adolescent patients. *Archivos de Neurociencias*. 2015;20(2):122-136. www.epistemonikos.org/documents/76a12b59d23adedb8e6b7279f306b7c06ce75b6c
447. Clemente, Adauto S., Diniz, Breno S., Nicolato, Rodrigo, Kapczinski, Flavio P., Soares, Jair C., Firmino, Josélia O., Castro-Costa, Érico. Bipolar disorder prevalence: A systematic review and meta-analysis of the literature. *Revista Brasileira de Psiquiatria*. 2015;37(2). www.epistemonikos.org/documents/76d297107573b3cb904e8d2438fa3f2be8084bd8

448. Lau P, Hawes DJ, Hunt C, Frankland A, Roberts G, Mitchell PB. Prevalence of psychopathology in bipolar high-risk offspring and siblings: a meta-analysis. European child & adolescent psychiatry. 2018;27(7):1-15. www.epistemonikos.org/documents/7756012241675d2e88cc2f8b4fda500674603f35
449. Wang X, Tian F, Wang S, Cheng B, Qiu L, He M, Wang H, Duan M, Dai J, Jia Z. Gray matter bases of psychotic features in adult bipolar disorder: A systematic review and voxel-based meta-analysis of neuroimaging studies. Human brain mapping. 2018;39(12):4707-4723. www.epistemonikos.org/documents/77afc1f90cdd1d50246174bdaa49356bdf6e470
450. Friberg O, Martinsen EW, Martinussen M, Kaiser S, Overgård KT, Rosenvinge JH. Comorbidity of personality disorders in mood disorders: a meta-analytic review of 122 studies from 1988 to 2010. Journal of affective disorders. 2014;152-154(1):1-11. www.epistemonikos.org/documents/78c76dbf6c330d404501b7c3b87cdb918b21619e
451. Moteshafii H., Stip E.. Comparing second generation antipsychotics metabolic side effects in bipolar disorders and schizophrenia: A meta-analysis. International Clinical Psychopharmacology. 2012;::e52-e53. www.epistemonikos.org/documents/78efbc342c4f0f25ed11399c3122fb2a8cadfb32
452. Reinares M, Rosa AR, Franco C, Goikolea JM, Fountoulakis K, Siamouli M, Gonda X, Frangou S, Vieta E. A systematic review on the role of anticonvulsants in the treatment of acute bipolar depression. The international journal of neuropsychopharmacology / official scientific journal of the Collegium Internationale Neuropsychopharmacologicum (CINP). 2013;16(2):485-96. www.epistemonikos.org/documents/79136f22977e6a2785de2ff28833aee5fd01b435
453. De Peri L, Crescini A, Deste G, Fusar-Poli P, Sacchetti E, Vita A. Brain structural abnormalities at the onset of schizophrenia and bipolar disorder: a meta-analysis of controlled magnetic resonance imaging studies. Current pharmaceutical design. 2012;18(4):486-94. www.epistemonikos.org/documents/79ca193d7f27ba7447cb4c9feece04d348dd9a70
454. Vargas C, López-Jaramillo C, Vieta E. A systematic literature review of resting state network--functional MRI in bipolar disorder. Journal of affective disorders. 2013;150(3):727-35. www.epistemonikos.org/documents/79e6f223e81665326bfc449b926555cb5d2d99ff
455. Salim M, Sharma V, Anderson KK. Recurrence of bipolar disorder during pregnancy: a systematic review. Archives of women's mental health. 2018;21(4):475-479. www.epistemonikos.org/documents/7a0b46ee0cc89f81cc93086ee4f55f24c9a9db21
456. Zhang L., Li H., Li S., Zou X.. Reproductive and metabolic abnormalities in women taking valproate for bipolar disorder: A meta-analysis. European Journal of Obstetrics Gynecology and Reproductive Biology. 2016;202:26-31. www.epistemonikos.org/documents/7a6e57a77271eb94e55a63c57f6d4e317e3250e2
457. Dagani, Jessica, Signorini, Giulia, Nielssen, Olav, Bani, Moira, Pastore, Adriana, de Girolamo, Giovanni, Large, Matthew, Girolamo, Giovanni de. Meta-analysis of the Interval between the Onset and Management of Bipolar Disorder. Canadian Journal of Psychiatry. 2017;62(4):247-258. www.epistemonikos.org/documents/7aeee6087f4dbd15e86c9660098063a97d35f66fa
458. Schrank B, Moran K, Borghi C, Priebe S. How to support patients with severe mental illness in their parenting role with children aged over 1 year? A systematic review of interventions. Social psychiatry and psychiatric epidemiology. 2015;50(12):1765-83. www.epistemonikos.org/documents/7b512166fecab67bcdcb28dc9ea34dd9684e6f59
459. Hunt GE, Malhi GS, Cleary M, Lai HM, Sitharthan T. Comorbidity of bipolar and substance use disorders in national surveys of general populations, 1990-2015: Systematic review and meta-analysis.

- Journal of affective disorders. 2016;206:321-330.
www.epistemonikos.org/documents/7be4174b1b7bfe7f54b1b9b0d4aa0b624c5c901d
460. Kuang H, Duong A, Jeong H, Zachos K, Andreazza AC. Lactate in bipolar disorder: A systematic review and meta-analysis. Psychiatry and clinical neurosciences. 2018;72(8):546-555.
www.epistemonikos.org/documents/7c0a8ed557ecc575b35d2ed838d98d4fc3f6c733
461. Harrison PJ, Colbourne L, Harrison CH. The neuropathology of bipolar disorder: systematic review and meta-analysis. Molecular psychiatry. 2018;www.epistemonikos.org/documents/7c9fba82174f42950169e4d5450f1de23be1a776
462. Muneer A. Pharmacotherapy of bipolar disorder with quetiapine: a recent literature review and an update. Clinical psychopharmacology and neuroscience : the official scientific journal of the Korean College of Neuropsychopharmacology. 2015;13(1):25-35.
www.epistemonikos.org/documents/7ce541cb19f69bb15b75b6601f23737898072152
463. Moreira ALR, Van Meter A, Genzlinger J, Youngstrom EA. Review and Meta-Analysis of Epidemiologic Studies of Adult Bipolar Disorder. The Journal of clinical psychiatry. 2017;78(9):e1259-e1269.
www.epistemonikos.org/documents/7d47f4273f454e7779092112a42f98468979c9b1
464. Bezerra-Filho, Severino, Galvão-de Almeida, Amanda, Studart, Paula, Rocha, Marlos V., Lopes, Frederico L., Miranda-Scippa, Ângela. Personality disorders in euthymic bipolar patients: A systematic review. Revista Brasileira de Psiquiatria. 2015;37(2).
www.epistemonikos.org/documents/7db8ece0d5bfd0dd20fe09f2ebf9ffde2bfea6c2
465. Fountoulakis K.N., Vieta E., Schmidt F.. Aripiprazole monotherapy in the treatment of bipolar disorder: A meta-analysis. Annals of General Psychiatry. 2010;[S224. www.epistemonikos.org/documents/7de273561908120af4b18e3aee8a795fd4d502f0](http://www.epistemonikos.org/documents/7de273561908120af4b18e3aee8a795fd4d502f0)
466. Amerio A., Stubbs B., Odone A., Tonna M., Marchesi C., Ghaemi S.N.. Bipolar I and II disorders; A systematic review and meta-analysis on differences in comorbid obsessive-compulsive disorder. Iranian Journal of Psychiatry and Behavioral Sciences. 2016;10(3):e3604.
www.epistemonikos.org/documents/7dfe7c13c9d642c5ff750b97016993d12ebcd9f5
467. Dell'Aglio Jr., José Caetano, Basso, Lissia Ana, Argimon, Irani Iracema de Lima, Arteche, Adriane. Systematic review of the prevalence of bipolar disorder and bipolar spectrum disorders in population-based studies. Trends psychiatry psychother. (Impr.). 2013;35(2):99-105.
www.epistemonikos.org/documents/7e3acc44773a7b66c19252aa50e28045fea3a82c
468. Gijsman HJ, Geddes JR, Rendell JM, Nolen WA, Goodwin GM. Antidepressants for bipolar depression: a systematic review of randomized, controlled trials. The American journal of psychiatry. 2004;161(9):1537-47.
www.epistemonikos.org/documents/7e44f395007537f161265f531d9981bd600596bd
469. Radua, Joaquim, Grunze, Heinz, Amann, Benedikt L.. Meta-analysis of the risk of subsequent mood episodes in bipolar disorder. Psychotherapy and Psychosomatics. 2017;86(2):90-98.
www.epistemonikos.org/documents/7e7642c1cede8b8ce1e756a1ebf1b20b3ffaff57
470. de Vries C, van Bergen A, Regeer EJ, Bentham E, Kupka RW, Boks MP. The effectiveness of restarted lithium treatment after discontinuation: reviewing the evidence for discontinuation-induced refractoriness. Bipolar disorders. 2013;15(6):645-9.
www.epistemonikos.org/documents/7e79294e45289514e39347442eb934d2b68a21b3

471. Dickinson T., Becerra R., Coombes J.. Executive functioning deficits among adults with Bipolar Disorder (types I and II): A systematic review and meta-analysis. *Journal of Affective Disorders.* 2017;218:407-427. www.epistemonikos.org/documents/7e9ee5a8358285e93913d5841161adc932c3e6a1
472. Muneer A. Staging Models in Bipolar Disorder: A Systematic Review of the Literature. *Clinical psychopharmacology and neuroscience : the official scientific journal of the Korean College of Neuropsychopharmacology.* 2016;14(2):117-30. www.epistemonikos.org/documents/7f86c2d2a135ff21d626279d41a89a9f50d5bc27
473. Muralidharan K, Ali M, Silveira LE, Bond DJ, Fountoulakis KN, Lam RW, Yatham LN. Efficacy of second generation antipsychotics in treating acute mixed episodes in bipolar disorder: a meta-analysis of placebo-controlled trials. *Journal of affective disorders.* 2013;150(2):408-14. www.epistemonikos.org/documents/7fa43d8e8e42b1e5d57c3d589b90ec792e67a128
474. Arnone D, Cavanagh J, Gerber D, Lawrie SM, Ebmeier KP, McIntosh AM. Magnetic resonance imaging studies in bipolar disorder and schizophrenia: meta-analysis. *The British journal of psychiatry : the journal of mental science.* 2009;195(3):194-201. www.epistemonikos.org/documents/7fe033e59c635b89fcfc68b0543d4ea0c08132492
475. Videbech P. MRI findings in patients with affective disorder: a meta-analysis. *Acta psychiatrica Scandinavica.* 1997;96(3):157-68. www.epistemonikos.org/documents/7fea9a7c24d20c609a0f9546230eca5e8b850d8c
476. Elias L.R., Miskowiak K.W., Vale A.M.O., Kohler C.A., Kjaerstad H.L., Stubbs B., Kessing L.V., Vieta E., Maes M., Goldstein B.I., Carvalho A.F.. Cognitive Impairment in Euthymic Pediatric Bipolar Disorder: A Systematic Review and Meta-Analysis. *Journal of the American Academy of Child and Adolescent Psychiatry.* 2017;56(4):286-296. www.epistemonikos.org/documents/7ff10ac03386799731814bbc0b7fed37c025ade
477. Pfennig A, Correll CU, Marx C, Rottmann-Wolf M, Meyer TD, Bauer M, Leopold K. Psychotherapeutic interventions in individuals at risk of developing bipolar disorder: a systematic review. *Early intervention in psychiatry.* 2014;8(1):3-11. www.epistemonikos.org/documents/802d58fb306ed388d14c20702cf1ea24b4a16c27
478. Samamé C, Martino DJ, Strejilevich SA. Social cognition in euthymic bipolar disorder: systematic review and meta-analytic approach. *Acta psychiatrica Scandinavica.* 2012;125(4):266-80. www.epistemonikos.org/documents/8058ae3213fd246e846fad14a3ddf556dbfca31b
479. Kudlow PA, Rosenblat JD, Weissman CR, Cha DS, Kakar R, McIntyre RS, Sharma V. Prevalence of fibromyalgia and co-morbid bipolar disorder: A systematic review and meta-analysis. *Journal of affective disorders.* 2015;188:134-42. www.epistemonikos.org/documents/808625449e69dc54c19e95d2937dd10306610ebd
480. Severus E., Taylor M., Sauer C., Pfennig A., Bauer M., Geddes J.. Efficacy of lithium in the long-term treatment of bipolar disorders: A new meta-analysis. *Bipolar Disorders.* 2014;96. www.epistemonikos.org/documents/80d3c295613d06436ff1db8cf112230e123eb24e
481. Hajek T, Kopecek M, Höschl C, Alda M. Smaller hippocampal volumes in patients with bipolar disorder are masked by exposure to lithium: a meta-analysis. *Journal of psychiatry & neuroscience : JPN.* 2012;37(5):333-43. www.epistemonikos.org/documents/8151af30ea1867d0c86f375f2f3ba6b711386c53
482. Lyssenko L, Schmahl C, Bockhacker L, Vonderlin R, Bohus M, Kleindienst N. Dissociation in Psychiatric Disorders: A Meta-Analysis of Studies Using the Dissociative Experiences Scale. *The American journal of psychiatry.*

- 2018;175(1):appiajp201717010025. www.epistemonikos.org/documents/816016ffe96a61404b85000d5d44
dabeffb813e8
483. Rosenblat JD, McIntyre RS. Efficacy and tolerability of minocycline for depression: A systematic review and meta-analysis of clinical trials. *Journal of affective disorders.* 2018;227:219-225.
www.epistemonikos.org/documents/8194f6d7bea4429f19cedf93e37e773d78c39d0b
484. Larsen ER, Saric K. Pregnancy and bipolar disorder: the risk of recurrence when discontinuing treatment with mood stabilisers: a systematic review. *Acta neuropsychiatrica.* 2017;29(5):1-8.
www.epistemonikos.org/documents/8278d74400285bce8195faf26cff527ca029bfc5
485. Dargel AA, Godin O, Kapczinski F, Kupfer DJ, Leboyer M. C-reactive protein alterations in bipolar disorder: a meta-analysis. *The Journal of clinical psychiatry.* 2015;76(2):142-50.
www.epistemonikos.org/documents/82a42cebcb3e6c65ae7037011ebf649f05b78054
486. Santelmann H, Franklin J, Bußhoff J, Baethge C. Test-retest reliability of schizoaffective disorder compared with schizophrenia, bipolar disorder, and unipolar depression-a systematic review and meta-analysis. *Bipolar disorders.* 2015;17(7):753-768.
www.epistemonikos.org/documents/82c06b4f6c37a736bb11280fa133d7cdb3786877
487. Selten, Jean-Paul, Termorshuizen, Fabian. The serological evidence for maternal influenza as risk factor for psychosis in offspring is insufficient: Critical review and meta-analysis. *Schizophrenia Research.* 2017;183:2-9. www.epistemonikos.org/documents/82f34f60983e1d07c38b503572c572a36593f651
488. Cakir S, Ozerdem A. [Psychotherapeutic and psychosocial approaches in bipolar disorder: a systematic literature review]. *Türk psikiyatri dergisi = Turkish journal of psychiatry.* 2010;21(2):143-54.
www.epistemonikos.org/documents/8323bdd349b1486de657c320d165a46e55600439
489. Frías Á, Palma C, Farriols N. Psychosocial interventions in the treatment of youth diagnosed or at high-risk for pediatric bipolar disorder: A review of the literature. *Revista de psiquiatria y salud mental.* 2015;8(Frias A., afrias@csdm.cat; Palma C.; Farriols N.) Facultat de Psicologia, Ciencies de l'Educacio i l'Esport (FPCEE) Blanquerna, Universidad de Ramon-Llull, Barcelona, Espana):146-56.
www.epistemonikos.org/documents/837e1b2e61aeccfe2918c7f293dec62b93224e34
490. Stubbs B, Vancampfort D, Solmi M, Veronese N, Fornaro M. How common is bipolar disorder in general primary care attendees? A systematic review and meta-analysis investigating prevalence determined according to structured clinical assessments. *The Australian and New Zealand journal of psychiatry.* 2016;50(7):631-639. www.epistemonikos.org/documents/83a3b4b41bcc8ba9e5fd0a9cf0bed4a22c0fe76b
491. Greene M., Clark O.A., Paladini L., Hartry A.. Epidemiology of bipolar disorder type I (BD-I) in the United States: A systematic review of the literature. *Value in Health.* 2017;:A294-A295.
www.epistemonikos.org/documents/8485d25d762935c3893770fb25cb8d91541a4d52
492. dos Santos R.G., Bouso J.C., Hallak J.E.C.. Ayahuasca, dimethyltryptamine, and psychosis: a systematic review of human studies. *Therapeutic Advances in Psychopharmacology.* 2017;7(4):141-157.
www.epistemonikos.org/documents/8494f3981acb2980d1c952d2903873a472883d95
493. Dean BB, Gerner D, Gerner RH. A systematic review evaluating health-related quality of life, work impairment, and healthcare costs and utilization in bipolar disorder. *Current medical research and opinion.* 2004;20(2):139-54. www.epistemonikos.org/documents/84a750f3a5778f32f552d8ea9651a980df52553d
494. Barbuti M, Carvalho AF, Köhler CA, Murru A, Verdolini N, Guiso G, Samalin L, Maes M, Stubbs B, Perugi G, Vieta E, Pacchiarotti I. Thyroid autoimmunity in bipolar disorder: A systematic review. *Journal of affective disorders.* 2017;221:97-106.
www.epistemonikos.org/documents/84b837b8c4361bd0bc18052175d9057cac05bb2e

495. Cruz N., Goikolea J.M., Sanchez-Moreno J., Vieta E.. Efficacy of modern antipsychotics in placebocontrolled trials in bipolar depression: A meta-analysis. European Neuropsychopharmacology. 2008;:S427. www.epistemonikos.org/documents/84cc3f538de1b9cdb7c675225f0ad05c00204569
496. Tamayo JM, Zarate CA, Vieta E, Vázquez G, Tohen M. Level of response and safety of pharmacological monotherapy in the treatment of acute bipolar I disorder phases: a systematic review and meta-analysis. The international journal of neuropsychopharmacology / official scientific journal of the Collegium Internationale Neuropsychopharmacologicum (CINP). 2010;13(6):813-32. www.epistemonikos.org/documents/85154ee675501180be77ad93c80c182289341b21
497. De Crescenzo F, Lennox A, Gibson JC, Cordey JH, Stockton S, Cowen PJ, Quested DJ. Melatonin as a treatment for mood disorders: a systematic review. Acta psychiatrica Scandinavica. 2017;136(6):549-558. www.epistemonikos.org/documents/852b028192d84905b26e1749216a82c1de54c81f
498. Mammen G, Rueda S, Roerecke M, Bonato S, Lev-Ran S, Rehm J. Association of Cannabis With Long-Term Clinical Symptoms in Anxiety and Mood Disorders: A Systematic Review of Prospective Studies. The Journal of clinical psychiatry. 2018;79(4). www.epistemonikos.org/documents/8544097c8c87de06b55c36229eb28dcee1f20a3b
499. Munkholm K, Vinberg M, Vedel Kessing L. Cytokines in bipolar disorder: a systematic review and meta-analysis. Journal of affective disorders. 2013;144(1-2):16-27. www.epistemonikos.org/documents/85743e935ff6aac980168ae38b2619f2ac8ef4a8
500. Dondé C, Neufeld NH, Geoffroy PA. The Impact of Transcranial Direct Current Stimulation (tDCS) on Bipolar Depression, Mania, and Euthymia: a Systematic Review of Preliminary Data. The Psychiatric quarterly. 2018;89(4):855-867. www.epistemonikos.org/documents/85b3853bef7e8d0aa933ed015b289fde54f7890e
501. Mistry, Sumit, Harrison, Judith R., Smith, Daniel J., Escott-Price, Valentina, Zammit, Stanley. The use of polygenic risk scores to identify phenotypes associated with genetic risk of bipolar disorder and depression: A systematic review. Journal of Affective Disorders. 2018;234:148-155. www.epistemonikos.org/documents/85ebe9c98e4c233ec66870d231cf1ea420b20893
502. Nivoli AM, Murru A, Vieta E. Lithium: still a cornerstone in the long-term treatment in bipolar disorder?. Neuropsychobiology. 2010;62(1):27-35. www.epistemonikos.org/documents/86062a463d25c1fb37593b062d8d28a7b023b5bd
503. Wright, Kim A., Everson-Hock, Emma S., Taylor, Adrian H.. The effects of physical activity on physical and mental health among individuals with bipolar disorder: A systematic review. Mental Health and Physical Activity. 2009;2(2):86-94. www.epistemonikos.org/documents/860ff0b252ef7039bb06dfe33542545cf4e8412c
504. Reid JG, Gitlin MJ, Altshuler LL. Lamotrigine in psychiatric disorders. The Journal of clinical psychiatry. 2013;74(7):675-84. www.epistemonikos.org/documents/866f86780f283b63243cda92674faefe59d41157
505. Kaltenthaler E, Pandor A, Wong R. The effectiveness of sexual health interventions for people with severe mental illness: a systematic review. Health technology assessment (Winchester, England). 2014;18(1):1-74. www.epistemonikos.org/documents/8711e1605258b44336c93e1697a4fe98d7c4823b
506. Yildiz A, Nikodem M, Vieta E, Correll CU, Baldessarini RJ. A network meta-analysis on comparative efficacy and all-cause discontinuation of antimanic treatments in acute bipolar mania. Psychological medicine. 2015;45(2):1-19. www.epistemonikos.org/documents/87466f3ea8aef08dcd2ebe47241143cf43fca555

507. Vázquez, Gustavo H, Lolich, María, Cabrera, Casimiro, Jokic, Ruzica, Kolar, Dusan, Tondo, Leonardo, Baldessarini, Ross J. Mixed symptoms in major depressive and bipolar disorders: A systematic review. *J Affect Disord.* 2018;225:756-760.
www.epistemonikos.org/documents/881b10c5c4ed21bd5fa5627eb92ee6e5ec85aab3
508. Nilsson KK, Jørgensen CR, Craig TK, Straarup KN, Licht RW. Self-esteem in remitted bipolar disorder patients: a meta-analysis. *Bipolar disorders.* 2010;12(6):585-92.www.epistemonikos.org/documents/885d8a0124bf13eb2c5307a00fdfc2e9f9288565
509. Shisslak CM, Perse T, Crago M. Coexistence of bulimia nervosa and mania: a literature review and case report. *Comprehensive psychiatry.* 1991;32(2):181-4.www.epistemonikos.org/documents/886ac87b33e309b9bb38284ac0824a1d0b502beb
510. Hayes JF, Miles J, Walters K, King M, Osborn DP. A systematic review and meta-analysis of premature mortality in bipolar affective disorder. *Acta psychiatrica Scandinavica.* 2015;131(6):417-25.
www.epistemonikos.org/documents/888355bb95400ebab9457fb626a1a329aa8bbefc
511. Bartoli F, Crocamo C, Clerici M, Carrà G. Allopurinol as add-on treatment for mania symptoms in bipolar disorder: systematic review and meta-analysis of randomised controlled trials. *The British journal of psychiatry : the journal of mental science.* 2017;210(1):10-15.www.epistemonikos.org/documents/88d782df23c724f26efd9c894773183816f14beb
512. Baethge C.. A bold meta-analysis on suicidality in bipolar disorder. *Bipolar Disorders.* 2015;17(1):17-18.www.epistemonikos.org/documents/89ba0d9419d2ac794859a1391f0e1e25e576fdb
513. Rusner M, Berg M, Begley C. Bipolar disorder in pregnancy and childbirth: a systematic review of outcomes. *BMC pregnancy and childbirth.* 2016;16(1):331.www.epistemonikos.org/documents/8a5c98c0a2d3faeaee5abe86584104c4f04f4bdb
514. Davenport K, Hardy G, Tai S, Mansell W. Individual experiences of psychological-based interventions for bipolar disorder: A systematic review and thematic synthesis. *Psychology and psychotherapy.* 2018;
www.epistemonikos.org/documents/8be6d8798f432accf5f531ebbe068e1ec122c6e7
515. Diehl A, Cordeiro DC, Laranjeira R. [Cannabis abuse in patients with psychiatric disorders: an update to old evidence]. *Revista brasileira de psiquiatria (São Paulo, Brazil : 1999).* 2010;32 Suppl 1(Suppl 1):S41-5.
www.epistemonikos.org/documents/8c20238ee3cc0997c70f5bc31a234ee781b03a72
516. Goldsmith D.R., Rapaport M.H., Miller B.J.. A meta-analysis of blood cytokine network alterations in psychiatric patients: Comparisons between schizophrenia, bipolar disorder and depression. *Molecular Psychiatry.* 2016;21(12):1696-1709.
www.epistemonikos.org/documents/8c9baf26cc76e5541b84c5b964f99c1e48c2105
517. Edgcomb JB, Zima B. Medication Adherence Among Children and Adolescents with Severe Mental Illness: A Systematic Review and Meta-Analysis. *Journal of child and adolescent psychopharmacology.* 2018;28(8):508-520.www.epistemonikos.org/documents/8cf94e1705e7f2d50ce87e145549e931d5b5886d
518. Fountoulakis KN, Kontis D, Gonda X, Yatham LN. A systematic review of the evidence on the treatment of rapid cycling bipolar disorder. *Bipolar disorders.* 2013;15(2):115-37.www.epistemonikos.org/documents/8d55af8c303979018a521d847f116b3de53e0134
519. Cipriani A, Rendell J, Geddes JR. Olanzapine in the long-term treatment of bipolar disorder: a systematic review and meta-analysis. *Journal of psychopharmacology (Oxford, England).* 2010;24(12):1729-38.www.epistemonikos.org/documents/8d7971789b1389b8dfa559d42370f9c93ff1cdc7
520. Stubbs B, Eggermont L, Mitchell AJ, De Hert M, Correll CU, Soundy A, Rosenbaum S, Vancampfort D. The prevalence of pain in bipolar disorder: a systematic review and large-scale meta-analysis. *Acta*

- psychiatrica Scandinavica. 2015;131(2):75-88.
www.epistemonikos.org/documents/8d7ff6fff9145ad081eaf2e1a0d239c414656324
521. Toh WL, Thomas N, Rossell SL. Auditory verbal hallucinations in bipolar disorder (BD) and major depressive disorder (MDD): A systematic review. Journal of affective disorders. 2015;184:18-28.
www.epistemonikos.org/documents/8df693a91d47ef72312f19d7411607e31dd0db7f
522. Patel K, Allen S, Haque MN, Angelescu I, Baumeister D, Tracy DK. Bupropion: a systematic review and meta-analysis of effectiveness as an antidepressant. Therapeutic advances in psychopharmacology. 2016;6(2):99-144. www.epistemonikos.org/documents/8dfe61e9fb9be944a892adb30f65432c7b1dcba1
523. Kishimoto, T., Chawla, J. M., Hagi, K., Zarate, C. A. Jr., Kane, J. M., Bauer, M., Correll, C. U.. Single-dose infusion ketamine and non-ketamine N-methyl-D-aspartate receptor antagonists for unipolar and bipolar depression: A meta-analysis of efficacy, safety and time trajectories. Psychological Medicine. 2016;46(7):1459-1472. www.epistemonikos.org/documents/8e0a2efe0ef5742a094004a5e68f204f6b766f8f
524. Dardennes R, Even C, Bange F, Heim A. Comparison of carbamazepine and lithium in the prophylaxis of bipolar disorders. A meta-analysis. The British journal of psychiatry : the journal of mental science. 1995;166(3):378-81. www.epistemonikos.org/documents/8e4d27e8a7ac3e80e00b238f00224113e69bbf12
525. Pillay J, Boylan K, Carrey N, Newton A, Vandermeer B, Nuspl M, MacGregor T, Jafri SHA, Featherstone R, Hartling L. First- and Second-Generation Antipsychotics in Children and Young Adults: Systematic Review Update. AHRQ Comparative Effectiveness Reviews. 2017; www.epistemonikos.org/documents/8e9251c9f5ab0e6477b91b9374a9fa8015c15444
526. Ashdown-Franks, Garcia, Williams, Julie, Vancampfort, Davy, Firth, Joseph, Schuch, Felipe, Hubbard, Kathryn, Craig, Tom, Gaughran, Fiona, Stubbs, Brendon. Is it possible for people with severe mental illness to sit less and move more? A systematic review of interventions to increase physical activity or reduce sedentary behaviour. Schizophrenia Research. 2018;202:3-16.
www.epistemonikos.org/documents/8f43ae07a497f5c2410e352394b02cdc7c3af77e
527. Youngstrom E, Genzlinger J., McKinney E, Egerton G., Van Meter A.. Meta-analysis of the discriminative validity of caregiver, teacher, and youth checklists for assessing pediatric bipolar disorder. Neuropsychopharmacology. 2013;:S237.
www.epistemonikos.org/documents/900b24e3092973b701d24e1c080fc619515bbd2c
528. Kamoshida K., Taylor M.J.. Defining an ultra high risk state for bipolar disorder: Systematic review. Early Intervention in Psychiatry. 2014;8((Kamoshida K.; Taylor M.J.) King's College London, United Kingdom):99. www.epistemonikos.org/documents/902360d3d29c17b0df066eec8f42659bc26c32d3
529. Gigante A.D., Bond D.J., Lafer B., Lam R.W., Young L.T., Yatham L.N.. Brain glutamate levels measured by MRS in patients with bipolar disorder: A meta-analysis. Bipolar Disorders. 2012;:76.
www.epistemonikos.org/documents/907cb33cb263060c79d89974ec84c0bbbaacc5cf
530. Boland EM, Rao H, Dinges DF, Smith RV, Goel N, Detre JA, Basner M, Sheline YI, Thase ME, Gehrman PR. Meta-Analysis of the Antidepressant Effects of Acute Sleep Deprivation. The Journal of clinical psychiatry. 2017;78(8):e1020-e1034.
www.epistemonikos.org/documents/90b9056af985073ccfb6f6c43ca5fd617ebd654d
531. Buoli M, Serati M, Altamura AC. Biological aspects and candidate biomarkers for rapid-cycling in bipolar disorder: A systematic review. Psychiatry research. 2017;258:565-575.
www.epistemonikos.org/documents/90bde47cc46cc57073f2f4fd1b5b78a8471cb5c5
532. Bourne C, Aydemir Ö, Balanzá-Martínez V, Bora E, Brissos S, Cavanagh JT, Clark L, Cubukcuoglu Z, Dias VV, Dittmann S, Ferrier IN, Fleck DE, Frangou S, Gallagher P, Jones L, Kieseppä T, Martínez-Aran A,

- Melle I, Moore PB, Mur M, Pfennig A, Raust A, Senturk V, Simonsen C, Smith DJ, Bio DS, Soeiro-de-Souza MG, Stoddart SD, Sundet K, Szöke A, Thompson JM, Torrent C, Zalla T, Craddock N, Andreassen OA, Leboyer M, Vieta E, Bauer M, Worhunsky PD, Tzagarakis C, Rogers RD, Geddes JR, Goodwin GM. Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. *Acta psychiatrica Scandinavica*. 2013;128(3):149-62.
www.epistemonikos.org/documents/90d365b5f50b24a719c82d44556569aae7c93eea
533. Vázquez GH, Lolich M, Cabrera C, Jokic R, Kolar D, Tondo L, Baldessarini RJ. Mixed symptoms in major depressive and bipolar disorders: A systematic review. *Journal of affective disorders*. 2018;225:756-760. www.epistemonikos.org/documents/9141e4363c3b63d5339545683d2c06f8cf5fee33
534. Gliddon E, Barnes SJ, Murray G, Michalak EE. Online and Mobile Technologies for Self-Management in Bipolar Disorder: A Systematic Review. *Psychiatric rehabilitation journal*. 2017;40(3):309-319.
www.epistemonikos.org/documents/91450b84c9f13fdc21b1be211f2a3928674345dc
535. Rocca CC, Lafer B. [Neuropsychological disturbances in bipolar disorder]. *Revista brasileira de psiquiatria* (São Paulo, Brazil : 1999). 2006;28(3):226-37.www.epistemonikos.org/documents/91ca232309b722179b4d7774386384dfdfc79d2b
536. Marrie RA, Reingold S, Cohen J, Stuve O, Trojano M, Sorensen PS, Cutter G, Reider N. The incidence and prevalence of psychiatric disorders in multiple sclerosis: A systematic review. *Multiple sclerosis* (Hounds Mills, Basingstoke, England). 2015;21(3):305-317.www.epistemonikos.org/documents/91dd3c73f2d5040ef4d40c3e6cef2182ef169c9b
537. Wang HR, Woo YS, Ahn HS, Ahn IM, Kim HJ, Bahk WM. THE VALIDITY OF THE MOOD DISORDER QUESTIONNAIRE FOR SCREENING BIPOLAR DISORDER: A META-ANALYSIS. *Depression and anxiety*. 2015;32(7):527-38. www.epistemonikos.org/documents/9252f370e6912edfa545cd690fff5f88cbe009bf
538. Timmerby N, Andersen JH, Søndergaard S, Østergaard SD, Bech P. A Systematic Review of the Clinimetric Properties of the 6-Item Version of the Hamilton Depression Rating Scale (HAM-D6). *Psychotherapy and psychosomatics*. 2017;86(3):141-149.
www.epistemonikos.org/documents/9256a0768994b482dabf2aee64f07ad8470495f4
539. Polyakova M., Stuke K., Schuemberg K., Mueller K., Schoenknecht P., Schroeter M.L.. BDNF as a biomarker for successful treatment of mood disorders: A systematic & quantitative meta-analysis. *Journal of Affective Disorders*. 2015;174((Polyakova M., polyakova@cbs.mpg.de; Stuke K.; Schuemberg K.; Mueller K.; Schroeter M.L.) Department of Neurology, Max Planck Institute for Human Cognitive and Brain Sciences, Leipzig, Germany):432-440.www.epistemonikos.org/documents/926679afd330997a22c40d8a63eee3fc8f14c8e1
540. Correll C.U., Solmi M., Veronese N., Bortolato B., Rosson S., Santonastaso P., Thapa-Chhetri N., Fornaro M., Gallicchio D., Collantoni E., Pigato G., Favaro A., Monaco F., Kohler C., Vancampfort D., Ward P.B., Gaughran F., Carvalho A.F., Stubbs B.. Prevalence, incidence and mortality from cardiovascular disease in patients with pooled and specific severe mental illness: a large-scale meta-analysis of 3,211,768 patients and 113,383,368 controls. *World Psychiatry*. 2017;16(2):163-180.www.epistemonikos.org/documents/92bd26e99b25323e7ee712682dbe7e4fddefcfa2
541. Cardoso T, Bauer IE, Meyer TD, Kapczinski F, Soares JC. Neuroprogression and Cognitive Functioning in Bipolar Disorder: A Systematic Review. *Current psychiatry reports*. 2015;17(9):605.
www.epistemonikos.org/documents/92f54081979e0ebfccf6aa73b7399d0b5290b386

542. Elnazer HY, Sampson A, Baldwin D. Lithium and sexual dysfunction: an under-researched area. *Human psychopharmacology*. 2015;30(2):66-69.www.epistemonikos.org/documents/93072a9e145bd5786414cc818cecb24d91454ae
543. Chen CH, Suckling J, Lennox BR, Ooi C, Bullmore ET. A quantitative meta-analysis of fMRI studies in bipolar disorder. *Bipolar disorders*. 2011;13(1):1-15.www.epistemonikos.org/documents/9379801a24670dfa76a5da25567ea83669d7a13f
544. Fernandes BS, Steiner J, Molendijk ML, Dodd S, Nardin P, Gonçalves CA, Jacka F, Köhler CA, Karmakar C, Carvalho AF, Berk M. C-reactive protein concentrations across the mood spectrum in bipolar disorder: a systematic review and meta-analysis. *The lancet. Psychiatry*. 2016;3(12):1147-1156.www.epistemonikos.org/documents/93b5c703ea907fec56fbcccd964feb8ba245eb1f5
545. Baldessarini RJ, Tondo L. Suicidal risks during treatment of bipolar disorder patients with lithium versus anticonvulsants. *Pharmacopsychiatry*. 2009;42(2):72-5.www.epistemonikos.org/documents/93dc6b1ffbe4e96529bb0995b9c83ae5d102fc2
546. Turnbull T, Cullen-Drill M, Smaldone A. Efficacy of omega-3 fatty acid supplementation on improvement of bipolar symptoms: a systematic review. *Archives of psychiatric nursing*. 2008;22(5):305-11.www.epistemonikos.org/documents/94a1daee7dc04d7395b57abd74ad447b9fd7e2ee
547. Wang HR, Woo YS, Bahk WM. The role of melatonin and melatonin agonists in counteracting antipsychotic-induced metabolic side effects: a systematic review. *International clinical psychopharmacology*. 2016;31(6):301-6.www.epistemonikos.org/documents/94b47fd3b04a0a93c5ca6f0b01b2923cba22f99c
548. Beyer JL, Young R, Kuchibhatla M, Krishnan KR. Hyperintense MRI lesions in bipolar disorder: A meta-analysis and review. *International review of psychiatry (Abingdon, England)*. 2009;21(4):394-409.www.epistemonikos.org/documents/94d2a1f199a0996724e46582ee783688a5c921b7
549. Bellantuono C., Nicoli M., Imperadore G., Vampini C.. Quetiapine in Bipolar Disorder: A systematic review of the international studies. *Rivista di Psichiatria*. 2006;41(1):1-9.www.epistemonikos.org/documents/954c49b2d7cfe3157123600923328fc19006421b
550. McCloud TL, Caddy C, Jochim J, Rendell JM, Diamond PR, Shuttleworth C, Brett D, Amit BH, McShane R, Hamadi L, Hawton K, Cipriani A. Ketamine and other glutamate receptor modulators for depression in bipolar disorder in adults. *Cochrane Database of Systematic Reviews*. 2015;9(9):CD011611.www.epistemonikos.org/documents/9595544efd03b827f22bd50d532d5d7498c01389
551. Arnone D., Cavanagh J., Gerber D., Lawrie S.M., Ebmeier K.P., McIntosh A.M.. Meta-analysis of magnetic resonance imaging studies in bipolar disorder and schizophrenia. *European Psychiatry*. 2009;:S364.www.epistemonikos.org/documents/96018b7f14f7a764d95836685a2ceaef29fb6cbd
552. Spanemberg L., Massuda R., Lovato L., Paim L., Vares E., Gama C.S., Kauer-SantAnna M., Sulzbach M., Rocha N.S., Cereser K.M.M.. Pharmacological treatment of bipolar depression: Qualitative review of double-blind randomized clinical trials. *Bipolar Disorders*. 2012;:128.www.epistemonikos.org/documents/965b18dbba7844a9412af8d79a10f3f44fee5193
553. Silva, Rafael de Assis da, Mograbi, Daniel C., Landeira-Fernandez, J., Chéniaux, Elie. Insight in bipolar disorder: a systematic review. *J. bras. psiquiatr.* 2014;63(3):242-254.www.epistemonikos.org/documents/965f04ad822778cc9b0aad299d400bdb7e8db94b
554. Van Lieshout R.J., Macqueen G.M.. Treating acute bipolar depression with mood stabilizers: A systematic review and meta-analysis: Update. *Comprehensive Psychiatry*. 2010;:e11.www.epistemonikos.org/documents/9684e7785a7f69364f15eb34cca20dde75ea75f7

555. Nierenberg AA, Ostergaard SD, Iovieno N, Walker RS, Fava M, Papakostas GI. Predictors of placebo response in bipolar depression. *International clinical psychopharmacology*. 2015;30(2):59-66. www.epistemonikos.org/documents/96a874edb6a4d8b4e16c46299af91ad353046a8
556. Bortolato B, Miskowiak KW, Köhler CA, Vieta E, Carvalho AF. Cognitive dysfunction in bipolar disorder and schizophrenia: a systematic review of meta-analyses. *Neuropsychiatric disease and treatment*. 2015;11:3111-25. www.epistemonikos.org/documents/972c73c230b0db6bb250f2507cab0f147271f76f
557. Kishi T, Matsunaga S, Iwata N. A Meta-Analysis of Memantine for Depression. *Journal of Alzheimer's disease : JAD*. 2017;57(1):113-121. www.epistemonikos.org/documents/97484a8043c84f60c5fd5ef0156353ceb45f752a
558. Messer T, Lammers G, Müller-Siecheneder F, Schmidt RF, Latifi S. Substance abuse in patients with bipolar disorder: A systematic review and meta-analysis. *Psychiatry research*. 2017;253:338-350. www.epistemonikos.org/documents/9798b640eb7bcade0ad212f781fab38e986bed77
559. Fajutrao L, Locklear J, Priault J, Heyes A. A systematic review of the evidence of the burden of bipolar disorder in Europe. *Clinical practice and epidemiology in mental health : CP & EMH*. 2009;5(no pagination):3. www.epistemonikos.org/documents/97a7088efb64ce256be1c9b484ccccab6e2bd613
560. Alberich S, Martínez-Cengotitabengoa M, López P, Zorrilla I, Núñez N, Vieta E, González-Pinto A. Efficacy and safety of ketamine in bipolar depression: A systematic review. *Revista de psiquiatria y salud mental*. 2017;10(2):104-112. www.epistemonikos.org/documents/97af185851a4e557bbe627abf6d6435cd6ae6977
561. Busby KK, Sajatovic M. REVIEW: Patient, treatment, and systems-level factors in bipolar disorder nonadherence: A summary of the literature. *CNS neuroscience & therapeutics*. 2010;16(5):308-15. www.epistemonikos.org/documents/97fde09caadab0953a38bdf086133602ecad7d96
562. Bond DJ, Noronha MM, Kauer-Sant'Anna M, Lam RW, Yatham LN. Antidepressant-associated mood elevations in bipolar II disorder compared with bipolar I disorder and major depressive disorder: a systematic review and meta-analysis. *The Journal of clinical psychiatry*. 2008;69(10):1589-601. www.epistemonikos.org/documents/9827dba2f5f8e622add95571e742d41002e6016b
563. Cusi AM, Nazarov A, Holshausen K, Macqueen GM, McKinnon MC. Systematic review of the neural basis of social cognition in patients with mood disorders. *Journal of psychiatry & neuroscience : JPN*. 2012;37(3):154-69. www.epistemonikos.org/documents/98dae425ded29be44150d1ecc9565365c04e1a1a
564. Nieto RG, Castellanos FX. A meta-analysis of neuropsychological functioning in patients with early onset schizophrenia and pediatric bipolar disorder. *Journal of clinical child and adolescent psychology : the official journal for the Society of Clinical Child and Adolescent Psychology, American Psychological Association, Division 53*. 2011;40(2):266-80. www.epistemonikos.org/documents/98ec053f591c1baeb68c37d18d155aa0b6fc43bd
565. Wang J., Xie H.T., Lu Q.F., Yuan P.. A comprehensive systematic review of risk factors for osteoporosis in adults with serious mental illnesses. *Annals of the Academy of Medicine Singapore*. 2014;43(9):S235. www.epistemonikos.org/documents/9913207739c0ed6a23bea306c3810fc6dc01adec
566. Baker, J. P.. Outcomes of lithium discontinuation: A meta-analysis. *Lithium*. 1994;5(4). www.epistemonikos.org/documents/992408f26d2727d8394228754b8a8b01725d6f42
567. Crowe M, Porter R, Inder M, Lacey C, Carlyle D, Wilson L. Effectiveness of interventions to improve medication adherence in bipolar disorder. *The Australian and New Zealand journal of psychiatry*. 2012;46(4):317-26. www.epistemonikos.org/documents/9957039eb17726b52461629475c55fa8a80bbdbd

568. Maniglio R. Prevalence of child sexual abuse among adults and youths with bipolar disorder: a systematic review. *Clinical psychology review*. 2013;33(4):561-73.www.epistemonikos.org/documents/99746abcee3cddeeff513df5021030b9908cd978
569. Baruch E, Pistrang N, Barker C. Psychological interventions for caregivers of people with bipolar disorder: A systematic review and meta-analysis. *Journal of affective disorders*. 2018;236:187-198.www.epistemonikos.org/documents/997c20260239977b54183b26e48ff7a81d12f492
570. van den Ameele S, van Diermen L, Staels W, Coppens V, Dumont G, Sabbe B, Morrens M. The effect of mood-stabilizing drugs on cytokine levels in bipolar disorder: A systematic review. *Journal of affective disorders*. 2016;203:364-373.www.epistemonikos.org/documents/999382b4cd5b1110c56d7f4115fd9e7e356d2630
571. Carrà G, Bartoli F, Crocamo C, Brady KT, Clerici M. Attempted suicide in people with co-occurring bipolar and substance use disorders: Systematic review and meta-analysis. *Journal of affective disorders*. 2014;167((Carra G.) Division of Psychiatry, University College London, London, United Kingdom):125-35.www.epistemonikos.org/documents/99f0f4e3e817c65396e763f8bb1735bb9a5c1cc5
572. van der Voort TY, Goossens PJ, van der Bijl JJ. Burden, coping and needs for support of caregivers for patients with a bipolar disorder: a systematic review. *Journal of psychiatric and mental health nursing*. 2007;14(7):679-87.www.epistemonikos.org/documents/9a5d36f72a47d37e7940ba27c5e39f9b4279ac38
573. Edge MD, Johnson SL, Ng T, Carver CS. Iowa Gambling Task performance in euthymic bipolar I disorder: a meta-analysis and empirical study. *Journal of affective disorders*. 2013;150(1):115-22.www.epistemonikos.org/documents/9ac920475232244f2edb69b74cab6711691d0800
574. Faedda GL, Serra G, Marangoni C, Salvatore P, Sani G, Vázquez GH, Tondo L, Girardi P, Baldessarini RJ, Koukopoulos A. Clinical risk factors for bipolar disorders: A systematic review of prospective studies. *Journal of affective disorders*. 2014;168C((Faedda G.L., moodcenter@gmail.com) Lucio Bini Mood Disorders Center, New York, NY 10022, United States):314-321.www.epistemonikos.org/documents/9af78d582980aff0cfa22f5d6c7a7c8a1cedbad9
575. Gupta M.A., Simpson F.C.. Obstructive sleep apnea and psychiatric disorders: A systematic review. *Journal of Clinical Sleep Medicine*. 2015;11(2):165-175.www.epistemonikos.org/documents/9b2fb2601215321686eb9a0c5835a65fdbbe2609a
576. Cruz N, Sanchez-Moreno J, Torres F, Goikolea JM, Valentí M, Vieta E. Efficacy of modern antipsychotics in placebo-controlled trials in bipolar depression: a meta-analysis. *The international journal of neuropsychopharmacology / official scientific journal of the Collegium Internationale Neuropsychopharmacologicum (CINP)*. 2010;13(1):5-14.www.epistemonikos.org/documents/9b3487dde8ac3ca3fc70830a47b04fa37fbe24b6
577. Meyer TD, Schrader J, Ridley M, Lex C. The Hypomania Checklist (HCL)-Systematic review of its properties to screen for bipolar disorders. *Comprehensive psychiatry*. 2014;55(5):1310-21.www.epistemonikos.org/documents/9b9e0aac3729bb54a44d4e0ad1bc1f5b47bda856
578. Newman AL, Meyer TD. Impulsivity: present during euthymia in bipolar disorder? - a systematic review. *International journal of bipolar disorders*. 2014;2(1):2.www.epistemonikos.org/documents/9bae922cf7ad222880209f57f2d3e20f92e8dd63
579. Campo Arias, Adalberto. Smoking and mental disorders in the general population: a systematic review. *Rev. Univ. Ind. Santander, Salud*. 2003;35(2):90-96.www.epistemonikos.org/documents/9c3fb958a27f7a517669296099a554a88720815f

580. Freedman R, Hunter SK, Hoffman MC. Prenatal Primary Prevention of Mental Illness by Micronutrient Supplements in Pregnancy. *The American journal of psychiatry*. 2018;175(7):appiajp201817070836. www.epistemonikos.org/documents/9ccabfbc6d084528f3d4b445b423e0da3e853a14
581. Kim EY, Miklowitz DJ. Childhood mania, attention deficit hyperactivity disorder and conduct disorder: a critical review of diagnostic dilemmas. *Bipolar disorders*. 2002;4(4):215-25. www.epistemonikos.org/documents/9cf9fb79f8214de7b0d69bce9b48920364aec34d
582. Casas M, Franco MD, Goikolea JM, Jiménez-Arriero MA, Martínez-Raga J, Roncero C, Szerman N, Spanish Working Group on Bipolar Disorders in Dual Diagnosis. Bipolar disorder associated to substance use disorders (dual diagnosis). Systematic review of the scientific evidence and expert consensus. *Actas españolas de psiquiatría*. 2008;36(6):350-61. www.epistemonikos.org/documents/9fcf7f893435e82f21827de0dabe793b4316b569
583. Vancampfort D, Firth J, Schuch FB, Rosenbaum S, Mugisha J, Hallgren M, Probst M, Ward PB, Gaughran F, De Hert M, Carvalho AF, Stubbs B. Sedentary behavior and physical activity levels in people with schizophrenia, bipolar disorder and major depressive disorder: a global systematic review and meta-analysis. *World psychiatry : official journal of the World Psychiatric Association (WPA)*. 2017;16(3):308-315. www.epistemonikos.org/documents/9d27ad99b5c55353568c6f7d71b34f9911fe2162
584. Zhao, Zhuoxian, Okusaga, Olaoluwa O., Quevedo, Joao, Soares, Jair C., Teixeira, Antonio L.. The potential association between obesity and bipolar disorder: A meta-analysis. *Journal of Affective Disorders*. 2016;202:120-123. www.epistemonikos.org/documents/9e239e46e3ef1ceb1fd12bfab2d958435d0888d2
585. Honig A, Arts BM, Ponds RW, Riedel WJ. Lithium induced cognitive side-effects in bipolar disorder: a qualitative analysis and implications for daily practice. *International clinical psychopharmacology*. 1999;14(3):167-71. www.epistemonikos.org/documents/9e4037bb9be98055719045cdd4bd972290be1a1f
586. Bora E, Pantelis C. Meta-analysis of Cognitive Impairment in First-Episode Bipolar Disorder: Comparison With First-Episode Schizophrenia and Healthy Controls. *Schizophrenia bulletin*. 2015;41(5):1095-104. www.epistemonikos.org/documents/9e45b7fb1677f64ae8f3ec28c94ceef3e3547002
587. Parry P., Allison S., Bastiampillai T.. 'Paediatric bipolar disorder' rates are lower than claimed - a reexamination of the epidemiological surveys used by a meta-analysis. *Child and Adolescent Mental Health*. 2018;23(1):14-22. www.epistemonikos.org/documents/9e7ac4091e036d8d873a4c2dc9d6fd30617dd9bb
588. Segredou I, Xenitidis K, Panagiotopoulou M, Bochtsou V, Antoniadou O, Livaditis M. Group psychosocial interventions for adults with schizophrenia and bipolar illness: the evidence base in the light of publications between 1986 and 2006. *The International journal of social psychiatry*. 2012;58(3):229-38. www.epistemonikos.org/documents/9ec301c3da7ba5350acdf476cd63897b8c81ba47
589. Zhou F.-C., Wang Y.-Y., Zheng W., Ungvari G.S., Ng C.H., Yuan Z., Xiang Y.-T.. Prospective memory in bipolar disorder: A meta-analysis. *Psychiatry Research*. 2018;259:184-190. www.epistemonikos.org/documents/9eefc93f80f7dd547e38e560bd871cc27ffcaa34
590. Ferrari AJ, Baxter AJ, Whiteford HA. A systematic review of the global distribution and availability of prevalence data for bipolar disorder. *Journal of affective disorders*. 2011;134(1-3):1-13. www.epistemonikos.org/documents/9ef0bb57398b6a9a728eb5e11fedfe9c280cea78
591. Williamson V, Stevelink SAM, Greenberg K, Greenberg N. Prevalence of Mental Health Disorders in Elderly U.S. Military Veterans: A Meta-Analysis and Systematic Review. *The American journal of geriatric psychiatry : official journal of the American Association for Geriatric Psychiatry*. 2018;26(5):534-545. www.epistemonikos.org/documents/9f81b075394d32abdfc704ddf19bd23fe05dcd97

592. Reed V.A., Buitelaar J.K., Anand E., Day K.A., Treuer T., Upadhyaya H.P., Coghill D.R., Kryzhanovskaya L.A., Savill N.C.. The Safety of Atomoxetine for the Treatment of Children and Adolescents with Attention-Deficit/Hyperactivity Disorder: A Comprehensive Review of Over a Decade of Research. CNS Drugs. 2016;30(7):603-628.www.epistemonikos.org/documents/a052cc619a6edd82385d8c02a53a7b744b915ca9
593. Ghaemi SN, Goodwin FK. Use of atypical antipsychotic agents in bipolar and schizoaffective disorders: review of the empirical literature. Journal of clinical psychopharmacology. 1999;19(4):354-61.www.epistemonikos.org/documents/a096d79666130b939b7b0e719023caaee4370b6c8
594. Fornaro M, De Berardis D, Koshy AS, Perna G, Valchera A, Vancampfort D, Stubbs B. Prevalence and clinical features associated with bipolar disorder polypharmacy: a systematic review. Neuropsychiatric disease and treatment. 2016;12:719-35.www.epistemonikos.org/documents/a120b67085e5fc72c708bcd8efdd517bf42bc60a
595. Sun Y, Hu D, Liang J, Bao YP, Meng SQ, Lu L, Shi J. Association between variants of zinc finger genes and psychiatric disorders: Systematic review and meta-analysis. Schizophrenia research. 2015;162(1-3):124-137. www.epistemonikos.org/documents/a16dee393e0f0b68f554cfcd5e7a3824da57af00
596. Van Snellenberg JX, de Candia T. Meta-analytic evidence for familial coaggregation of schizophrenia and bipolar disorder. Archives of general psychiatry. 2009;66(7):748-55.www.epistemonikos.org/documents/a1c875becd65a163eb84c4966babfc76bcc1dbe3
597. Dualibe AL, Osório FL. Bipolar Disorder and Early Emotional Trauma: A Critical Literature Review on Indicators of Prevalence Rates and Clinical Outcomes. Harvard review of psychiatry. 2017;25(5):198-208.www.epistemonikos.org/documents/a1d18bcb240100cd6fab0876212f25c5f20b52d2
598. Kowatch RA, Youngstrom EA, Danielyan A, Findling RL. Review and meta-analysis of the phenomenology and clinical characteristics of mania in children and adolescents. Bipolar disorders. 2005;7(6):483-96. www.epistemonikos.org/documents/a28ebb93ab69a8ace7e2d7bb5bf318c77fe56224
599. Grist R, Porter J, Stallard P. Mental Health Mobile Apps for Preadolescents and Adolescents: A Systematic Review. Journal of medical Internet research. 2017;19(5):e176.www.epistemonikos.org/documents/a2e33c9930eb9d53d2db8661ab03b9ed40d8ab18
600. Severus E, Taylor MJ, Sauer C, Pfennig A, Ritter P, Bauer M, Geddes JR. Lithium for prevention of mood episodes in bipolar disorders: systematic review and meta-analysis. International journal of bipolar disorders. 2014;2(1):15.www.epistemonikos.org/documents/a40d0aa9e2ff09c58843be4b1e64521a59dade97
601. Pavlova, B., Perlis, R. H., Mantere, O., Sellgren, C. M., Isometsä, E., Mitchell, P. B., Alda, M., Uher, R.. Prevalence of current anxiety disorders in people with bipolar disorder during euthymia: A meta-analysis. Psychological Medicine. 2017;47(6):1107-1115.www.epistemonikos.org/documents/a431e39b9c446a84d1ae2a465c42e65068336308
602. Bartoli F, Dell'Osso B, Crocamo C, Fiorillo A, Ketter TA, Suppes T, Clerici M, Carrà G. Benefits and harms of low and high second-generation antipsychotics doses for bipolar depression: A meta-analysis. Journal of psychiatric research. 2017;88:38-46.www.epistemonikos.org/documents/a48dd2748fd6d14a133b86bc0142513010ef6829
603. Abdelkarim Garcia M., Galling B.. Safety and tolerability of antipsychotic-mood stabilizer co-treatment in acute bipolar disorder; a systematic review and exploratory meta-analysis. European Neuropsychopharmacology. 2015;:S407-S408.www.epistemonikos.org/documents/a4c0e421f34813415aed8de2ef8797b7c9912cf8

604. Bond DJ, Lam RW, Yatham LN. Divalproex sodium versus placebo in the treatment of acute bipolar depression: a systematic review and meta-analysis. *Journal of affective disorders.* 2010;124(3):228-34. www.epistemonikos.org/documents/a4eb86c94b351d5a645a747723a644aa50213aca
605. Charles EF, Lambert CG, Kerner B. Bipolar disorder and diabetes mellitus: evidence for disease-modifying effects and treatment implications. *International journal of bipolar disorders.* 2016;4(1):13. www.epistemonikos.org/documents/a5d906ffef1702cb0f1fb9be1dcacf006675483c
606. Kusel J., Brooks-Rooney C., Wilson T., Pitsi D., Mehta R., Lister S.. Treatments for manic and mixed episodes of bipolar I disorder in children and adolescents: A systematic review. *European Neuropsychopharmacology.* 2012;:S425. www.epistemonikos.org/documents/a67d89130683db7efb055fac5bd0c7d860554d4d
607. Perich T, Ussher J, Meade T. Menopause and illness course in bipolar disorder: A systematic review. *Bipolar disorders.* 2017;19(6):434-443.www.epistemonikos.org/documents/a6a21b1c7d78b41e6afde801c701a728b8372a0f
608. Roberts E, Evans AE, McNeill A, Robson D. Efficacy and acceptability of pharmacotherapy for smoking cessation in adults with serious mental illness: A systematic review and network meta-analysis. *Addiction* (Abingdon, England). 2016;111(4):599-612. www.epistemonikos.org/documents/a7287399d566d988221a20a8c03606f194d87783
609. Schaffer A, Isometsä ET, Tondo L, H Moreno D, Turecki G, Reis C, Cassidy F, Sinyor M, Azorin JM, Kessing LV, Ha K, Goldstein T, Weizman A, Beautrais A, Chou YH, Diazgranados N, Levitt AJ, Zarate CA, Rihmer Z, Yatham LN. International Society for Bipolar Disorders Task Force on Suicide: meta-analyses and meta-regression of correlates of suicide attempts and suicide deaths in bipolar disorder. *Bipolar disorders.* 2015;17(1):1-16.www.epistemonikos.org/documents/a7bf26766be492e66c09e8ec3955710132ade2c3
610. Fernandes BS, Dean OM, Dodd S, Malhi GS, Berk M. N-Acetylcysteine in depressive symptoms and functionality: a systematic review and meta-analysis. *The Journal of clinical psychiatry.* 2016;77(4):e457-66. www.epistemonikos.org/documents/a7d8606b6b2f131172d2b2df7843d731197bf0a1
611. Trotta A, Murray RM, MacCabe JH. Do premorbid and post-onset cognitive functioning differ between schizophrenia and bipolar disorder? A systematic review and meta-analysis. *Psychological medicine.* 2015;45(2):1-14. www.epistemonikos.org/documents/a8486c30ea8f9e17bfda1a66e125bf9440ea2097
612. Thys E, Sabbe B, De Hert M. Creativity and psychopathology: a systematic review. *Psychopathology.* 2014;47(3):141-7.www.epistemonikos.org/documents/a98eece788b8f7059a4c39c234c8732ca7b92c07
613. Stubbs B, Williams J, Gaughran F, Craig T. How sedentary are people with psychosis? A systematic review and meta-analysis. *Schizophrenia research.* 2016;171(1-3):103-9.www.epistemonikos.org/documents/a995e2beb8cef495130c2f3ea00f1888c73594e
614. Sun YR, Herrmann N, Scott CJM, Black SE, Khan MM, Lanctôt KL. Global grey matter volume in adult bipolar patients with and without lithium treatment: A meta-analysis. *Journal of affective disorders.* 2018;225:599-606. www.epistemonikos.org/documents/a9a54ef428a7d60bb2ad71070352e3e17c33014f
615. Pichler EM, Hattwich G, Grunze H, Muehlbacher M. Safety and tolerability of anticonvulsant medication in bipolar disorder. Expert opinion on drug safety. 2015;14(11):1703-24. www.epistemonikos.org/documents/a9d7d68540312eb8b2e5aa4f29d456d13b8caff3
616. Rosso G, Bertetto N, Coppola I, Maina G. [Mood stabilizers in the treatment of bipolar disorder mixed states]. *Rivista di psichiatria.* 2012;47(4):281-93.www.epistemonikos.org/documents/aa78e2515941bfbfd848b6029413f2096ff33130

617. Haeri S, Williams J, Kopeykina I, Johnson J, Newmark A, Cohen L, Galynker I. Disparities in diagnosis of bipolar disorder in individuals of african and European descent: a review. *Journal of psychiatric practice.* 2011;17(6):394-403. www.epistemonikos.org/documents/aa7cda4b73079b9910a744d995cc635d4a221d65
618. Nortje G, Stein DJ, Radua J, Mataix-Cols D, Horn N. Systematic review and voxel-based meta-analysis of diffusion tensor imaging studies in bipolar disorder. *Journal of affective disorders.* 2013;150(2):192-200. www.epistemonikos.org/documents/aac0b88abdcf484a51175b647dcb37a51fe6081f
619. Naslund JA, Marsch LA, McHugo GJ, Bartels SJ. Emerging mHealth and eHealth interventions for serious mental illness: a review of the literature. *Journal of mental health (Abingdon, England).* 2015;24(5):1-12. www.epistemonikos.org/documents/ab1694132e72c4b2a16b29336da695ae46b6e310
620. Kempton MJ, Geddes JR, Ettinger U, Williams SC, Grasby PM. Meta-analysis, database, and meta-regression of 98 structural imaging studies in bipolar disorder. *Archives of general psychiatry.* 2008;65(9):1017-32. www.epistemonikos.org/documents/ab18f57082e9e594f61abbe36c0373bbb0ca532f
621. Mitchell AJ, Vancampfort D, De Hert M, Stubbs B. Do people with mental illness receive adequate smoking cessation advice? A systematic review and meta-analysis. *General hospital psychiatry.* 2015;37(1):14-23. www.epistemonikos.org/documents/ab4a7761d03713db6698dae06ad72ea9fea34661
622. Fountoulakis KN, Vieta E. Efficacy and safety of aripiprazole in the treatment of bipolar disorder: a systematic review. *Annals of general psychiatry.* 2009;8(no pagination):16. www.epistemonikos.org/documents/aba536dbd8415df0a5dba2e1249477c761290c9f
623. Prieto M.L., Cuellar-Barboza A.B., Bobo W.V., Roger V.L., Bellivier F., Leboyer M., West C.P., Frye M.A.. Differential risk of myocardial infarction and stroke in bipolar disorder: A systematic review and meta-analysis. *Biological Psychiatry.* 2014;:211S-212S. www.epistemonikos.org/documents/ac6caeae3d849786ebef0b4e61aea70cc6d8bcbd
624. Galbally M, Roberts M, Buist A, Perinatal Psychotropic Review Group. Mood stabilizers in pregnancy: a systematic review. *The Australian and New Zealand journal of psychiatry.* 2010;44(11):967-77. www.epistemonikos.org/documents/ac81ee32e6c55866dc0e18c1b8b4850c524878e7
625. Cosci F, Fava GA, Sonino N. Mood and Anxiety Disorders as Early Manifestations of Medical Illness: A Systematic Review. *Psychotherapy and psychosomatics.* 2015;84(1):22-29. www.epistemonikos.org/documents/acb04f162d5e2f79fb32c68c4b3848d58d1ad154
626. Cheng-Shannon J, McGough JJ, Pataki C, McCracken JT. Second-generation antipsychotic medications in children and adolescents. *Journal of child and adolescent psychopharmacology.* 2004;14(3):372-94. www.epistemonikos.org/documents/acd06306602104f89b063ca92c9b3f8173926ca1
627. Bora E, Akgül Ö, Ceylan D, Özerdem A. Neurological soft signs in bipolar disorder in comparison to healthy controls and schizophrenia: A meta-analysis. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology.* 2018;28(11):1185-1193. www.epistemonikos.org/documents/ace0669d3333588d9cc43a41ddd81c1259e42402
628. De Hert M, Yu W, Detraux J, Sweers K, van Winkel R, Correll CU. Body weight and metabolic adverse effects of asenapine, iloperidone, lurasidone and paliperidone in the treatment of schizophrenia and bipolar disorder: a systematic review and exploratory meta-analysis. *CNS drugs.* 2012;26(9):733-59. www.epistemonikos.org/documents/ad798e2c9e69eb05f6ccaa78aff408d5c84cd7b4
629. Girshkin L, Matheson SL, Shepherd AM, Green MJ. Morning cortisol levels in schizophrenia and bipolar disorder: a meta-analysis. *Psychoneuroendocrinology.* 2014;49(C):187-206. www.epistemonikos.org/documents/ad7be4c473d2644a5791cdd2a8202b10ae791736

630. Mick E, Biederman J, Pandina G, Faraone SV. A preliminary meta-analysis of the child behavior checklist in pediatric bipolar disorder. *Biological psychiatry*. 2003;53(11):1021-7.
www.epistemonikos.org/documents/ad821e1393b913b9b864515b8117faab5c610ee1
631. McGirr A, Vöhringer PA, Ghaemi SN, Lam RW, Yatham LN. Safety and efficacy of adjunctive second-generation antidepressant therapy with a mood stabiliser or an atypical antipsychotic in acute bipolar depression: A systematic review and meta-analysis of randomised placebo-controlled trials. *The Lancet Psychiatry*. 2016;3(12):1138-1146.
www.epistemonikos.org/documents/add0abac47387015f166f064fcb192096299968b
632. Van Den Ameele S, van Diermen L, Staels W, Coppens V, Dumont G, Sabbe B, Morrens M. [The effect of mood-stabilising drugs on cytokine levels in bipolar disorder: a systematic review]. *Tijdschrift voor psychiatrie*. 2017;59(11):682-692.
www.epistemonikos.org/documents/ae3a67081ba3a3f49d4ffb74994cad29cb7672c0
633. Amerio A, Odone A, Liapis CC, Ghaemi SN. Diagnostic validity of comorbid bipolar disorder and obsessive-compulsive disorder: a systematic review. *Acta psychiatrica Scandinavica*. 2014;129(5):343-58.
www.epistemonikos.org/documents/aee5ae3df7e5a59460d3e4c4473e2ecf121626b7
634. Rakofsky JJ, Dunlop BW. Treating nonspecific anxiety and anxiety disorders in patients with bipolar disorder: a review. *The Journal of clinical psychiatry*. 2011;72(1):81-90.
www.epistemonikos.org/documents/aee7f8eae320c089d4bd3a1eb18915995a445354
635. Rosa AR, Fountoulakis K, Siamouli M, Gonda X, Vieta E. Is anticonvulsant treatment of mania a class effect? Data from randomized clinical trials. *CNS neuroscience & therapeutics*. 2011;17(3):167-77.
www.epistemonikos.org/documents/aeff9e71cd95488964f4c4cc6b4730229385dcc3
636. Crowe M, Beaglehole B, Inder M. Social rhythm interventions for bipolar disorder: a systematic review and rationale for practice. *Journal of psychiatric and mental health nursing*. 2016;23(1):3-11.
www.epistemonikos.org/documents/af0b2062a8ee83da6558fd46e32cf752b1a2566c
637. Hoyle S, Elliott L, Comer L. Available screening tools for adults suffering from bipolar affective disorder in primary care: An integrative literature review. *Journal of the American Association of Nurse Practitioners*. 2015;27(5):280-9.
www.epistemonikos.org/documents/af21d398cd644787277256e95e644b7901c275ec
638. Lee RS, Hermens DF, Scott J, Redoblado-Hodge MA, Naismith SL, Lagopoulos J, Griffiths KR, Porter MA, Hickie IB. A meta-analysis of neuropsychological functioning in first-episode bipolar disorders. *Journal of psychiatric research*. 2014;57(1):1-11.
www.epistemonikos.org/documents/af58d95fa4e274261d0426a72e340e0f6529384a
639. Maniglio R. The impact of child sexual abuse on the course of bipolar disorder: a systematic review. *Bipolar disorders*. 2013;15(4):341-58.
www.epistemonikos.org/documents/afb9f400282f24945cafe5193c17974ce7ac5f94
640. Ostacher M, Ng-Mak D, Patel P, Ntais D, Schlueter M, Loebel A. Lurasidone compared to other atypical antipsychotic monotherapies for bipolar depression: A systematic review and network meta-analysis. *The world journal of biological psychiatry : the official journal of the World Federation of Societies of Biological Psychiatry*. 2018;19(8):1-11.
www.epistemonikos.org/documents/aff13f1fddfe822a5e05d64a5ad87cc45bad55ec
641. Sysko R, Walsh BT. A systematic review of placebo response in studies of bipolar mania. *The Journal of clinical psychiatry*. 2007;68(8):1213-7.
www.epistemonikos.org/documents/b02a5756bca5a4c66b5bfe692a0c876ce414c561

642. Carvalho AF, Takwoingi Y, Sales PM, Soczynska JK, Köhler CA, Freitas TH, Quevedo J, Hyphantis TN, McIntyre RS, Vieta E. Screening for bipolar spectrum disorders: A comprehensive meta-analysis of accuracy studies. *Journal of affective disorders.* 2015;172C((Carvalho A.F., andrefc7@terra.com.br; Sales P.M.G.; Freitas T.H.) Translational Psychiatry Research Group, Faculty of Medicine, Federal University of Ceara, Fortaleza, CE, Brazil):337-346.
www.epistemonikos.org/documents/b04946c7682fd72c9a5404865df1bdce85f34fe1
643. Nashed MG, Restivo MR, Taylor VH. Olanzapine-induced weight gain in patients with bipolar I disorder: a meta-analysis. *The primary care companion to CNS disorders.* 2011;13(6).
www.epistemonikos.org/documents/b04ac48c7a0475014bd7a8ab50df25ae39de45e7
644. Li DJ, Tseng PT, Stubbs B, Chu CS, Chang HY, Vieta E, Fornaro M, Carvalho AF, Solmi M, Veronese N, Chen TY, Chen YW, Lin PY, Chow PC. Efficacy, safety and tolerability of aripiprazole in bipolar disorder: An updated systematic review and meta-analysis of randomized controlled trials. *Progress in neuro-psychopharmacology & biological psychiatry.* 2017;79(Pt B):289-301.
www.epistemonikos.org/documents/b094279958a5f6f4132e67bd1f6899d1e4802be5
645. Zheng W, Zhang QE, Cai DB, Yang XH, Qiu Y, Ungvari GS, Ng CH, Berk M, Ning YP, Xiang YT. N-acetylcysteine for major mental disorders: a systematic review and meta-analysis of randomized controlled trials. *Acta psychiatrica Scandinavica.* 2018;137(5):391-400.
www.epistemonikos.org/documents/b0a331337ba9b29c98c4b1ac7736177e44f47556
646. Bartoli F, Di Brita C, Crocamo C, Clerici M, Carrà G. Lipid profile and suicide attempt in bipolar disorder: A meta-analysis of published and unpublished data. *Progress in neuro-psychopharmacology & biological psychiatry.* 2017;79(Pt B):90-95.
www.epistemonikos.org/documents/b1446710c68a24a93a4ce0264c0d89eb1558d1fc
647. Young A.H., Azorin J.M., Perugi G., Vieta E., Bowden C., Cornelius V., Smith L.A.. Valproate for acute bipolar depression: Systematic review and meta-analysis. *European Neuropsychopharmacology.* 2009;:S463.
www.epistemonikos.org/documents/b1a08e4cc8caacaa7e32d3661f7d85de5a8c0928
648. Tundo A, Cavalieri P, Navari S, Marchetti F. Treating bipolar depression - antidepressants and alternatives: a critical review of the literature. *Acta neuropsychiatrica.* 2011;23(3):94-105.
www.epistemonikos.org/documents/b1ecfe8ef8a48339c850ffe4e2359dd00d53473d
649. Miskowiak KW, Kjærstad HL, Meluken I, Petersen JZ, Maciel BR, Köhler CA, Vinberg M, Kessing LV, Carvalho AF. The search for neuroimaging and cognitive endophenotypes: A critical systematic review of studies involving unaffected first-degree relatives of individuals with bipolar disorder. *Neuroscience and biobehavioral reviews.* 2017;73:1-22.
www.epistemonikos.org/documents/b2316aaaf4cdceb0e916bddf53de44c69b2079ff7
650. Sachs GS, Gardner-Schuster EE. Adjunctive treatment of acute mania: a clinical overview. *Acta psychiatrica Scandinavica. Supplementum.* 2007;116(434):27-34.
www.epistemonikos.org/documents/b2a1cd8eb8cea26f345090983a8eac5c6f74d9f9
651. Feuerriegel D, Churches O, Hofmann J, Keage HA. The N170 and face perception in psychiatric and neurological disorders: A systematic review. *Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology.* 2015;126(6):1141-58.
www.epistemonikos.org/documents/b2bde415756570ec734231892b1e0df09c49ef88
652. Budde M., Degner D., Brockmoller J., Schulze T.. The pharmacogenomics of bipolar disorder-acute and longitudinal treatment aspects: A systematic review. *International Journal of*

- Neuropsychopharmacology. 2012;:86.
www.epistemonikos.org/documents/b3e19d173ea8c8ceac7ae0550c72c56f8bf9fa45
653. Pacchiarotti I, León-Caballero J, Murru A, Verdolini N, Furio MA, Pancheri C, Valentí M, Samalin L, Roigé ES, González-Pinto A, Montes JM, Benabarre A, Crespo JM, de Dios Perrino C, Goikolea JM, Gutiérrez-Rojas L, Carvalho AF, Vieta E. Mood stabilizers and antipsychotics during breastfeeding: Focus on bipolar disorder. European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology. 2016;26(10):1562-78.
www.epistemonikos.org/documents/b3e922dd3cee0eff63c36e7c716f2eaa5cda8782
654. Macheiner T, Skavantzos A, Pilz R, Reininghaus EZ. A meta-analysis of adjuvant group-interventions in psychiatric care for patients with bipolar disorders. Journal of affective disorders. 2017;222:28-31.
www.epistemonikos.org/documents/b3e95b3e8fe5174c132d9c29511898466fab5fd5
655. Derry S, Moore RA. Atypical antipsychotics in bipolar disorder: systematic review of randomised trials. BMC psychiatry. 2007;7(no pagination):40.
www.epistemonikos.org/documents/b40dad78631ba00e0ffce1ddcd02521d5ab37ed7
656. Gigante AD, Bond DJ, Lafer B, Lam RW, Young LT, Yatham LN. Brain glutamate levels measured by magnetic resonance spectroscopy in patients with bipolar disorder: a meta-analysis. Bipolar disorders. 2012;14(5):478-87.
www.epistemonikos.org/documents/b4507c2eaa5be47d814666ec1d3bb9327e8a2924
657. Pagano HP, Zapata LB, Berry-Bibee EN, Nanda K, Curtis KM. Safety of hormonal contraception and intrauterine devices among women with depressive and bipolar disorders: a systematic review. Contraception. 2016;94(6):641-649.
www.epistemonikos.org/documents/b52120eca9d69d417cdff3db97e0ada2bbf7d2e3
658. Villani M, Kovess-Masfety V. How Do People Experiencing Schizophrenia Spectrum Disorders or Other Psychotic Disorders Use the Internet to Get Information on Their Mental Health? Literature Review and Recommendations. JMIR mental health. 2017;4(1):e1.
www.epistemonikos.org/documents/b538b75feef76694d247a7025e8fa9ebdd4fbf56
659. Van Meter, Anna R., Burke, Coty, Youngstrom, Eric A., Faedda, Gianni L., Correll, Christoph U.. The bipolar prodrome: Meta-analysis of symptom prevalence prior to initial or recurrent mood episodes. Journal of the American Academy of Child & Adolescent Psychiatry. 2016;55(7):543-555.
www.epistemonikos.org/documents/b56599b00e2dddfc410a064396e5491241622218
660. Clemente AS, Diniz BS, Nicolato R, Kapczinski FP, Soares JC, Fimo JO, Castro-Costa É. Bipolar disorder prevalence: a systematic review and meta-analysis of the literature. Revista brasileira de psiquiatria (Sao Paulo, Brazil : 1999). 2015;37(2):0.
www.epistemonikos.org/documents/b5ec4523eb40a0df114cb73c0bf9685e9239ac4c
661. Vancampfort D, Rosenbaum S, Schuch F, Ward PB, Richards J, Mugisha J, Probst M, Stubbs B. Cardiorespiratory Fitness in Severe Mental Illness: A Systematic Review and Meta-analysis. Sports medicine (Auckland, N.Z.). 2017;47(2):343-352.
www.epistemonikos.org/documents/b63f88d81e1c95d9706b3a758b18c620db4b536d
662. Wesseloo R, Kamperman AM, Munk-Olsen T, Pop VJ, Kushner SA, Bergink V. Risk of Postpartum Relapse in Bipolar Disorder and Postpartum Psychosis: A Systematic Review and Meta-Analysis. The American journal of psychiatry. 2016;173(2):appiajp201515010124.
www.epistemonikos.org/documents/b6a0512655accceed5518ee43084723042b947ee

663. Kisely SR, Campbell LA, O'Reilly R. Compulsory community and involuntary outpatient treatment for people with severe mental disorders. *The Cochrane database of systematic reviews*. 2017;3:CD004408. www.epistemonikos.org/documents/b71559267d4f167f93a1c976d2583b42df718e7d
664. Richardson, Thomas. Correlates of substance use disorder in bipolar disorder: A systematic review and meta-analysis. *Mental Health and Substance Use*. 2011;4(3):239-255. www.epistemonikos.org/documents/b75ab5eb3328117e54cc1d4d4078ec66531247ba
665. Sidor MM, Macqueen GM. Antidepressants for the acute treatment of bipolar depression: a systematic review and meta-analysis. *The Journal of clinical psychiatry*. 2011;72(2):156-67. www.epistemonikos.org/documents/b76f9ed39a06813cb92ea058260805a3adc58772
666. Hallford DJ, Austin DW, Takano K, Raes F. Psychopathology and episodic future thinking: A systematic review and meta-analysis of specificity and episodic detail. *Behaviour research and therapy*. 2018;102:42-51. www.epistemonikos.org/documents/b789f161f7c76188b89c31e664fd061d58105dc2
667. Tundo A, De Crescenzo F, Gori D, Cavalieri P. Long-term treatment response to continuous cycling course in bipolar disorders: A meta-analysis. *Journal of affective disorders*. 2018;241:367-370. www.epistemonikos.org/documents/b7b5cb096c0febc39cf9baa55c93744a47cb51f6
668. Stuart MJ, Baune BT. Chemokines and chemokine receptors in mood disorders, schizophrenia, and cognitive impairment: a systematic review of biomarker studies. *Neuroscience and biobehavioral reviews*. 2014;42:93-115. www.epistemonikos.org/documents/b7dd2c738f22a0e8b536bfc954987be696f285cb
669. Scott J, Colom F, Vieta E. A meta-analysis of relapse rates with adjunctive psychological therapies compared to usual psychiatric treatment for bipolar disorders. *The international journal of neuropsychopharmacology / official scientific journal of the Collegium Internationale Neuropsychopharmacologicum (CINP)*. 2007;10(1):123-9. www.epistemonikos.org/documents/b8686eb639d4d46ff83019c0a95632591c1ffc50
670. Sobczak S, Honig A, van Duinen MA, Riedel WJ. Serotonergic dysregulation in bipolar disorders: a literature review of serotonergic challenge studies. *Bipolar disorders*. 2002;4(6):347-56. www.epistemonikos.org/documents/b89c9d0788542869b83b48f58788d5f23e7a2162
671. De Crescenzo F., Economou A., Sharpley A.L., Gormez A., Quested D.J.. Actigraphic features of bipolar disorder: A systematic review and meta-analysis. *Sleep Medicine Reviews*. 2017;33:58-69. www.epistemonikos.org/documents/b8a2a6c39349eff63dc82eabfd337d88111aa90a
672. Czepielewski, Letícia, Daruy Filho, Ledo, Brietzke, Elisa, Grassi-Oliveira, Rodrigo. Bipolar disorder and metabolic syndrome: a systematic review. *Rev. bras. psiquiatr.* 2013;35(1):88-93. www.epistemonikos.org/documents/b95058695992c66c8f999325d925b9bb49788988
673. El-Mallakh RS. Medication adherence and the use of long-acting antipsychotics in bipolar disorder. *Journal of psychiatric practice*. 2007;13(2):79-85. www.epistemonikos.org/documents/b9b38c5394e1cf291db2b767fe12c041ad704aa6
674. Schulte P., Jabben N., Postma D., Knoppert E., Peetoom T.. Psychoeducation for bipolar disorder: A systematic review on efficacy and a proposal for a prototype. *European Psychiatry*. 2012; www.epistemonikos.org/documents/b9bb03a48ab1de28a3168b226ee533adfb727651
675. Montes J.M., Mostaza J., Rico-Villademoros F., Saiz-Ruiz J., Bobes J., Vieta E.. Cardiovascular and respiratory comorbidities in patients with bipolar disorder: A systematic review. *European Psychiatry*. 2009;:S590. www.epistemonikos.org/documents/ba25cfcc0995d03ae053e2fd92f223275bfcfb0e
676. Cipriani A, Saunders K, Attenburrow MJ, Stefaniak J, Panchal P, Stockton S, Lane TA, Tunbridge EM, Geddes JR, Harrison PJ. A systematic review of calcium channel antagonists in bipolar disorder and some

- considerations for their future development. *Molecular psychiatry*. 2016;21(10):1324-32. www.epistemonikos.org/documents/ba9d99d3be9277fb0f99f5f108d4cd3f12425df9
677. Akshya Vasudev, Karine Macritchie, Stuart Watson, John Geddes, Allan H Young. Oxcarbazepine in the maintenance treatment of bipolar disorder. *Cochrane Database of Systematic Reviews*. 2008;(1):CD005171. www.epistemonikos.org/documents/bab73392e74310ed4ad30866d38ce7683d987eaa
678. Lee E.E., Della Selva M.P., Liu A., Himelhoch S.. Ketamine as a novel treatment for major depressive disorder and bipolar depression: A systematic review and quantitative meta-analysis. *General Hospital Psychiatry*. 2015;37(2):178-184. www.epistemonikos.org/documents/bb222ba5d046e14ed4e0634a2d9c9e59332506cb
679. Heijnen WT, De Fruyt J, Wierdsma AI, Sienaert P, Birkenhäger TK. Efficacy of Tranylcypromine in Bipolar Depression: A Systematic Review. *Journal of clinical psychopharmacology*. 2015;35(6):700-705. www.epistemonikos.org/documents/bb5bd0b35353ffb7fcf8352471212fb29da88068
680. Amerio A, Stubbs B, Odone A, Tonna M, Marchesi C, Ghaemi SN. The prevalence and predictors of comorbid bipolar disorder and obsessive-compulsive disorder: A systematic review and meta-analysis. *Journal of affective disorders*. 2015;186:99-109. www.epistemonikos.org/documents/bb8bfafdd70020ec39474db7566a0b354efac289
681. Welten CC, Koeter MW, Wohlfarth T, Storosum JG, van den Brink W, Gispen-de Wied CC, Leufkens HG, Denys DA. Placebo response in antipsychotic trials of patients with acute mania: Results of an individual patient data meta-analysis. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology*. 2015;25(7):1018-26. www.epistemonikos.org/documents/bbb802e169b2463f6326f265f36e6140dcfa55a
682. Romaguera A, Torrens M, Papaseit E, Arellano AL, Farré M. Concurrent use of cannabis and alcohol: neuropsychiatric effects and consequences. *CNS & neurological disorders drug targets*. 2017;16(5):592-597. www.epistemonikos.org/documents/bbec5d4f563ae6052b9b95561f0cc6afd3f613ae
683. Kurtz MM, Gerraty RT. A meta-analytic investigation of neurocognitive deficits in bipolar illness: profile and effects of clinical state. *Neuropsychology*. 2009;23(5):551-62. www.epistemonikos.org/documents/bc02071824119d525b6fac879c6d0633566383d6
684. Avila CC, Cabello M, Cieza A, Vieta E, Ayuso-Mateos JL. Functioning and disability in bipolar disorders: a systematic review of literature using the ICF as a reference. *Bipolar disorders*. 2010;12(5):473-82. www.epistemonikos.org/documents/bc0354cee53d456710c1676a140d9ac6479b175c
685. Kleine-Budde K, Touil E, Moock J, Bramesfeld A, Kawohl W, Rössler W. Cost of illness for bipolar disorder: a systematic review of the economic burden. *Bipolar disorders*. 2014;16(4):337-53. www.epistemonikos.org/documents/bc2211a0c5db36c5d866b92b0a497b736c51e3d3
686. Videbech P. PET measurements of brain glucose metabolism and blood flow in major depressive disorder: a critical review. *Acta psychiatrica Scandinavica*. 2000;101(1):11-20. www.epistemonikos.org/documents/bd8a35074f99ad525d96d6aba8a97d2f4596bddf
687. Balanzá-Martínez V, Rubio C, Selva-Vera G, Martínez-Aran A, Sánchez-Moreno J, Salazar-Fraile J, Vieta E, Tabarés-Seisdedos R. Neurocognitive endophenotypes (endophenocognotypes) from studies of relatives of bipolar disorder subjects: a systematic review. *Neuroscience and biobehavioral reviews*. 2008;32(8):1426-38. www.epistemonikos.org/documents/bdb1aa4f558cedcf30337fb44a8a6c717e001093
688. Fazel S, Wolf A, Geddes JR. Suicide in prisoners with bipolar disorder and other psychiatric disorders: a systematic review. *Bipolar disorders*. 2013;15(5):491-5. www.epistemonikos.org/documents/bdb9c9be56e31c379d3dbfa55b15bb70caf9229f

689. Goud Alladi C, Etain B, Bellivier F, Marie-Claire C. DNA Methylation as a Biomarker of Treatment Response Variability in Serious Mental Illnesses: A Systematic Review Focused on Bipolar Disorder, Schizophrenia, and Major Depressive Disorder. *International journal of molecular sciences*. 2018;19(10).www.epistemonikos.org/documents/bdc31ab6289550571708773a158456c5cae39bfc
690. Díaz-Caneja CM, Moreno C, Llorente C, Espliego A, Arango C, Moreno D. Practitioner review: Long-term pharmacological treatment of pediatric bipolar disorder. *Journal of child psychology and psychiatry, and allied disciplines*. 2014;55(9):959-80.
www.epistemonikos.org/documents/be03de9e4ed3af08462707821c710ee40d92276
691. Cirillo, Patricia Carvalho, Passos, Roberta Benitez Freitas, Bevílaqua, Mario Cesar do Nascimento, López, Jose Ramón Rodriguez Arras, Nardi, Antônio Egidio. Bipolar disorder and Premenstrual Syndrome or Premenstrual Dysphoric Disorder comorbidity: a systematic review. *Rev. bras. psiquiatr.* 2012;34(4):467-479.www.epistemonikos.org/documents/be31b4fbe18ced15b6fc9385112badb455057f45
692. Agnew-Blais J, Danese A. Childhood maltreatment and unfavourable clinical outcomes in bipolar disorder: a systematic review and meta-analysis. *The lancet. Psychiatry*. 2016;3(4):342-9.
www.epistemonikos.org/documents/be9769610dddd3be338a7ea2bed88e6a8c328102
693. Acar, Gülsah, Buldukoğlu, Kadriye. Effect of Psychoeducation on Relapses in Bipolar Disorder: A Systematic Review. *Current Approaches in Psychiatry (Psikiyatride Guncel Yaklasimlar)*. 2014;6(4):310-329.
www.epistemonikos.org/documents/becac48d52e6353d5b3794ef4e6794dda94d51f6
694. Huxley NA, Parikh SV, Baldessarini RJ. Effectiveness of psychosocial treatments in bipolar disorder: state of the evidence. *Harvard review of psychiatry*. 2000;8(3):126-40.www.epistemonikos.org/documents/becef636687f4a307acddb2b7a396be5c22db0b5
695. Rasic D, Hajek T, Alda M, Uher R. Risk of mental illness in offspring of parents with schizophrenia, bipolar disorder, and major depressive disorder: a meta-analysis of family high-risk studies. *Schizophrenia bulletin*. 2014;40(1):28-38.
www.epistemonikos.org/documents/bf99c9b494516663c3a5aa075d9610cbceb4921d
696. Scott J, Gutierrez MJ. The current status of psychological treatments in bipolar disorders: a systematic review of relapse prevention. *Bipolar disorders*. 2004;6(6):498-503.www.epistemonikos.org/documents/bfc9ffc4b0c518bb4c680ad696c269b5099990dc
697. Faurholt-Jepsen M, Munkholm K, Frost M, Bardram JE, Kessing LV. Electronic self-monitoring of mood using IT platforms in adult patients with bipolar disorder: A systematic review of the validity and evidence. *BMC psychiatry*. 2016;16(1):7.
www.epistemonikos.org/documents/c01f1c553ebffcbf39110a1216e6443388efdd42
698. Diniz B.S., Teixeira A.L., Cao F., Gildengers A., Soares J.C., Butters M.A., Reynolds C.F.. History of Bipolar Disorder and the Risk of Dementia: A Systematic Review and Meta-Analysis. *American Journal of Geriatric Psychiatry*. 2017;25(4):357-362.
www.epistemonikos.org/documents/c04a32f598454f8a53ec854a1cbb263563083ac2
699. Sleiman P, Wang D, Glessner J, Hadley D, Gur RE, Cohen N, Li Q, Hakonarson H, Janssen-CHOP Neuropsychiatric Genomics Working Group. GWAS meta analysis identifies TSNARE1 as a novel Schizophrenia / Bipolar susceptibility locus. *Scientific reports*. 2013;3:3075.www.epistemonikos.org/documents/c054c8dd83e50c8ef39810108b1525cd3d994797
700. Raouna A, Osam CS, MacBeth A. Clinical staging model in offspring of parents with bipolar disorder: a systematic review. *Bipolar disorders*. 2018;20(4):313-333.www.epistemonikos.org/documents/c07ec5e0b667b66a062cd15b6fb6796081539c64

701. Smith LA, Cornelius V, Warnock A, Tacchi MJ, Taylor D. Pharmacological interventions for acute bipolar mania: a systematic review of randomized placebo-controlled trials. *Bipolar disorders.* 2007;9(6):551-60. www.epistemonikos.org/documents/c164cd2eabe74bf4dc35f7954a3192a20f511fd0
702. Mohiuddin S. A systematic and critical review of model-based economic evaluations of pharmacotherapeutics in patients with bipolar disorder. *Applied health economics and health policy.* 2014;12(4):359-72. www.epistemonikos.org/documents/c1bd02befee6f1f377d486a518d1f1a793deea0b
703. Jin H, McCrone P. Cost-of-Illness Studies for Bipolar Disorder: Systematic Review of International Studies. *PharmacoEconomics.* 2015;33(4):341-53.www.epistemonikos.org/documents/c1c8d0db2196608c2b09ff237fa1c6a4c8926000
704. Thiebaut S, Godart N, Radon L, Courtet P, Guillaume S. Crossed prevalence results between subtypes of eating disorder and bipolar disorder: A systematic review of the literature. *L'Encephale.* 2019;45(1):60-73. www.epistemonikos.org/documents/c1e12f705d5772cb8d81811686c07a97164e8f76
705. Maneeton B., Putthisri S., Maneeton N., Woottiluk P., Suttajit S., Charnsil C., Srisurapanont M.. Quetiapine monotherapy versus placebo in the treatment of children and adolescents with bipolar depression: A systematic review and meta-analysis. *Neuropsychiatric Disease and Treatment.* 2017;13:1023-1032.www.epistemonikos.org/documents/c208a3266bcd75c93fee1ac86b480b1d1914ce6a
706. Veronese N, Solmi M, Luchini C, Lu RB, Stubbs B, Zaninotto L, Correll CU. Acetylcholinesterase inhibitors and memantine in bipolar disorder: A systematic review and best evidence synthesis of the efficacy and safety for multiple disease dimensions. *Journal of affective disorders.* 2016;197:268-80.www.epistemonikos.org/documents/c233aa4423ac3d50101156b3b28b8de76fd09b39
707. Gao K, Fang F, Wang Z, Calabrese JR. Subjective Versus Objective Weight Gain During Acute Treatment With Second-Generation Antipsychotics in Schizophrenia and Bipolar Disorder. *Journal of clinical psychopharmacology.* 2016;36(6):637-642. www.epistemonikos.org/documents/c23a6097dd66b50c93b127923850c653fc0d8157
708. McElroy SL, Keck PE, Pope HG, Hudson JI. Valproate in the treatment of bipolar disorder: literature review and clinical guidelines. *Journal of clinical psychopharmacology.* 1992;12(1 Suppl):42S-52S. www.epistemonikos.org/documents/c273b81dafd1ee8db64281ebe95c30067d2c98c3
709. Abdul Pari AA, Simon J, Wolstenholme J, Geddes JR, Goodwin GM. Economic evaluations in bipolar disorder: a systematic review and critical appraisal. *Bipolar disorders.* 2014;16(6):557-82. www.epistemonikos.org/documents/c281e9746da702820fcabe60df7bd1e564b298fb
710. Taylor DM, Cornelius V, Smith L, Young AH. Comparative efficacy and acceptability of drug treatments for bipolar depression: a multiple-treatments meta-analysis. *Acta psychiatrica Scandinavica.* 2014;130(6):452-69. www.epistemonikos.org/documents/c2a67f4d64ea80ec5f27b4bbadc2e9ca39641e94
711. Blay, Sergio Luís, Augusto Aguiar, João Vicente, Passos, Ives Cavalcante. Polycystic ovary syndrome and mental disorders: A systematic review and exploratory meta-analysis. *Neuropsychiatric Disease and Treatment.* 2016;12. www.epistemonikos.org/documents/c30fa58ef6e1efbb120070aad45854674fb41c8c
712. van Herck E, Sienaert P, Hagon A. [Electroconvulsive therapy for patients with intracranial aneurysms: a case study and literature review]. *Tijdschrift voor psychiatrie.* 2009;51(1):43-51. www.epistemonikos.org/documents/c3abff456ba4244765412ccdf3a955c30eefb1f0
713. García S, Martínez-Cengotitabengoa M, López-Zurbano S, Zorrilla I, López P, Vieta E, González-Pinto A. Adherence to Antipsychotic Medication in Bipolar Disorder and Schizophrenic Patients: A Systematic

- Review. *Journal of clinical psychopharmacology*. 2016;36(4):355-71.www.epistemonikos.org/documents/c408dcab7e29032d4d12576ce069431a66e5cc2
714. Buoli M, Grassi S, Ciappolino V, Serati M, Altamura AC. The Use of Zonisamide for the Treatment of Psychiatric Disorders: A Systematic Review. *Clinical neuropharmacology*. 2017;40(2):85-92.www.epistemonikos.org/documents/c41b6060dd4a56466272565c75486717ec3f098c
715. Piedade A., Greene M., Clark O.A., Paladini L., Harry A.. Treatment patterns, adherence and clinical outcomes in bipolar disorder type I: A systematic review of observational studies. *Value in Health*. 2017;:A298.www.epistemonikos.org/documents/c48244bc8563a740b7cb7f1d798604ff3b0f9c20
716. Kleindienst N, Engel R, Greil W. Which clinical factors predict response to prophylactic lithium? A systematic review for bipolar disorders. *Bipolar disorders*. 2005;7(5):404-17.www.epistemonikos.org/documents/c4ab53b56110460dbf9854ca1dc256dde2aac26e
717. Plans L, Barrot C, Nieto E, Rios J, Schulze TG, Papiol S, Mitjans M, Vieta E, Benabarre A. Association between completed suicide and bipolar disorder: A systematic review of the literature. *Journal of affective disorders*. 2019;242:111-122.www.epistemonikos.org/documents/c50b7652536cd70eb7e7b2629b36ccf2adc632f6
718. Skjelstad DV, Malt UF, Holte A. Symptoms and signs of the initial prodrome of bipolar disorder: a systematic review. *Journal of affective disorders*. 2010;126(1-2):1-13.www.epistemonikos.org/documents/c51f309b5e6126d98e56500e77092d07cd076d4b
719. Batista, Tarciso Aparecido, Von Werne Baes, Cristiane, Juruena, Mario F.. Efficacy of psychoeducation in bipolar patients: systematic review of randomized trials. *Psychology and Neuroscience*. 2011;4(3):409-416.www.epistemonikos.org/documents/c5b47beb9060aae9107c8e646ba2eb44ffa404e6
720. Ghaemi SN, Wingo AP, Filkowski MA, Baldessarini RJ. Long-term antidepressant treatment in bipolar disorder: meta-analyses of benefits and risks. *Acta psychiatrica Scandinavica*. 2008;118(5):347-56.www.epistemonikos.org/documents/c5b6e9e3851801b5875b729ce291ed10cf7fda55
721. Baldessarini RJ, Tondo L, Davis P, Pompili M, Goodwin FK, Hennen J. Decreased risk of suicides and attempts during long-term lithium treatment: a meta-analytic review. *Bipolar disorders*. 2006;8(5 Pt 2):625-39.www.epistemonikos.org/documents/c5bc148b1b44b0e24a5ed0497181038dc0177e22
722. Ritter PS, Marx C, Bauer M, Leopold K, Lepold K, Pfennig A. The role of disturbed sleep in the early recognition of bipolar disorder: a systematic review. *Bipolar disorders*. 2011;13(3):227-37.www.epistemonikos.org/documents/c5c415b99a3832f16d685b7999b23be6d20b6587
723. Martinotti G, Sepede G, Signorelli M, Aguglia E, Di Giannantonio M. Efficacy and safety of fluoxetine monotherapy in bipolar depression: a systematic review. *Expert opinion on pharmacotherapy*. 2013;14(8):1065-75.www.epistemonikos.org/documents/c5e997a48024801218d83213765f160e7a2a5db7
724. Bisogni V., Mareso S., Rossitto G., Azzolini M., Piazza D., Maiolino G., Cesari M., Rossi G.P.. Antihypertensive therapy in patients affected by bipolar disorders treated with lithium: A systematic review. *Journal of Hypertension*. 2015;:e459.www.epistemonikos.org/documents/c66a3ed11414ef64e46800c97f9c73ce61bff09f
725. Toren P, Laor N, Weizman A. Use of atypical neuroleptics in child and adolescent psychiatry. *The Journal of clinical psychiatry*. 1998;59(12):644-56.www.epistemonikos.org/documents/c6de74b2df2843983815ab1c1d71e5880e7e9e2e
726. Preti A, Vrublevska J, Veroniki AA, Huedo-Medina TB, Kyriazis O, Fountoulakis KN. Prevalence and treatment of panic disorder in bipolar disorder: systematic review and meta-analysis. *Evidence-based mental*

- health. 2018;21(2):53-60.
www.epistemonikos.org/documents/c7b09b3695c8b5f861c75c8a5464f76bed02fbe1
727. Colpo GD, Leffa DD, Köhler CA, Kapczinski F, Quevedo J, Carvalho AF. Is bipolar disorder associated with accelerating aging? A meta-analysis of telomere length studies. *Journal of affective disorders.* 2015;186:241-8. www.epistemonikos.org/documents/c7d940e89668080adb7d207ebd55978b884aa94a
728. Bora, Emre, Özerdem, Ay_egül. Social cognition in first-degree relatives of patients with bipolar disorder: A meta-analysis. *European Neuropsychopharmacology.* 2017;27(4):293-300.
www.epistemonikos.org/documents/c86ca1812027dfe88aa3d139bc31e4bc793e6985
729. Faurholt-Jepsen M, Kessing LV, Munkholm K. Heart rate variability in bipolar disorder: A systematic review and meta-analysis. *Neuroscience and biobehavioral reviews.* 2017;73:68-80.
www.epistemonikos.org/documents/c86df4f3e493a534cf01b27c717853b49da04d27
730. Passos, I. C., Mwangi, B., Vieta, E., Berk, M., Kapczinski, Flávio. Areas of controversy in neuroprogression in bipolar disorder. *Acta Psychiatrica Scandinavica.* 2016;134(2):91-103.
www.epistemonikos.org/documents/c89dd159c29d599ed9ecca0e1efaa456392b1815
731. Brunoni AR, Baeken C, Machado-Vieira R, Gattaz WF, Vanderhasselt MA. BDNF blood levels after electroconvulsive therapy in patients with mood disorders: A systematic review and meta-analysis. *The world journal of biological psychiatry : the official journal of the World Federation of Societies of Biological Psychiatry.* 2014;15(5):411-8.
www.epistemonikos.org/documents/c8db53b6b74c23e635fb91d10ac5a8ebe2670351
732. Jackson A, Cavanagh J, Scott J. A systematic review of manic and depressive prodromes. *Journal of affective disorders.* 2003;74(3):209-17.
www.epistemonikos.org/documents/c8f63b530736f3a0ba92e5d16d625c5730ac7966
733. Samamé C, Martino DJ, Strejilevich SA. Longitudinal course of cognitive deficits in bipolar disorder: A meta-analytic study. *Journal of affective disorders.* 2014;164((Samame C.; Martino D.J.; Strejilevich S.A., sstreichilevich@ffavaloro.org) Bipolar Disorders Program, Institute of Neurosciences, Favaloro University, Buenos Aires, Argentina):130-8.
www.epistemonikos.org/documents/c968b662b6bedf42e96557429a001d8f01c139e2
734. Versiani M, Cheniaux E, Landeira-Fernandez J. Efficacy and safety of electroconvulsive therapy in the treatment of bipolar disorder: a systematic review. *The journal of ECT.* 2011;27(2):153-64.
www.epistemonikos.org/documents/c98281baf3d64e5d334aa827e68a989c391dbe6d
735. Pacchiarotti I, Murru A, Kotzalidis GD, Bonnin CM, Mazzarini L, Colom F, Vieta E. Hyperprolactinemia and medications for bipolar disorder: Systematic review of a neglected issue in clinical practice. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology.* 2015;25(8):1045-59.
www.epistemonikos.org/documents/cac394a94f53291d3b12a9507791f714e856149a
736. Lockwood LE, Youssef NA. Systematic Review of Epigenetic Effects of Pharmacological Agents for Bipolar Disorders. *Brain sciences.* 2017;7(11).
www.epistemonikos.org/documents/cacb417d677531b11094a9af3b3e9a5287d6839a
737. Koenders MA, Nolen WA, Giltay EJ, Hoencamp E, Spijker AT. The use of the prospective NIMH Life Chart Method as a bipolar mood assessment method in research: A systematic review of different methods, outcome measures and interpretations. *Journal of affective disorders.* 2015;175C((Koenders M.A., manja.koenders@psyq.nl; Hoencamp E.) PsyQ the Hague, Department of Mood Disorders, The Hague, Netherlands):260-268.
www.epistemonikos.org/documents/cb3cccd49b59673bb71545cc94ec19a627951893

738. Faraone SV, Biederman J, Wozniak J. Examining the comorbidity between attention deficit hyperactivity disorder and bipolar I disorder: a meta-analysis of family genetic studies. *The American journal of psychiatry*. 2012;169(12):1256-66.
www.epistemonikos.org/documents/cb86a9f544ad7d92809dfec29cbd9adc580ab581
739. Chang, Han-Yung, Tseng, Ping-Tao, Stubbs, Brendon, Chu, Che-Sheng, Li, Dian-Jeng, Fornaro, Michele, Carvalho, Andre, Solmi, Marco, Veronese, Nicola, Vieta, Eduard, Chen, Tien-Yu, Chen, Yen-Wen, Lin, Pao-Yen, Chow, Philip Chik-Keung. The efficacy and tolerability of paliperidone in mania of bipolar disorder: A preliminary meta-analysis. *Experimental and Clinical Psychopharmacology*. 2017;25(5):422-433.
www.epistemonikos.org/documents/cc077ad68823dbda052f67666faca11ada014e6d
740. Shiozawa P., Cordeiro Q., Cho H.J., Trevizol A.P., Brietzke E.. A critical review of trials of transcranial direct current stimulation and trigeminal nerve stimulation for depression: The issue of treatment-emergent mania. *Trends in Psychiatry and Psychotherapy*. 2017;39(1):48-53.
www.epistemonikos.org/documents/cd088fbf6c94188ef97f544bf923f66d389bb8a6
741. Peruzzolo TL, Tramontina S, Rohde LA, Zeni CP. Pharmacotherapy of bipolar disorder in children and adolescents: an update. *Revista brasileira de psiquiatria (São Paulo, Brazil : 1999)*. 2013;35(4):393-405.
www.epistemonikos.org/documents/cd136d14cfbc54abaf060eb718c0cb3a82812203
742. Martino DJ, Samamé C, Ibañez A, Strejilevich SA. Neurocognitive functioning in the premorbid stage and in the first episode of bipolar disorder: A systematic review. *Psychiatry research*. 2015;226((Martino D.J., diejmartino@gmail.com; Samame C.; Ibanez A.; Strejilevich S.A.) Bipolar Disorder Program, Institute of Neurosciences, Favaloro University, Buenos Aires, Argentina):23-30.
www.epistemonikos.org/documents/cd18963a0ace00440845b7d68d7f34b740df0be8
743. Da Silva L.G., Neta L.I.S.C., Oliveira M.G., Freire M.M.N.O.. Changes on the sleep-wake cycle on patients with bipolar disorder - A systematic review. *Bipolar Disorders*. 2011;:38.
www.epistemonikos.org/documents/cd6a94954b97bade894018fcc9b826a4e9b69234
744. Fountoulakis KN, Vieta E. Treatment of bipolar disorder: a systematic review of available data and clinical perspectives. *The international journal of neuropsychopharmacology / official scientific journal of the Collegium Internationale Neuropsychopharmacologicum (CINP)*. 2008;11(7):999-1029.
www.epistemonikos.org/documents/cdad944aeeac2e977825e1f6230ec87221589262
745. Kishi T, Oya K, Iwata N. Long-Acting Injectable Antipsychotics for Prevention of Relapse in Bipolar Disorder: A Systematic Review and Meta-Analyses of Randomized Controlled Trials. *The international journal of neuropsychopharmacology / official scientific journal of the Collegium Internationale Neuropsychopharmacologicum (CINP)*. 2016;19(9):1-10.
www.epistemonikos.org/documents/ce04ea2ccbd9b151abd84470c7a16faca0896790
746. Bakkour N, Samp J, Akhras K, El Hammi E, Soussi I, Zahra F, Duru G, Kooli A, Toumi M. Systematic review of appropriate cognitive assessment instruments used in clinical trials of schizophrenia, major depressive disorder and bipolar disorder. *Psychiatry research*. 2014;216(3):291-302.
www.epistemonikos.org/documents/ce3583bc6e8c82cac6585f047508c500406bff31
747. Bora, E., Özerdem, A.. Meta-analysis of longitudinal studies of cognition in bipolar disorder: Comparison with healthy controls and schizophrenia. *Psychological Medicine*. 2017;47(16):1-14.
www.epistemonikos.org/documents/cec618396cd8e67d1897ef34d4ef220005dbfcce
748. Lindström L, Lindström E, Nilsson M, Höistad M. Maintenance therapy with second generation antipsychotics for bipolar disorder - A systematic review and meta-analysis. *Journal of affective disorders*. 2017;213:138-150.
www.epistemonikos.org/documents/cf51dc0dd6567726f038d6c9328475ecf8d55eca

749. Bobes J., Montes J.M., Mostaza J., Rico-Villademoros F., Vieta E., Saiz-Ruiz J.. Gynaecological and obstetric comorbidities in patients with bipolar disorder: A systematic review. European Psychiatry. 2009;:S592. www.epistemonikos.org/documents/cfa630cfe18aa4ad70c6bd4a1509b0853a8e67fe
750. Cretaz E, Brunoni AR, Lafer B. Magnetic Seizure Therapy for Unipolar and Bipolar Depression: A Systematic Review. Neural plasticity. 2015;2015(no pagination):521398.www.epistemonikos.org/documents/d01cf5aab7d3e2684dd838f5a3786e8e557b619c
751. Fornaro M, Stubbs B, De Berardis D, Perna G, Valchera A, Veronese N, Solmi M, Ganancia L. Atypical Antipsychotics in the Treatment of Acute Bipolar Depression with Mixed Features: A Systematic Review and Exploratory Meta-Analysis of Placebo-Controlled Clinical Trials. International journal of molecular sciences. 2016;17(2):241.www.epistemonikos.org/documents/d0b284a30d3ad24eaaec2ff1ff1473cc6bc1ff1f
752. Samalin L, Genty JB, Boyer L, Lopez-Castroman J, Abbar M, Llorca PM. Shared Decision-Making: a Systematic Review Focusing on Mood Disorders. Current psychiatry reports. 2018;20(4):23. www.epistemonikos.org/documents/d0e2578d3ec0ce9d7afec4713e9f9d6fbf18721c
753. Savoie I, Morettin D, Green CJ, Kazanjian A. Systematic review of the role of gender as a health determinant of hospitalization for depression. International journal of technology assessment in health care. 2004;20(2):115-27. www.epistemonikos.org/documents/d0ffd576eec8515c95ca85398084ab91a30b8d73
754. Sharma V, Sharma S. Peripartum management of bipolar disorder: what do the latest guidelines recommend?. Expert review of neurotherapeutics. 2017;17(4):1-10.www.epistemonikos.org/documents/d120dc80ce1f6c8b10d65dc32d6735fc9aa26c80
755. Swartz HA, Swanson J. Psychotherapy for Bipolar Disorder in Adults: A Review of the Evidence. Focus (American Psychiatric Publishing). 2014;12(3):251-266.www.epistemonikos.org/documents/d13b91ab2a419bf950e77ac6ec14e52105cec28f
756. McGirr A, Berlim MT, Bond DJ, Neufeld NH, Chan PY, Yatham LN, Lam RW. A systematic review and meta-analysis of randomized controlled trials of adjunctive ketamine in electroconvulsive therapy: Efficacy and tolerability. Journal of psychiatric research. 2015;62((McGirr A., alexander.mcgirr@alumni.ubc.ca; Chan P.Y.; Lam R.W.) Department of Psychiatry, University of British Columbia, Vancouver, Canada):23-30. www.epistemonikos.org/documents/d1985b40176863630a44db9afabc29cd11ab7a55
757. Vieta E., Mostaza J., Bobes J., Saiz-Ruiz J., Rico-Villademoros F., Montes J.M.. Nutritional, metabolic and endocrine disorders in patients with bipolar disorder: A systematic review. European Psychiatry. 2009;:S591. www.epistemonikos.org/documents/d204c068a328554bf6948c37bc66967053d47a23
758. Yapıcı Eser H, Kacar AS, Kilciksız CM, Yalçınay-İnan M, Ongur D. Prevalence and Associated Features of Anxiety Disorder Comorbidity in Bipolar Disorder: A Meta-Analysis and Meta-Regression Study. Frontiers in psychiatry. 2018;9:229. www.epistemonikos.org/documents/d2cb8ea02a9047683e8659fcb77a26d42573483e
759. Salagre E., Vizuete A.F., Leite M., Brownstein D.J., McGuinness A., Jacka F., Dodd S., Stubbs B., Kohler C.A., Vieta E., Carvalho A.F., Berk M., Fernandes B.S.. Homocysteine as a peripheral biomarker in bipolar disorder: A meta-analysis. European Psychiatry. 2017;43:81-91.www.epistemonikos.org/documents/d2d1e1b8a8b6e0990e066bef1416589921e72aeb
760. Pfeifer JC, Welge J, Strakowski SM, Adler CM, DelBello MP. Meta-analysis of amygdala volumes in children and adolescents with bipolar disorder. Journal of the American Academy of Child and Adolescent Psychiatry. 2008;47(11):1289-98. www.epistemonikos.org/documents/d3265e37bfebeccc4027b287462a40fb5ee66de6

761. Dinan TG. MicroRNAs as a target for novel antipsychotics: a systematic review of an emerging field. The international journal of neuropsychopharmacology / official scientific journal of the Collegium Internationale Neuropsychopharmacologicum (CINP). 2010;13(3):395-404. www.epistemonikos.org/documents/d37a59a8a034c12b57d086c4f0f2f5142a9f754a
762. Mathews CA, Reus VI. Assortative mating in the affective disorders: a systematic review and meta-analysis. Comprehensive psychiatry. 2001;42(4):257-62. www.epistemonikos.org/documents/d3cfefa3d6ff978b46943ac8d7cbcf20fd5bafc6
763. Fazel S, Lichtenstein P, Grann M, Goodwin GM, Långström N. Bipolar disorder and violent crime: new evidence from population-based longitudinal studies and systematic review. Archives of general psychiatry. 2010;67(9):931-8. www.epistemonikos.org/documents/d3d0cf1b75f3ef8a8255da9261beb3feb61d8b
764. Tamayo, Jorge M., Mejía-Rodríguez, David, Navarro-Montoya, Ana M., Álvarez-Arboleda, Lina M., Vázquez, Gustavo, Vieta, Eduard. Therapy of No-Type I bipolar spectrum disorders: A systematic review. Current Psychiatry Reviews. 2013;9(1). www.epistemonikos.org/documents/d435f1374a2b5d8ea3022db7807c4fc9d17a14e0
765. Melo MC, Daher Ede F, Albuquerque SG, de Bruin VM. Exercise in bipolar patients: A systematic review. Journal of affective disorders. 2016;198:32-8. www.epistemonikos.org/documents/d50253b16e5d10f7bfca69b16e53b3071b77143c
766. Velakoulis D, Walterfang M, Mocellin R, Pantelis C, McLean C. Frontotemporal dementia presenting as schizophrenia-like psychosis in young people: clinicopathological series and review of cases. The British journal of psychiatry : the journal of mental science. 2009;194(4):298-305. www.epistemonikos.org/documents/d61ebaf69a0fb8c574361405152bfd8129fbe9c
767. Salamon S, Santelmann H, Franklin J, Baethge C. Test-retest reliability of the diagnosis of schizoaffective disorder in childhood and adolescence - A systematic review and meta-analysis. Journal of affective disorders. 2018;230:28-33. www.epistemonikos.org/documents/d6307035c5d62799ae184ac59966a665f80bfb4a
768. Hardt J, Franke P. Validity, reliability and objectivity of the family history method in psychiatry: a meta analysis. European psychiatry : the journal of the Association of European Psychiatrists. 2007;22(1):49-58. www.epistemonikos.org/documents/d67038d68bea1b205a8c86cf77f61d8ee0dc56b6
769. Taskiran S., Yapici-Eser H., Mutluer T., Kılıç O., Ozcan A., Necef I., Yalcinay M., Ongur D.. A meta-analysis of anxiety disorder comorbidity in pediatric bipolar disorder. Journal of the American Academy of Child and Adolescent Psychiatry. 2016;:S213-S214. www.epistemonikos.org/documents/d6d6f315f29d0c260216d31b27b9e9387b94ad6a
770. Mercer L, Becerra R. A unique emotional processing profile of euthymic bipolar disorder? A critical review. Journal of affective disorders. 2013;146(3):295-309. www.epistemonikos.org/documents/d6db78343d005e7bc702f373a0c9b6f11ed2fdb0
771. Marwaha S., Durrani A., Singh S.P.. Employment outcomes in people with bipolar disorder: A systematic review. Bipolar Disorders. 2012;:103-104. www.epistemonikos.org/documents/d70b5e1687edf2366132a86d934f14a58f8e75c2
772. Kohler CG, Hoffman LJ, Eastman LB, Healey K, Moberg PJ. Facial emotion perception in depression and bipolar disorder: a quantitative review. Psychiatry research. 2011;188(3):303-9. www.epistemonikos.org/documents/d78d917f056b8d7b7b170b3884e488380d3bce7c

773. Tse S, Chan S, Ng KL, Yatham LN. Meta-analysis of predictors of favorable employment outcomes among individuals with bipolar disorder. *Bipolar disorders*. 2014;16(3):217-29.
www.epistemonikos.org/documents/d875ab2f3bfc230b78fce0dcfb4b3c04b939cad3
774. Rakofsky JJ, Dunlop BW. Do alcohol use disorders destabilize the course of bipolar disorder?. *Journal of affective disorders*. 2013;145(1):1-10.
www.epistemonikos.org/documents/d897374eb589d768a0f0985f0fc5556aa81c889b
775. Kluwe-Schiavon B, Viola TW, Levandowski ML, Bortolotto VR, Azevedo e Souza LS, Tractenberg SG, Soares T. A systematic review of cognitive rehabilitation for bipolar disorder. *Trends in psychiatry and psychotherapy*. 2015;37(4):194-201.
www.epistemonikos.org/documents/d8bfbaa17fce3ae179a36b06a77ad2e83df90edb
776. Dundar Y, Greenhalgh J, Richardson M, Dwan K. Pharmacological treatment of acute agitation associated with psychotic and bipolar disorder: a systematic review and meta-analysis. *Human psychopharmacology*. 2016;31(4):268-285.
www.epistemonikos.org/documents/d93a2788154b31cc39e9b285f2f560c4bdc00273
777. Cimpianu CL, Strube W, Falkai P, Palm U, Hasan A. Vagus nerve stimulation in psychiatry: a systematic review of the available evidence. *Journal of neural transmission (Vienna, Austria : 1996)*. 2017;124(1):145-158.
www.epistemonikos.org/documents/d9a04fa807253a00e52453ce3e4c9071c59ed49c
778. Fleurence RL, Chatterton ML, Dixon JM, Rajagopalan K. Economic outcomes associated with atypical antipsychotics in bipolar disorder: a systematic review. *Primary care companion to the Journal of clinical psychiatry*. 2007;9(6):419-28.
www.epistemonikos.org/documents/d9eaadaebf0262f4e368439070308086d3d6809e
779. Ayorech Z, Tracy DK, Baumeister D, Giaroli G. Taking the fuel out of the fire: Evidence for the use of anti-inflammatory agents in the treatment of bipolar disorders. *Journal of affective disorders*. 2015;174C:467-478.
www.epistemonikos.org/documents/da0a76d91a0746bda781c0c83accd0dbb2e2846d
780. Galling B, Garcia MA, Osuchukwu U, Hagi K, Correll CU. Safety and tolerability of antipsychotic-mood stabilizer co-treatment in the management of acute bipolar disorder: results from a systematic review and exploratory meta-analysis. *Expert opinion on drug safety*. 2015;14(8):1-19.
www.epistemonikos.org/documents/da878f7a28fcc61cfa9f626cba7c6e918da4c7a9
781. McMurrich S, Sylvia LG, Dupuy JM, Peckham AD, Peters AT, Deckersbach T, Perlis RH. Course, outcomes, and psychosocial interventions for first-episode mania. *Bipolar disorders*. 2012;14(8):797-808.
www.epistemonikos.org/documents/da8fe2b12783a98d3c7ed0432c348be637104c92
782. M Gellersen H., Kedzior K.K.. Acute efficacy of deep transcranial magnetic stimulation (DTMS) in unipolar vs. bipolar major depressive disorder (MDD): A systematic literature review and meta-analysis. *European Archives of Psychiatry and Clinical Neuroscience*. 2017;:S158.
www.epistemonikos.org/documents/db53480eaed09d7a42a6302AAF162c59033ab7af
783. Bauer IE, Pascoe MC, Wollenhaupt-Aguiar B, Kapczinski F, Soares JC. Inflammatory mediators of cognitive impairment in bipolar disorder. *Journal of psychiatric research*. 2014;56:18-27.
www.epistemonikos.org/documents/db7375b6c6a46d2a817d5f347b797c5f743faed6
784. Gignac A, McGirr A, Lam RW, Yatham LN. Recovery and recurrence following a first episode of mania: a systematic review and meta-analysis of prospectively characterized cohorts. *The Journal of clinical psychiatry*. 2015;76(9):1241-8.
www.epistemonikos.org/documents/dbd0a5ca84bcfa980861955f95fa2a888b7e1dae

785. Bartoli F, Crocamo C, Mazza MG, Clerici M, Carrà G. Uric acid levels in subjects with bipolar disorder: A comparative meta-analysis. *Journal of psychiatric research.* 2016;81:133-139.
www.epistemonikos.org/documents/dc0b5073c5d78b30f4a558e56ed9e5b6f99b546d
786. Cerimele JM, Katon WJ. Associations between health risk behaviors and symptoms of schizophrenia and bipolar disorder: a systematic review. *General hospital psychiatry.* 2013;35(1):16-22.
www.epistemonikos.org/documents/dc7f3ec206f8a88422bfc605eed5a53180ffa56f
787. Bora E, Fornito A, Yücel M, Pantelis C. The effects of gender on grey matter abnormalities in major psychoses: a comparative voxelwise meta-analysis of schizophrenia and bipolar disorder. *Psychological medicine.* 2012;42(2):295-307.
www.epistemonikos.org/documents/dc9b3e72cbee7ee6ebf114bdf76e549ae7470cfb
788. Yu, Kevin, Cheung, Charlton, Leung, Meikei, Li, Qi, Chua, Siew, McAlonan, Gráinne. Are bipolar disorder and schizophrenia neuroanatomically distinct? An anatomical likelihood meta-analysis. *Frontiers in Human Neuroscience.* 2010;4(no pagination):189.
www.epistemonikos.org/documents/dc9b9316258fe2cca962de935260acfcb1a031e5
789. Hanford L., Nazarov A., Hall G.B., Sassi R.B.. Cortical thickness in bipolar disorder: A systematic review. *Bipolar Disorders.* 2015;:126-
127.www.epistemonikos.org/documents/dd1f33c70947ddb71bb158ab79863be84ebbad42
790. Nolen WA, Bloemkolk D. Treatment of bipolar depression, a review of the literature and a suggestion for an algorithm. *Neuropsychobiology.* 2000;42 Suppl 1:11-
7.www.epistemonikos.org/documents/dd7042bc301b164ad3984c9fe16297b568686eb1
791. Arbaizar B, Dierssen-Sotos T, Gómez-Acebo I, Llorca J. Aripiprazole in major depression and mania: meta-analyses of randomized placebo-controlled trials. *General hospital psychiatry.* 2009;31(5):478-83.
www.epistemonikos.org/documents/ddc6f94bb9c7bf517ebf93cab662d2503c5c8454
792. Carvalho N, Laurent E, Noiret N, Chopard G, Haffen E, Bennabi D, Vandel P. Eye Movement in Unipolar and Bipolar Depression: A Systematic Review of the Literature. *Frontiers in psychology.* 2015;6:1809. www.epistemonikos.org/documents/de125c47548e8ae9e949678f1b65987fc970ed02
793. Vancampfort D, Vansteelandt K, Correll CU, Mitchell AJ, De Herdt A, Sienaert P, Probst M, De Hert M. Metabolic syndrome and metabolic abnormalities in bipolar disorder: a meta-analysis of prevalence rates and moderators. *The American journal of psychiatry.* 2013;170(3):265-
74.www.epistemonikos.org/documents/de16ce741b280c301c742eb6271e55843bbe39e6
794. Almeida J., Wegbreit E., Cushman G., Weissman A., Kim K., Laird A., Dickstein D.. Fronto-amygdalar alterations during emotional face processing may differentiate children with bipolar disorder from those with major depressive disorder: A functional neuroimaging meta-analysis. *Neuropsychopharmacology.* 2014;39((Almeida J.; Wegbreit E.; Cushman G.; Weissman A.; Kim K.; Laird A.; Dickstein D.) Alpert Medical School, Brown University, Providence, United States):S219.www.epistemonikos.org/documents/de5cbc69d4c350a9dcceac4d8c47fb6f95b91201
795. Buoli M, Caldiroli A, Cumero Melter C, Serati M, de Nijs J, Altamura AC. Biological aspects and candidate biomarkers for psychotic bipolar disorder: A systematic review. *Psychiatry and clinical neurosciences.* 2016;70(6):227-44.
www.epistemonikos.org/documents/defc30245e611e149607c3b10539d879ec6673e0
796. Tsuchiya KJ, Byrne M, Mortensen PB. Risk factors in relation to an emergence of bipolar disorder: a systematic review. *Bipolar disorders.* 2003;5(4):231-
42.www.epistemonikos.org/documents/dfda08a65e9ed5e4467c5c531207ae05b74ddae9

797. Duffy A, Heffer N, Goolday SM, Weir A, Patten S, Malhi GS, Cipriani A. Efficacy and tolerability of lithium for the treatment of acute mania in children with bipolar disorder: A systematic review: A report from the ISBD-IGSLi joint task force on lithium treatment. *Bipolar disorders.* 2018;20(7):583-593.www.epistemonikos.org/documents/e00cccce21259d5c4b766aebfac72696ad0ca5a6
798. Birur B., Kraguljac N.V., Shelton R.C., Lahti A.C.. Brain structure, function, and neurochemistry in schizophrenia and bipolar disorder- A systematic review of the magnetic resonance neuroimaging literature. *npj Schizophrenia.* 2017;3(1):15.
www.epistemonikos.org/documents/e010aab21b0e40f18333379966639a9f84878cb8
799. Broome MR, He Z, Iftikhar M, Eyden J, Marwaha S. Neurobiological and behavioural studies of affective instability in clinical populations: a systematic review. *Neuroscience and biobehavioral reviews.* 2015;51((Broome M.R., matthew.broome@psych.ox.ac.uk) Department of Psychiatry, University of Oxford, Oxford, United Kingdom):243-254.
www.epistemonikos.org/documents/e0c0a2258716c624ab5e67d12b279e70d4260cb6
800. Spencer AE, Uchida M, Kenworthy T, Keary CJ, Biederman J. Glutamatergic dysregulation in pediatric psychiatric disorders: a systematic review of the magnetic resonance spectroscopy literature. *The Journal of clinical psychiatry.* 2014;75(11):1226-41.
www.epistemonikos.org/documents/e0e89674a0e69d404edf7b1a009e894c3ac6b639
801. Brown NC, Andreazza AC, Young LT. An updated meta-analysis of oxidative stress markers in bipolar disorder. *Psychiatry research.* 2014;218(1-2):61-8.
www.epistemonikos.org/documents/e18ceb4ea495078d172854a4af76f8a9f04ca919
802. IsHak WW, Brown K, Aye SS, Kahloon M, Mobaraki S, Hanna R. Health-related quality of life in bipolar disorder. *Bipolar disorders.* 2012;14(1):6-18.
www.epistemonikos.org/documents/e290367060851ec008051fc572ab39247cd1f841
803. Baines T, Wittkowski A. A systematic review of the literature exploring illness perceptions in mental health utilising the self-regulation model. *Journal of clinical psychology in medical settings.* 2013;20(3):263-74.
www.epistemonikos.org/documents/e2bf8c8db56e584c8b03fde73bdec57bfedd441e
804. Kleindienst N, Engel RR, Greil W. Psychosocial and demographic factors associated with response to prophylactic lithium: a systematic review for bipolar disorders. *Psychological medicine.* 2005;35(12):1685-94.
www.epistemonikos.org/documents/e2ef0231700464f81f9a49b5553bf831e398d0cd
805. Dorr DA, Rice JP, Armstrong C, Reich T, Blehar M. A meta-analysis of chromosome 18 linkage data for bipolar illness. *Genetic epidemiology.* 1997;14(6):617-22.
www.epistemonikos.org/documents/e37095bb7c093af3d249c102b7f8c9b5ab03a356
806. Dierckx B, Heijnen WT, van den Broek WW, Birkenhäger TK. Efficacy of electroconvulsive therapy in bipolar versus unipolar major depression: a meta-analysis. *Bipolar disorders.* 2012;14(2):146-50.
www.epistemonikos.org/documents/e37ecc721d2c8acf20c340e70806b09412b1fdd0
807. Gregory L, Virgil. Cognitive-Behavioral Therapy for Mania: A Meta-Analysis of Randomized Controlled Trials. *Social Work in Mental Health.* 2010;8(6):483-494.
www.epistemonikos.org/documents/e3cf00a3444caf801ebf6c5fd9a919ca1915fccd
808. Rakofsky J.J., Dunlop B.W.. The over-under on the misdiagnosis of bipolar disorder: A systematic review. *Current Psychiatry Reviews.* 2015;11(4):222-234.
www.epistemonikos.org/documents/e3fbf79feafdd22edfe0450c00c4805123789cd1
809. Mazza MG, Lucchi S, Tringali AGM, Rossetti A, Botti ER, Clerici M. Neutrophil/lymphocyte ratio and platelet/lymphocyte ratio in mood disorders: A meta-analysis. *Progress in neuro-psychopharmacology &*

- biological psychiatry. 2018;84(Pt A):229-236.
www.epistemonikos.org/documents/e420901138e8793b16101d3d6ebca8cffad5bc98
810. Correll CU. Weight gain and metabolic effects of mood stabilizers and antipsychotics in pediatric bipolar disorder: a systematic review and pooled analysis of short-term trials. *Journal of the American Academy of Child and Adolescent Psychiatry*. 2007;46(6):687-700.www.epistemonikos.org/documents/e4632d3ea020c531bed86c609662f35a7fc3a1e6
811. Ghaemi S, Nassir, Soldani, Federico, Ghaemi S, Nassir, Soldani, Federico. Meta-analysis of observational studies: The case of rapid-cycling bipolar disorder. *Acta Psychiatrica Scandinavica*. 2003;108(1):1-3. www.epistemonikos.org/documents/e50af1f78d93871a37cb1db76902f4fa5051eb50
812. Frías A, Palma C, Farriols N. Neurocognitive impairments among youth with pediatric bipolar disorder: a systematic review of neuropsychological research. *Journal of affective disorders*. 2014;166C:297-306. www.epistemonikos.org/documents/e56486160d92be4f9c25b820bd650ffdcfb14e3d
813. Luis Justo, Bernardo Garcia de Oliveira Soares, Helena Calil. Family interventions for bipolar disorder. *Cochrane database of systematic reviews (Online)*. 2007;(4):CD005167.www.epistemonikos.org/documents/e5bf03fb2fdab89d35261a3468ff989a22c58bf
814. Marangoni C, Hernandez M, Faedda GL. The role of environmental exposures as risk factors for bipolar disorder: A systematic review of longitudinal studies. *Journal of affective disorders*. 2016;193:165-74. www.epistemonikos.org/documents/e605f159f6949b984e5410033e55ff839dd6e9e1
815. Yalincetin B, Bora E, Binbay T, Ulas H, Akdede BB, Alptekin K. Formal thought disorder in schizophrenia and bipolar disorder: A systematic review and meta-analysis. *Schizophrenia research*. 2017;185:2-8. www.epistemonikos.org/documents/e63b5e7be3ef0a3bd05f4af89007bc9cd8a5226b
816. Ng TH, Chung KF, Ho FY, Yeung WF, Yung KP, Lam TH. Sleep-wake disturbance in interepisode bipolar disorder and high-risk individuals: A systematic review and meta-analysis. *Sleep medicine reviews*. 2015;20((Ng T.H.; Chung K.-F., kfchung@hkucc.hku.hk; Ho F.Y.Y.; Yeung W.-F.; Yung K.-P.; Lam T.-H.) Department of Psychiatry, The University of Hong Kong, Hong Kong):46-58. www.epistemonikos.org/documents/e66477c9342dae31dc9e69fc7a9d60778339f1f8
817. Marwaha S, Durrani A, Singh S. Employment outcomes in people with bipolar disorder: a systematic review. *Acta psychiatrica Scandinavica*. 2013;128(3):179-93.www.epistemonikos.org/documents/e6be24b495d2226dd5abd69fdbffcca3994bf540
818. Pigeon WR, Bishop TM, Krueger KM. Insomnia as a Precipitating Factor in New Onset Mental Illness: a Systematic Review of Recent Findings. *Current psychiatry reports*. 2017;19(8):44. www.epistemonikos.org/documents/e6c73b8c126f5fd9a225b5b5be2269e3b23927de
819. McMahon FJ, Akula N, Schulze TG, Muglia P, Tozzi F, Detera-Wadleigh SD, Steele CJ, Breuer R, Strohmaier J, Wendland JR, Mattheisen M, Mühlleisen TW, Maier W, Nöthen MM, Cichon S, Farmer A, Vincent JB, Holsboer F, Preisig M, Rietschel M, Bipolar Disorder Genome Study (BiGS) Consortium. Meta-analysis of genome-wide association data identifies a risk locus for major mood disorders on 3p21.1. *Nature genetics*. 2010;42(2):128-31.www.epistemonikos.org/documents/e712e5687e64993d5835fb5316c551c2ad03a5c0
820. Schaffer, Ayal. Results of the international society for bipolar disorders task force on suicide: Systematic review and meta-analyses. *Bipolar Disorders*. 2015;17(Suppl 1).www.epistemonikos.org/documents/e771231d0cf340fe333e08adf64f4d776a2095f5
821. Greene M., Clark O.A., Piedade A., Lemmer T., Hartry A.. A systematic review of health economic studies on bipolar disorder type I in the United States. *Value in Health*. 2017;:A298. www.epistemonikos.org/documents/e78debea26275712526926de45190e9016abeb0d

822. Modabbernia A, Taslimi S, Brietzke E, Ashrafi M. Cytokine alterations in bipolar disorder: a meta-analysis of 30 studies. *Biological psychiatry*. 2013;74(1):15-25.www.epistemonikos.org/documents/e808d181a6b23f22a383d7a883a1cc10e744013b
823. Vanstraelen M, Tyrer SP. Rapid cycling bipolar affective disorder in people with intellectual disability: a systematic review. *Journal of Intellectual Disability Research*. 1999;43(5):349-359.www.epistemonikos.org/documents/e81f848211d2d95d914c04e2e7d1081db8b34814
824. Di Lorito C, Völlm B, Dening T. Psychiatric disorders among older prisoners: a systematic review and comparison study against older people in the community. *Aging & mental health*. 2018;22(1):1-10.www.epistemonikos.org/documents/e85753cf6bc345d674f48540f1fbc8eeecb06eb8
825. Soares-Weiser K, Bravo Vergel Y, Beynon S, Dunn G, Barbieri M, Duffy S, Geddes J, Gilbody S, Palmer S, Woolacott N. A systematic review and economic model of the clinical effectiveness and cost-effectiveness of interventions for preventing relapse in people with bipolar disorder. *Health technology assessment (Winchester, England)*. 2007;11(39):iii-iv, ix-206.www.epistemonikos.org/documents/e8729c0a035a2f33d5fc38b8ca132332d1c23744
826. McDonald JL, Meyer TD. Self-report reasons for alcohol use in bipolar disorders: why drink despite the potential risks?. *Clinical psychology & psychotherapy*. 2011;18(5):418-25.www.epistemonikos.org/documents/e8820171989c3b9dcf0d587b4857c8bbb7233476
827. Soria V, González-Rodríguez A, Huerta-Ramos E, Usall J, Cobo J, Bioque M, Barbero JD, García-Rizo C, Tost M, Monreal JA, PNECAT Group, Labad J. Targeting hypothalamic-pituitary-adrenal axis hormones and sex steroids for improving cognition in major mood disorders and schizophrenia: a systematic review and narrative synthesis. *Psychoneuroendocrinology*. 2018;93:8-19.www.epistemonikos.org/documents/e8a67d978e848ac570e0c049700bf02f2ead7b9a
828. Albert U, De Cori D, Blengino G, Bogetto F, Maina G. [Lithium treatment and potential long-term side effects: a systematic review of the literature]. *Rivista di psichiatria*. 2014;49(1):12-21.www.epistemonikos.org/documents/e8c462481aa9a06cc9c9e3facbcd89eb86aecbda
829. Wingo AP, Wingo TS, Harvey PD, Baldessarini RJ. Effects of lithium on cognitive performance: a meta-analysis. *The Journal of clinical psychiatry*. 2009;70(11):1588-97.www.epistemonikos.org/documents/e8cec1179c0a6be957e707060b4694824cd0271c
830. Szmulowicz AG, Angriman F, Samamé C, Ferraris A, Vigo D, Strejilevich SA. Dopaminergic agents in the treatment of bipolar depression: a systematic review and meta-analysis. *Acta psychiatrica Scandinavica*. 2017;135(6):527-538.www.epistemonikos.org/documents/e9323565abc34f165cc10b2b191fd3b0d2b7ed56
831. Dell'Aglio Jr. J.C., Basso L.A., Argimon I.I.L., Arteche A.. Systematic review of the prevalence of bipolar disorder and bipolar spectrum disorders in population-based studies. *Trends in Psychiatry and Psychotherapy*. 2013;35(2):99-105.www.epistemonikos.org/documents/e93eccaa2fdb92e41946271cbc0a7c8b566061dd
832. Clemente, Adauto S., Diniz, Breno S., Nicolato, Rodrigo, Kapczinski, Flávio P., Soares, Jair C., Firmino, Josélia O., Castro-Costa, Érico. Bipolar disorder prevalence: a systematic review and meta-analysis of the literature. *Rev. bras. psiquiatr.* 2015;37(2):155-161.www.epistemonikos.org/documents/e9b438471a0d50b528fcf3a13bc659d91d7384f6
833. Zaninotto L, Solmi M, Toffanin T, Veronese N, Cloninger CR, Correll CU. A meta-analysis of temperament and character dimensions in patients with mood disorders: Comparison to healthy controls

- and unaffected siblings. *Journal of affective disorders.* 2016;194:84-97.www.epistemonikos.org/documents/eab54cab84e0a24cee1f26df670e9f834874aee8
834. Hajek T, Kozeny J, Kopecek M, Alda M, Höschl C. Reduced subgenual cingulate volumes in mood disorders: a meta-analysis. *Journal of psychiatry & neuroscience : JPN.* 2008;33(2):91-9.www.epistemonikos.org/documents/eafe34b0e91a1c45f67af8dae7ac9e178109d871
835. Jääskeläinen E, Juola T, Korpela H, Lehtiniemi H, Nietola M, Korkeila J, Miettunen J. Epidemiology of psychotic depression - systematic review and meta-analysis. *Psychological medicine.* 2018;48(6):1-14.www.epistemonikos.org/documents/eb15c7ac64c67fcfc65fafa8fde71b94e3d5067cb
836. Kessing LV, Andersen PK, Vinberg M. Risk of recurrence after a single manic or mixed episode - a systematic review and meta-analysis. *Bipolar disorders.* 2018;20(1):9-17.www.epistemonikos.org/documents/eb2a0e096264c6098b847368c44df91f9811113f
837. Franklin R, Zorowitz S, Corse AK, Widge AS, Deckersbach T. Lurasidone for the treatment of bipolar depression: an evidence-based review. *Neuropsychiatric disease and treatment.* 2015;11:2143-52.www.epistemonikos.org/documents/ec42b0d31f2319cbab4e55a5eaa5d9368e5c79d4
838. Giaroli G, Bass N, Strydom A, Rantell K, McQuillin A. Does rare matter? Copy number variants at 16p11.2 and the risk of psychosis: A systematic review of literature and meta-analysis. *Schizophrenia research.* 2014;159(2-3):340-6.www.epistemonikos.org/documents/ec64c78cf402c3e2b0358324d4bfbc605810790
839. Cheniaux E. [The pharmacological treatment of bipolar disorder: a systematic and critical review of the methodological aspects of modern clinical trials]. *Revista brasileira de psiquiatria (São Paulo, Brazil : 1999).* 2011;33(1):72-80.www.epistemonikos.org/documents/ec837098b01a04c08c83825970e528875aaa6b27
840. Greene M., Paladini L., Lemmer T., Piedade A., Touya M., Clark O.. Systematic literature review on patterns of pharmacological treatment and adherence among patients with bipolar disorder type I in the USA. *Neuropsychiatric Disease and Treatment.* 2018;14:1545-1559.www.epistemonikos.org/documents/ec88ecc346a52fb7549f0418d256e926072e4366
841. Farooq S, Singh SP. Fixed dose-combination products in psychiatry: Systematic review and meta-analysis. *Journal of psychopharmacology (Oxford, England).* 2015;29(5):556-564.www.epistemonikos.org/documents/ec9228cf494ee3807e86f4b466aa0ee4d8d2edf
842. Palmier-Claus JE, Berry K, Bucci S, Mansell W, Varese F. Relationship between childhood adversity and bipolar affective disorder: systematic review and meta-analysis. *The British journal of psychiatry : the journal of mental science.* 2016;209(6):454-459.www.epistemonikos.org/documents/ecb1a85791010686f302500ecae6091c354fdd1b
843. Hollon, Steven D., Ponniah, Kathryn. A review of empirically supported psychological therapies for mood disorders in adults. *Depression and Anxiety.* 2010;27(10):891-932.www.epistemonikos.org/documents/ecfa27a6110771924a0dea790cd19c0766a8fe95
844. Galvez JF, Bauer IE, Sanches M, Wu HE, Hamilton JE, Mwangi B, Kapczinski FP, Zunta-Soares G, Soares JC. Shared clinical associations between obesity and impulsivity in rapid cycling bipolar disorder: A systematic review. *Journal of affective disorders.* 2014;168C((Galvez J.F., juan.f.galvezflorez@uth.tmc.edu; Bauer I.E., isabelle.e.bauer@uth.tmc.edu; Sanches M., marsal.sanches@uth.tmc.edu; Wu H.E., emilysky2008@livemail.tw; Hamilton J.E., jane.e.hamilton@uth.tmc.edu; Mwangi B., benson.irunguru@uth.tmc.edu; Kapczinski F.P., flavio.p.kapczinski@uth.tmc.edu; Zunta-Soares G., giovana.b.zuntasoares@uth.tmc.edu; Soares J.C., jair.c.soares@uth.tmc.edu) UT Center of Excellence on

- Mood Disorders, Department of Psychiatry and Behavioral Sciences, University of Texas Health Science Center, Houston, TX 77054, United States):306-313.
www.epistemonikos.org/documents/ed28710b9160308eba7a45e4d5ef279e06f78c31
845. Chen, Alexander T, Malmstrom, Theodore, Nasrallah, Henry A. Allopurinol augmentation in acute mania: A meta-analysis of placebo-controlled trials. *J Affect Disord.* 2018;226:245-250.
www.epistemonikos.org/documents/edade339ac5e5bc65ab2cd7592fbbbf8edc08876
846. Edwards SJ, Smith CJ. Tolerability of atypical antipsychotics in the treatment of adults with schizophrenia or bipolar disorder: a mixed treatment comparison of randomized controlled trials. *Clinical therapeutics.* 2009;31 Pt 1(6):1345-59.
www.epistemonikos.org/documents/edcebce0374b25d1adb44e87e0cf143d8d812c8b
847. Hanford LC, Nazarov A, Hall GB, Sassi RB. Cortical thickness in bipolar disorder: a systematic review. *Bipolar disorders.* 2016;18(1):4-18.
www.epistemonikos.org/documents/ee0c1a17c23e6df9e2d44d14e69ab277f185f1de
848. Lex C, Bäzner E, Meyer TD. Does stress play a significant role in bipolar disorder? A meta-analysis. *Journal of affective disorders.* 2017;208:298-308.
www.epistemonikos.org/documents/eedf39b539fe34c36edc8ad34665bdbdd386f5e9
849. De Fruyt J, Deschepper E, Audenaert K, Constant E, Floris M, Pitchot W, Sienaert P, Souery D, Claes S. Second generation antipsychotics in the treatment of bipolar depression: a systematic review and meta-analysis. *Journal of psychopharmacology (Oxford, England).* 2012;26(5):603-17.
www.epistemonikos.org/documents/eeec2350056e979e8a92f3ee08e9eabc440225ad
850. Lao KS, He Y, Wong IC, Besag FM, Chan EW. Tolerability and Safety Profile of Cariprazine in Treating Psychotic Disorders, Bipolar Disorder and Major Depressive Disorder: A Systematic Review with Meta-Analysis of Randomized Controlled Trials. *CNS drugs.* 2016;30(11):1043-1054.
www.epistemonikos.org/documents/ef7681d1b2e02a9e1c4618a44ebbfc3f5b67be9e
851. Cervesi C, Park SY, Galling B, Molteni S, Masi G, Gerhard T, Olfson M, Correll CU. Extent, Time Course, and Moderators of Antipsychotic Treatment in Youth With Mood Disorders: Results of a Meta-Analysis and Meta-Regression Analyses. *The Journal of clinical psychiatry.* 2017;78(3):347-357.
www.epistemonikos.org/documents/ef8e8af2be3227ef776d0e18100deb293b6b1268
852. Maatallah H., Nefzi R., Johnson I.N.E.S.. Clozapine in the treatment of refractory bipolar disorder. *European Psychiatry.* 2015;:454.
www.epistemonikos.org/documents/efe2b6ba9405a7ceedb70f357e63cce4cb5e8381
853. Lolich M, Holtzman JN, Rago CM, Vázquez GH. [Neuroprogression and cognition in Bipolar Disorders: A systematic review of cognitive performance in euthymic patients]. *Vertex (Buenos Aires, Argentina).* 2015;XXVI(122):265-275. www.epistemonikos.org/documents/f03ebd30481527bf2c4faa79920babcb83bd5ae6
854. Chu CS, Stubbs B, Chen TY, Tang CH, Li DJ, Yang WC, Wu CK, Carvalho AF, Vieta E, Miklowitz DJ, Tseng PT, Lin PY. The effectiveness of adjunct mindfulness-based intervention in treatment of bipolar disorder: A systematic review and meta-analysis. *Journal of affective disorders.* 2018;225:234-245.
www.epistemonikos.org/documents/f087348d6794da1479c723cf6731050a03f42465
855. Jensen PS, Buitelaar J, Pandina GJ, Binder C, Haas M. Management of psychiatric disorders in children and adolescents with atypical antipsychotics: a systematic review of published clinical trials. *European child & adolescent psychiatry.* 2007;16(2):104-20.
www.epistemonikos.org/documents/f08b02c47e25a4ec5fd82b8860177eca5c9b4417

856. Todtenkopf MS, Vincent SL, Benes FM. A cross-study meta-analysis and three-dimensional comparison of cell counting in the anterior cingulate cortex of schizophrenic and bipolar brain. *Schizophrenia research.* 2005;73(1):79-89.
www.epistemonikos.org/documents/f0a938f8e4056c023c8419132e3b042c6b1f6415
857. Solé B, Martínez-Arán A, Torrent C, Bonnin CM, Reinares M, Popovic D, Sánchez-Moreno J, Vieta E. Are bipolar II patients cognitively impaired? A systematic review. *Psychological medicine.* 2011;41(9):1791-803. www.epistemonikos.org/documents/f0c3524d1cc716dc5fc8a5b6cb197157dc43cf4
858. Kedzior KK, Azorina V, Reitz SK. More female patients and fewer stimuli per session are associated with the short-term antidepressant properties of repetitive transcranial magnetic stimulation (rTMS): a meta-analysis of 54 sham-controlled studies published between 1997-2013. *Neuropsychiatric disease and treatment.* 2014;10:727-56. www.epistemonikos.org/documents/f0c671f7a35754c9b422f86d3fc5cde3f51f023d
859. Pigott K, Galizia I, Vasudev K, Watson S, Geddes J, Young AH. Topiramate for acute affective episodes in bipolar disorder in adults. *Cochrane Database of Systematic Reviews.* 2016;9:CD003384. www.epistemonikos.org/documents/f142e9a8fa7b89f28e88745c378b8d6fdd3e05b0
860. Anguelova M, Benkelfat C, Turecki G. A systematic review of association studies investigating genes coding for serotonin receptors and the serotonin transporter: I. Affective disorders. *Molecular psychiatry.* 2003;8(6):574-91. www.epistemonikos.org/documents/f160c391ac11a1070b48f1128531b4a4db12f835
861. Vasconcelos, Alina Gomide, Malloy-Diniz, Leandro Fernandes, Nascimento, Elizabeth do, Neves, Fernando, Corrêa, Humberto. Temperament traits associated with bipolar affective disorder: an integrative literature review. *Trends psychiatry psychother. (Impr.).* 2011;33(3):169-180. www.epistemonikos.org/documents/f16ce71fc749c046bd7ab826ca3dccec92279b76
862. Arnone D, McIntosh A.M., Ebmeier K.P., Anderson I.M.. Meta-analysis of region of interest studies in unipolar depression and bipolar disorder. *European Neuropsychopharmacology.* 2009;;S375. www.epistemonikos.org/documents/f1a87afe1de9c57cf4ab5de0ac5b81d4324e79f1
863. Grande I, Bernardo M, Bobes J, Saiz-Ruiz J, Álamo C, Vieta E. Antipsychotic switching in bipolar disorders: a systematic review. *The international journal of neuropsychopharmacology / official scientific journal of the Collegium Internationale Neuropsychopharmacologicum (CINP).* 2014;17(3):497-507. www.epistemonikos.org/documents/f1c47fa299e494623b9987547e7c7e5993570cce
864. Perlis RH, Welge JA, Vornik LA, Hirschfeld RM, Keck PE. Atypical antipsychotics in the treatment of mania: a meta-analysis of randomized, placebo-controlled trials. *The Journal of clinical psychiatry.* 2006;67(4):509-16. www.epistemonikos.org/documents/f1d12b3c817d5d74d43bce5ba92d663b2c774a81
865. Morrise RK, Faizal MA, Jones AP, Williamson PR, Bolton C, McCarthy JP. Interventions for helping people recognise early signs of recurrence in bipolar disorder. *Cochrane database of systematic reviews (Online).* 2007;(1):CD004854. www.epistemonikos.org/documents/f1d6c9261227b3462bf16e24b15da743e5e828d9
866. Sarris J, School of Medicine, Department of Psychiatry, University of Queensland, Brisbane, Australia. Jerome.S@student.uq.edu.au. Herbal medicines in the treatment of psychiatric disorders: a systematic review. *Phytotherapy Research.* 2007;21(8):703-716. www.epistemonikos.org/documents/f1d90aa87a7ad87d0d8eee86089c6f1b808a09f7
867. Silveira Jr., Érico de M., Kauer-Sant'Anna, Marcia. Rumination in bipolar disorder: a systematic review. *Rev. bras. psiquiatr.* 2015;37(3):256-263. www.epistemonikos.org/documents/f272795fbec46c25c55faf42d62eb28c1f254774

868. McIntyre RS. Aripiprazole for the maintenance treatment of bipolar I disorder: A review. *Clinical therapeutics.* 2010;32 Suppl 1:S32-8.www.epistemonikos.org/documents/f289e09a79aa2c3ec13409e6fe15ed77e960766e
869. Amerio A, Odone A, Marchesi C, Ghaemi SN. Treatment of comorbid bipolar disorder and obsessive-compulsive disorder: a systematic review. *Journal of affective disorders.* 2014;166C:258-263.www.epistemonikos.org/documents/f2d9cc1c586085e7489266c89191adee9f5a6b6e
870. Batista, Tarciso Aparecido, Baes, Cristiane Von Werne, Juruena, Mario Francisco. Efficacy of psychoeducation in bipolar patients: systematic review of randomized trials. *Psychol. neurosci. (Impr.).* 2011;4(3):409-416. www.epistemonikos.org/documents/f32d257f1b6b2d7b310768043b0ef555010a7768
871. Syan, Sabrina K., Smith, Mara, Frey, Benicio N., Remtulla, Raheem, Kapczinski, Flavio, Hall, Geoffrey B. C., Minuzzi, Luciano. Resting-state functional connectivity in individuals with bipolar disorder during clinical remission: a systematic review. *Journal of Psychiatry & Neuroscience.* 2018;43(5):298-316.www.epistemonikos.org/documents/f368e38f1e4144909f502adae46ebe303b4faf9b
872. Dell'Aglio JC, Basso LA, Argimon II, Arteche A. Systematic review of the prevalence of bipolar disorder and bipolar spectrum disorders in population-based studies. *Trends in psychiatry and psychotherapy.* 2013;35(2):99-105.www.epistemonikos.org/documents/f44bc2c92462d31c40c770e85e3da6f5becbcb02
873. Miura T, Noma H, Furukawa TA, Mitsuyasu H, Tanaka S, Stockton S, Salanti G, Motomura K, Shimano-Katsuki S, Leucht S, Cipriani A, Geddes JR, Kanba S. Comparative efficacy and tolerability of pharmacological treatments in the maintenance treatment of bipolar disorder: a systematic review and network meta-analysis. *The lancet. Psychiatry.* 2014;1(5):351-9.www.epistemonikos.org/documents/f4c2895e9d64065b6bb05ce89c2cc252cd9f8fd
874. Chong SA, Remington G. Clozapine augmentation: safety and efficacy. *Schizophrenia bulletin.* 2000;26(2):421-40.www.epistemonikos.org/documents/f538af51f22a6ee96ca08a7d5f005d7dc9ea79ca
875. Fornaro M, Anastasia A, Novello S, Fusco A, Solmi M, Monaco F, Veronese N, De Berardis D, de Bartolomeis A. Incidence, prevalence and clinical correlates of antidepressant-emergent mania in bipolar depression: a systematic review and meta-analysis. *Bipolar disorders.* 2018;20(3):195-227.www.epistemonikos.org/documents/f58e9ba501425f4a64be69efd51d9fc27f100c40
876. Chen, Alexander T., Malmstrom, Theodore, Nasrallah, Henry A.. Allopurinol augmentation in acute mania: A meta-analysis of placebo-controlled trials. *Journal of Affective Disorders.* 2018;226:245-250.www.epistemonikos.org/documents/f59a9014dd7f1fb0fb5d6e0389198432af6a6d26
877. McDonagh M, Peterson K, Carson S, Fu R, Thakurta S. Drug Class Review: Atypical Antipsychotic Drugs: Final Update 3 Report. *Drug Class Reviews.* 2010;www.epistemonikos.org/documents/f5ae451735011cb235297322d2d1c1fbb32d2176
878. Fernandes B.S., Gama C.S., Cereser K.M., Gomes F.A., Kunz M., Colpo G.D., Fries G.R., Kapczinski F.. Brain-derived neurotrophic in mania, depression, and euthymia in bipolar disorders: A systematic review and meta-analysis. *Bipolar Disorders.* 2010;:19.www.epistemonikos.org/documents/f5c41f6a1f7e7c35d71ad27c507ab784a7adffe7
879. Barley, Elizabeth A, Borschmann, Rohan D, Walters, Paul, Tylee, Andre. Interventions to encourage uptake of cancer screening for people with severe mental illness. *Cochrane Database of Systematic Reviews.* 2016;9:CD009641.www.epistemonikos.org/documents/f60d73efbec3c7e9595763c62ef11a258904f8e9

880. Depp CA, Jeste DV. Bipolar disorder in older adults: a critical review. *Bipolar disorders*. 2004;6(5):343-67. www.epistemonikos.org/documents/f618bdee6a4f1b218a68ab1d0783cc1c6560baf7
881. Zhang, Ling, Cao, Xiao-Lan, Wang, Shi-Bin, Zheng, Wei, Ungvari, Gabor S., Ng, Chee H., Zhong, Bao-Liang, Wang, Gang, Xiang, Yu-Tao. The prevalence of bipolar disorder in China: A meta-analysis. *Journal of Affective Disorders*. 2017;207:413-421.
www.epistemonikos.org/documents/f648efddd6991a845ca73aeaef84cb2a0b44ca7
882. Goss AJ, Kaser M, Costafreda SG, Sahakian BJ, Fu CH. Modafinil augmentation therapy in unipolar and bipolar depression: a systematic review and meta-analysis of randomized controlled trials. *The Journal of clinical psychiatry*. 2013;74(11):1101-7.
www.epistemonikos.org/documents/f6d8780506ecd0c50a9e8a39e1195dca5181ef5f
883. Delvecchio G, Fossati P, Boyer P, Brambilla P, Falkai P, Gruber O, Hietala J, Lawrie SM, Martinot JL, McIntosh AM, Meisenzahl E, Frangou S. Common and distinct neural correlates of emotional processing in Bipolar Disorder and Major Depressive Disorder: a voxel-based meta-analysis of functional magnetic resonance imaging studies. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology*. 2012;22(2):100-13. www.epistemonikos.org/documents/f6e19dd2ce35e80479275a32ef2d5ce16d80cee4
884. Sally SA Burgess, John Geddes, Keith KE Hawton, Matthew J Taylor, Ellen Townsend, K Jamison, Guy Goodwin. Lithium for maintenance treatment of mood disorders. *Cochrane Database of Systematic Reviews*. 2001;(3):CD003013.
www.epistemonikos.org/documents/f75fbdfcd7887432640617d8593a9b78004a8cf
885. Xue HB, Liu L, Zhang H, Montgomery W, Treuer T. Olanzapine in Chinese patients with schizophrenia or bipolar disorder: a systematic literature review. *Neuropsychiatric disease and treatment*. 2014;10:841-64. www.epistemonikos.org/documents/f7ad25c0356088a1b843662d43e1a0d95186ec3
886. Hoge EA, Friedman L, Schulz SC. Meta-analysis of brain size in bipolar disorder. *Schizophrenia research*. 1999;37(2):177-81. www.epistemonikos.org/documents/f7f138957e74a858e476f867aa339ab84745ab7a
887. Romeo B, Choucha W, Fossati P, Rotge JY. Meta-analysis of short- and mid-term efficacy of ketamine in unipolar and bipolar depression. *Psychiatry research*. 2015;230(2):682-8.
www.epistemonikos.org/documents/f8168630e1a41fc5cd707248b5129be70a889a72
888. Bauer MS. An evidence-based review of psychosocial treatments for bipolar disorder. *Psychopharmacology bulletin*. 2001;35(3):109-34. www.epistemonikos.org/documents/f8630f2574475e3d154e4fe54892440d5396a18d
889. Romeo, Bruno, Choucha, Walid, Fossati, Philippe, Rotge, Jean-Yves. Meta-analysis of central and peripheral γ-aminobutyric acid levels in patients with unipolar and bipolar depression. *Journal of Psychiatry & Neuroscience*. 2018;43(1):58-66.
www.epistemonikos.org/documents/f8636b5a811bb60b7e00df1954d89d0e4179106b
890. Sarris J, Mischoulon D, Schweitzer I. Adjunctive nutraceuticals with standard pharmacotherapies in bipolar disorder: a systematic review of clinical trials. *Bipolar disorders*. 2011;13(5-6):454-65.
www.epistemonikos.org/documents/f87db1fcecd9fad1dc91f5ab4ffea32005adf0a
891. Belvederi Murri M, Prestia D, Mondelli V, Pariante C, Patti S, Olivieri B, Arzani C, Masotti M, Respino M, Antonioli M, Vassallo L, Serafini G, Perna G, Pompili M, Amore M. The HPA axis in bipolar disorder: Systematic review and meta-analysis. *Psychoneuroendocrinology*. 2016;63:327-342. www.epistemonikos.org/documents/f8be71cccc593d700e516119dda9f445f27f1b02

892. Deepmala None, Slattery J, Kumar N, Delhey L, Berk M, Dean O, Spielholz C, Frye R. Clinical Trials of N-acetylcysteine in Psychiatry and Neurology: A Systematic Review. *Neuroscience and biobehavioral reviews*. 2015;55:294-321.
www.epistemonikos.org/documents/f92b0bd35dfb995758e14452d7aa49ced9e0eb24
893. Cipriani A., Miklowitz D.J., McMahon H., Chaimani A., Stockton S., Salanti G., Geddes J.R.. Comparative efficacy and acceptability of psychological interventions for long term treatment of bipolar disorder: A network meta-analysis. *Bipolar Disorders*. 2015;:56-57.
www.epistemonikos.org/documents/f966f1f85c9f22f9fe8b7cf89d1019b63a23dd46
894. Baldessarini RJ, Faedda GL, Offidani E, Vázquez GH, Marangoni C, Serra G, Tondo L. Antidepressant-associated mood-switching and transition from unipolar major depression to bipolar disorder: a review. *Journal of affective disorders*. 2013;148(1):129-35.
www.epistemonikos.org/documents/f9becbbd907ac274e166d94b0373b5b080b9d144
895. Ikeda M, Saito T, Kondo K, Iwata N. Genome-wide association studies of bipolar disorder: A systematic review of recent findings and their clinical implications. *Psychiatry and clinical neurosciences*. 2018;72(2):52-63. www.epistemonikos.org/documents/fa250536f03c48261aa5cb039d926bffb0cec2ea
896. Fornaro M, De Berardis D, De Pasquale C, Indelicato L, Pollice R, Valchera A, Perna G, Iasevoli F, Tomasetti C, Martinotti G, Koshy AS, Fasmer OB, Oedegaard KJ. Prevalence and clinical features associated to bipolar disorder-migraine comorbidity: a systematic review. *Comprehensive psychiatry*. 2015;56C((Fornaro M., dott.fornaro@gmail.com; De Pasquale C., depasqua@unict.it; Indelicato L., luisa.indelicato@hotmail.it) Department of Education Science, University of Catania, Catania, Italy):1-16.
www.epistemonikos.org/documents/fa5f5aa3870d65f120a13e93775b84971a416518
897. Silveira Éde M, Kauer-Sant'Anna M. Rumination in bipolar disorder: a systematic review. *Revista brasileira de psiquiatria* (São Paulo, Brazil : 1999). 2015;37(3):256-63.
www.epistemonikos.org/documents/faed754eeddf9abff143f8968da775bf40e6e08a
898. Van Meter, Anna R, Burke, Coty, Kowatch, Robert A, Findling, Robert L, Youngstrom, Eric A. Ten-year updated meta-analysis of the clinical characteristics of pediatric mania and hypomania. *Bipolar Disorders*. 2016;18(1):19-32. www.epistemonikos.org/documents/fb63d00ce2502bcae3e03563317ddc8809f41fac
899. Lester D. Suicidal behavior in bipolar and unipolar affective disorders: a meta-analysis. *Journal of affective disorders*. 1993;27(2):117-21.
www.epistemonikos.org/documents/fbb98f88998fd95169196fc09c6f27ea6b309398
900. Vancampfort D, Stubbs B, Mitchell AJ, De Hert M, Wampers M, Ward PB, Rosenbaum S, Correll CU. Risk of metabolic syndrome and its components in people with schizophrenia and related psychotic disorders, bipolar disorder and major depressive disorder: a systematic review and meta-analysis. *World psychiatry : official journal of the World Psychiatric Association (WPA)*. 2015;14(3):339-47.
www.epistemonikos.org/documents/fbbcf0bcb8c9bdb38ae31ef1b99c505eccef06c
901. Welten C.C.M., Koeter M.W.J., Wohlfarth T.D., Storosum J.G., Van Den Brink W., Gispen-De Wied C.C., Leufkens H.G.M., Denys D.A.J.P.. Early nonresponse in the antipsychotic treatment of acute mania: A criterion for reconsidering treatment? Results from an individual patient data Meta-Analysis. *Journal of Clinical Psychiatry*. 2016;77(9):e1117-e1123.
www.epistemonikos.org/documents/fbe89a9474f95eff4e5c4cbee9d9084f77094efd
902. Kupka RW, Luckenbaugh DA, Post RM, Leverich GS, Nolen WA. Rapid and non-rapid cycling bipolar disorder: a meta-analysis of clinical studies. *The Journal of clinical psychiatry*. 2003;64(12):1483-94.
www.epistemonikos.org/documents/fbea26087b1025194a6aa4849771310c316a15c0

903. Angst J, Stabl M. Efficacy of moclobemide in different patient groups: a meta-analysis of studies. *Psychopharmacology*. 1992;106 Suppl(SUPPL.):S109-13.
www.epistemonikos.org/documents/fc292ef6f7cbe61745b44872c0050b5a482107d4
904. Valentí M, Benabarre A, García-Amador M, Molina O, Bernardo M, Vieta E. Electroconvulsive therapy in the treatment of mixed states in bipolar disorder. *European psychiatry : the journal of the Association of European Psychiatrists*. 2008;23(1):53-6.
www.epistemonikos.org/documents/fca3b204417c7d0ca56c56f9052b0848d665205f
905. MacDonald L, Chapman S, Syrett M, Bowskill R, Horne R. Improving medication adherence in bipolar disorder: A systematic review and meta-analysis of 30 years of intervention trials. *Journal of affective disorders*. 2016;194:202-21.
www.epistemonikos.org/documents/fcb1cbcffad4bba9d5d7fab658840ddd049ebe12
906. Brunoni AR, Moffa AH, Sampaio-Júnior B, Gálvez V, Loo CK. Treatment-emergent mania/hypomania during antidepressant treatment with transcranial direct current stimulation (tDCS): A systematic review and meta-analysis. *Brain stimulation*. 2017;10(2):260-262.
www.epistemonikos.org/documents/fcdf6b544144aad4b4cfadfb2cd8e2beadf415d8
907. Andreazza AC, Kauer-Sant'anna M, Frey BN, Bond DJ, Kapczinski F, Young LT, Yatham LN. Oxidative stress markers in bipolar disorder: a meta-analysis. *Journal of affective disorders*. 2008;111(2-3):135-44.
www.epistemonikos.org/documents/fd0cc71fb4c4bcd5dc4f9f8812b6ceaa91e5ca2d
908. Dargél, Aroldo A., Godin, Ophelia, Kapczinski, Flávio, Kupfer, David J., Leboyer, Marion. C-reactive protein alterations in bipolar disorder: A meta-analysis. *Journal of Clinical Psychiatry*. 2015;76(2).
www.epistemonikos.org/documents/fd0d4df250fdc3d5e5532595c0a707b2d2f91ae2
909. Miklowitz DJ, Cipriani A, Goodwin GM. Network meta-analysis: drawing conclusions regarding trials of psychosocial interventions for bipolar disorder. *The British journal of psychiatry : the journal of mental science*. 2017;211(6):334-336.
www.epistemonikos.org/documents/fd1a84c82f5abeaed493f06f6b448208836008a2
910. Uchida M, Serra G, Zayas L, Kenworthy T, Faraone SV, Biederman J. Can unipolar and bipolar pediatric major depression be differentiated from each other? A systematic review of cross-sectional studies examining differences in unipolar and bipolar depression. *Journal of affective disorders*. 2015;176C((Uchida M., muchida@partners.org; Kenworthy T.; Biederman J.) Massachusetts General Hospital, Department of Pediatric Psychopharmacology, Boston, United States):1-7.
www.epistemonikos.org/documents/fd4ece8390e129fcfc20ac528d34076de3a12085
911. Brown ES, Bobadilla L, Rush AJ. Ketoconazole in bipolar patients with depressive symptoms: a case series and literature review. *Bipolar disorders*. 2001;3(1):23-9.
www.epistemonikos.org/documents/fd60f518782adde70ced038b7c15aa0045ae6c63
912. Yamaki N, Otsuka I, Numata S, Yanagi M, Mouri K, Okazaki S, Boku S, Horai T, Ohmori T, Shirakawa O, Sora I, Hishimoto A. Mitochondrial DNA copy number of peripheral blood in bipolar disorder: The present study and a meta-analysis. *Psychiatry research*. 2018;269:115-117.
www.epistemonikos.org/documents/fd8acc9f5b1f97fd9df32fb0516e75230ed0cdcb
913. Scott J, Murray G, Henry C, Morken G, Scott E, Angst J, Merikangas KR, Hickie IB. Activation in Bipolar Disorders: A Systematic Review. *JAMA psychiatry*. 2017;74(2):189-196.
www.epistemonikos.org/documents/fe4fffc5ec02dfce6a187adc73146d2bfa9290

914. Inder ML, Crowe MT, Porter R. Effect of transmeridian travel and jetlag on mood disorders: Evidence and implications. *The Australian and New Zealand journal of psychiatry*. 2016;50(3):220-7.
www.epistemonikos.org/documents/fe6016da2b77847abc881f4ba945542f8ec717f0
915. Rakofsky JJ, Dunlop BW. Review of nutritional supplements for the treatment of bipolar depression. *Depression and anxiety*. 2014;31(5):379-
[90.www.epistemonikos.org/documents/fe8c1926c7485bbd7421d0144120a0f5b3a10bd8](http://www.epistemonikos.org/documents/fe8c1926c7485bbd7421d0144120a0f5b3a10bd8)
916. Delvecchio G, Sugranyes G, Frangou S. Evidence of diagnostic specificity in the neural correlates of facial affect processing in bipolar disorder and schizophrenia: a meta-analysis of functional imaging studies. *Psychological medicine*. 2013;43(3):553-69.
www.epistemonikos.org/documents/fe92cc034315067e39a14886d3bfea1a0aeb1a94
917. Swedish Council on Health Technology Assessment. Treatment of Depression: A Systematic Review. *SBU Systematic Review Summaries*.
2004;www.epistemonikos.org/documents/feab6e022005e9c183384f7794f2143995fbabad
918. Buoli M, Serati M, Altamura AC. Is the combination of a mood stabilizer plus an antipsychotic more effective than mono-therapies in long-term treatment of bipolar disorder? A systematic review. *Journal of affective disorders*. 2014;152-154(1):12-8.
www.epistemonikos.org/documents/feb03ec6f2a1118a5ed9643b6d823c9c27cf4fcb
919. Hajek T, Alda M, Hajek E, Ivanoff J. Functional neuroanatomy of response inhibition in bipolar disorders--combined voxel based and cognitive performance meta-analysis. *Journal of psychiatric research*. 2013;47(12):1955-66. www.epistemonikos.org/documents/febafe33d0fcc1dddea92c6a9a275c856491270e
920. Munkholm K, Vinberg M, Kessing LV. Peripheral blood brain-derived neurotrophic factor in bipolar disorder: a comprehensive systematic review and meta-analysis. *Molecular psychiatry*. 2016;21(2):216-28.
www.epistemonikos.org/documents/fec978da8218b2a0c494a639ca04032c0fd6cfdf
921. Wiley-Exley E. Evaluations of community mental health care in low- and middle-income countries: a 10-year review of the literature. *Social science & medicine* (1982). 2007;64(6):1231-41.
www.epistemonikos.org/documents/fee5a0ea1802ae01d787cd5c53793d4a7a5b84dd
922. Talaei A, Pourgholami M, Khatibi-Moghadam H, Faridhosseini F, Farhoudi F, Askari-Noghani A, Sadeghi R. Tamoxifen: A Protein Kinase C Inhibitor to Treat Mania: A Systematic Review and Meta-Analysis of Randomized, Placebo-Controlled Trials. *Journal of clinical psychopharmacology*. 2016;36(3):272-
[5.www.epistemonikos.org/documents/ff8de72435c072af77dc474a11b52efb6d996577](http://www.epistemonikos.org/documents/ff8de72435c072af77dc474a11b52efb6d996577)
923. Duarte W, Becerra R, Cruise K. The Relationship Between Neurocognitive Functioning and Occupational Functioning in Bipolar Disorder: A Literature Review. *Europe's journal of psychology*. 2016;12(4):659-678. www.epistemonikos.org/documents/ff94826f1838da760e89d2fa3ee6fb7b8146183
924. Blacker C.J., Lewis C.P., Frye M.A., Veldic M.. Roles of metabotropic glutamate receptors (mGluRs) in bipolar disorder: A systematic review. *Bipolar Disorders*. 2015;:124-
[125.www.epistemonikos.org/documents/ffb54bda6ea0dd5cad6cd9567376cf74ab88aed2](http://www.epistemonikos.org/documents/ffb54bda6ea0dd5cad6cd9567376cf74ab88aed2)
925. Nurnberger JI, Koller DL, Jung J, Edenberg HJ, Foroud T, Guella I, Vawter MP, Kelsoe JR, Psychiatric Genomics Consortium Bipolar Group. Identification of pathways for bipolar disorder: a meta-analysis. *JAMA psychiatry*. 2014;71(6):657-64.
www.epistemonikos.org/documents/fff78cc5520fc92abadb2f0a9bfb0c04371e6fc0

