



SUBSECRETARÍA DE SALUD PÚBLICA
DIVISIÓN DE PLANIFICACIÓN SANITARIA
DEPARTAMENTO EVALUACIÓN DE TECNOLOGÍAS SANITARIAS Y SALUD BASADA EN EVIDENCIA

INFORME DE BÚSQUEDA Y SÍNTESIS DE EVIDENCIA DE VALORES Y PREFERENCIAS DE PACIENTES

Guía de Práctica Clínica Cardiopatías congénitas operables en menores de 15 años - 2017

ESTRATEGIA DE BÚSQUEDA

Se realizó una búsqueda amplia que consideró revisiones sistemáticas y estudios primarios (cualitativos y cuantitativos) que describían valores, preferencias y/o percepciones respecto a la enfermedad y/o calidad de vida de personas menores de 15 años con cardiopatías congénitas. Se identificaron términos MESH y texto libres asociados a la población.

La búsqueda consideró estudios publicados en **inglés o español** sin restringir el **periodo de búsqueda**. La **base de datos consultada** fue Pubmed y LILACS (Ver detalle en Anexo 1 “*Términos de Búsqueda y Resultados de la búsqueda*”).

SÍNTESIS DE EVIDENCIA SEGÚN PREGUNTA

1. ¿EN NIÑOS Y NIÑAS CON CARDIOPATÍAS CONGÉNITAS QUE REQUIERAN REPARACIÓN INTRACÁRDICA, SE DEBE REALIZAR ECOGRAFÍA TRANSGESOFÁGICA, EN COMPARACIÓN A NO REALIZAR?

No se encuentra evidencia de valores y preferencias de pacientes o cuidadores respecto a la pregunta.

2. ¿EN NIÑOS Y NIÑAS CON SOSPECHA DIAGNÓSTICA DE CARDIOPATÍAS CONGÉNITAS, SE DEBE REALIZAR ANGIOGRAFÍA COMPUTARIZADA DE TORAX, EN COMPARACIÓN A NO REALIZAR?

No se encuentra evidencia de valores y preferencias de pacientes o cuidadores respecto a la pregunta.

3. ¿EN NIÑOS Y NIÑAS OPERADOS DE CARDIOPATÍAS CONGÉNITAS, SE DEBE REALIZAR RESONANCIA NUCLEAR MAGNÉTICA PARA SEGUIMIENTO POST QUIRÚRGICO, EN COMPARACIÓN A NO REALIZAR?

No se encuentra evidencia de valores y preferencias de pacientes o cuidadores respecto a la pregunta.

4. ¿EN LACTANTES MENORES DE 2 AÑOS CON DIAGNÓSTICO DE CARDIOPATÍAS CONGÉNITAS DE ALTO RIESGO (UNIVENTRICULARES, CIANÓTICAS O HEMODINÁMICAMENTE SIGNIFICATIVAS), SE DEBE ADMINISTRAR PALIVIZUMAB PARA PROFILAXIS DE INFECCIÓN GRAVE POR VRS, EN COMPARACIÓN A NO ADMINISTRAR?

No se encuentra evidencia de valores y preferencias de pacientes o cuidadores respecto a la pregunta.

5. ¿EN RECIÉN NACIDOS PORTADORES DE CARDIOPATÍAS CON HIPOPLASIA DEL VENTRÍCULO IZQUIERDO, SE DEBE REALIZAR TERAPIA HÍBRIDA, EN COMPARACIÓN A NO REALIZAR?

No evidencia al respecto a valores y preferencias respecto a la pregunta.

6. ¿EN NIÑOS Y NIÑAS CON CARDIOPATÍAS CONGÉNITAS CON COMPROMISO NUTRICIONAL, SE DEBE REALIZAR INTERVENCIONES NUTRICIONALES PROTOCOLIZADAS, EN COMPARACIÓN A NO REALIZAR?

No evidencia al respecto a valores y preferencias respecto a la pregunta.

7. EN TRACTO SALIDA DE VENTRÍCULO DERECHO Y VÁLVULAS BIOPROTÉSICAS (BIOLÓGICAS), ¿DEBIERE UTILIZARSE VÁLVULAS PERCUTÁNEAS COMPARADO CON REEMPLAZO VALVULAR QUIRÚRGICO?

No se busca evidencia de valores y preferencias respecto a esta pregunta.

8. EN PACIENTES CON CARDIOPATÍA CONGÉNITA COMPLEJA, ¿DEBIERE TRASLADAR A CERCANÍA DE CENTRO DE ALTO VOLUMEN (COMPLEJIDAD) PRECOZMENTE COMPARADO SEGÚN NECESIDAD CLÍNICA?

No se busca evidencia de valores y preferencias respecto a esta pregunta.

ANEXO 1: TÉRMINOS DE BÚSQUEDA Y RESULTADOS DE LA BÚSQUEDA

P1. Búsqueda de evidencia

(("Child"[Mesh]) AND ("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[ti/ab]) AND ("Intracardiac Repair"[ti/ab])) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab] OR "Patient –focused" [ti/ab] OR "Cooperative behavior"[MeSH:noexp] OR "Self – efficacy" [ti/ab] OR "Self-concept" OR "caregivers"[ti/ab] OR "Pediatric Quality of Life Inventory"[ti/ab]) AND ("Echocardiography, Transesophageal"[Mesh] OR "Transesophageal Echocardiography"[ti/ab])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	0	0	0	0
(("Child"[Mesh]) AND ("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[ti/ab]) AND ("Intracardiac Repair"[ti/ab])) AND ("Echocardiography, Transesophageal"[Mesh] OR "Transesophageal Echocardiography"[ti/ab])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	0	0	0	0
(((("Child"[Mesh] OR "Pediatrics"[Mesh]) AND ("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[ti/ab]) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab] OR "Patient –focused" [ti/ab] OR "Cooperative					

behavior"[MeSH:noexp]OR "Self – efficacy" [ti/ab] OR "Self-concept" OR "caregivers"[ti/ab] OR "Pediatric Quality of Life Inventory"[ti/ab]) AND ("Echocardiography, Transesophageal"[Mesh] OR "Transesophageal Echocardiography"[ti/ab]) AND ("2000/01/01"[PDat] : "3000/12/31"[PDat])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	32	6	0	0
((ab:(Niño)) OR (ab:(Pediátrico))) AND ((ab:(Cardiopatías Congénitas)) OR (ab:(cardiopatía))) AND ((ab:(reparación intracardiaca))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(Transgesofágica)) OR (ab:(transesophageal echocardiography)) OR (ab:(Ecocardiografía Transesofágica)) OR (ab:(ecografía transgedogógica)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	0	0	0	0
((ab:(Niño)) OR (ab:(Pediátrico))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(Transgesofágica)) OR (ab:(transesophageal echocardiography)) OR (ab:(Ecocardiografía Transesofágica)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	1	0	0	0
"Transesophageal" AND "Patient satisfaction"					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
Sholar-google	Todos	2240	0	0	0

P2. Búsqueda de evidencia

(("Child"[Mesh] OR "Pediatrics"[Mesh]) AND ("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[ti/ab])) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab] OR "Patient –focused" [ti/ab] OR "Cooperative behavior"[MeSH:noexp]OR "Self – efficacy" [ti/ab] OR "Self-concept" OR "caregivers"[ti/ab] OR "Pediatric Quality of Life Inventory"[ti/ab]) AND ("Angiography"[Mesh] OR "Computed Tomography Angiography"[Mesh] OR "Computerized Tomography Angiography"[ti/ab]) AND ("Thorax"[Mesh] OR "Thoracic"[ti/ab]))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	2	0	0	0
("Diagnosis"[Mesh]) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR					

"EuroQol"[ti/ab] OR "Patient –focused" [ti/ab] OR "Cooperative behavior"[MeSH:noexp]OR "Self – efficacy" [ti/ab] OR "Self-concept" OR "caregivers"[ti/ab] OR "Pediatric Quality of Life Inventory"[ti/ab] AND ("Angiography"[Mesh] OR "Computed Tomography Angiography"[Mesh] OR "Computerized Tomography Angiography"[ti/ab]) AND ("Thorax"[Mesh] OR "Thoracic"[ti/ab]))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	66	0	0	0
("Children"[ti/ab] OR "Child"[ti/ab] OR "Pediatrics"[ti/ab]) AND ("Heart Diseases"[ti/ab] OR "Heart Defects, Congenital"[ti/ab] OR "Congenital heart disease"[ti/ab]) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab] OR "Patient –focused" [ti/ab] OR "Cooperative behavior"[MeSH:noexp]OR "Self – efficacy" [ti/ab] OR "Self-concept" OR "caregivers"[ti/ab] OR "Pediatric Quality of Life Inventory"[ti/ab] OR "adverse effects" [Subheading]) AND ("Angiography"[Mesh] OR "Angiography"[ti/ab] OR "Computed Tomography Angiography"[Mesh] OR "Computerized Tomography Angiography"[ti/ab]) AND ("Thorax"[Mesh] OR "Thoracic"[ti/ab]) OR "Tomography"[Mesh] OR "Tomography, X-Ray Computed"[Mesh])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	5	0	0	0
((ab:(Niño)) OR (ab:(Pediátrico))) AND ((ab:(Cardiopatías Congénitas)) OR (ab:(cardiopatía))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(Angiografía)) OR (ab:(Tomografía))) AND ((ab:(Torax)) OR (ab:(Torácico)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	0	0	0	0
((ab:(Cardiopatías Congénitas)) OR (ab:(cardiopatía))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(Angiografía)) OR (ab:(Tomografía))) AND ((ab:(Torax)) OR (ab:(Torácico)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	2	0	0	0
((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(Angiografía)) OR (ab:(Tomografía))) AND ((ab:(Torax)) OR (ab:(Torácico)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	9	0	0	0

P3. Búsqueda de evidencia

(("Infant"[Mesh] OR "Child"[Mesh] OR "Pediatrics"[Mesh]) AND ("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[ti/ab])) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab] OR "Patient –focused" [ti/ab] OR "Cooperative behavior"[MeSH:noexp]OR "Self – efficacy" [ti/ab] OR "Self-concept" OR "caregivers"[ti/ab] OR "Pediatric Quality of Life Inventory"[ti/ab]) AND ("Nuclear Magnetic Resonance, Biomolecular"[Mesh] OR "NMR"[ti/ab] OR "Nuclear Magnetic Resonance"[ti/ab]) AND ("Aftercare"[Mesh]))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	0	0	0	0
(("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[ti/ab])) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab] OR "Patient –focused" [ti/ab] OR "Cooperative behavior"[MeSH:noexp]OR "Self – efficacy" [ti/ab] OR "Self-concept" OR "caregivers"[ti/ab] OR "Pediatric Quality of Life Inventory"[ti/ab]) AND ("Nuclear Magnetic Resonance, Biomolecular"[Mesh] OR "NMR"[ti/ab] OR "Nuclear Magnetic Resonance"[ti/ab]))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	5	5	0	0
("Infant"[Mesh] OR "Child"[Mesh] OR "Pediatrics"[Mesh]) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab] OR "Patient –focused" [ti/ab] OR "Cooperative behavior"[MeSH:noexp]OR "Self – efficacy" [ti/ab] OR "Self-concept" OR "caregivers"[ti/ab] OR "Pediatric Quality of Life Inventory"[ti/ab]) AND ("Nuclear Magnetic Resonance, Biomolecular"[Mesh] OR "NMR"[ti/ab] OR "Nuclear Magnetic Resonance"[ti/ab]))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	4	4	0	0
((ab:(Infantes)) OR (ab:(Niño)) OR (ab:(Pediátrico))) AND ((ab:(Cardiopatías Congénitas)) OR (ab:(cardiopatía))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(resonancia nuclear magnética)) OR (ab:(RMN))) AND ((ab:(Cuidados Posteriores)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	0	0	0	0

((ab:(Cardiopatías Congénitas)) OR (ab:(cardiopatía))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(resonancia nuclear magnética)) OR (ab:(RMN)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	0	0	0	0
((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(resonancia nuclear magnética)) OR (ab:(RMN)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	0	0	0	0

P4. Búsqueda de evidencia

(("Infant"[Mesh] OR "two years old"[ti/ab] OR "2 years" OR "Pediatrics"[Mesh]) AND ("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[ti/ab] AND ("univentricular"[ti/ab] OR "cyanotic"[tu/ab] OR "Hemodynamically significant" [ti/ab])) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab] OR "Patient –focused" [ti/ab] OR "Cooperative behavior"[MeSH:noexp]OR "Self – efficacy" [ti/ab] OR "Self-concept" OR "caregivers"[ti/ab] OR "Pediatric Quality of Life Inventory"[ti/ab]) AND ("Palivizumab"[Mesh] OR "Synagis"[ti/ab] OR "MEDI 493"[ti/ab])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	0	0	0	0
("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[ti/ab] AND ("univentricular"[ti/ab] OR "cyanotic"[tu/ab] OR "Hemodynamically significant" [ti/ab])) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab] OR "Patient –focused" [ti/ab] OR "Cooperative behavior"[MeSH:noexp]OR "Self – efficacy" [ti/ab] OR "Self-concept" OR "caregivers"[ti/ab] OR "Pediatric Quality of Life Inventory"[ti/ab]) AND ("Palivizumab"[Mesh] OR "Synagis"[ti/ab] OR "MEDI 493"[ti/ab])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	0	0	0	0
("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp]					

OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab] OR "Patient –focused" [ti/ab] OR "Cooperative behavior"[MeSH:noexp]OR "Self – efficacy" [ti/ab] OR "Self-concept" OR "caregivers"[ti/ab] OR "Pediatric Quality of Life Inventory"[ti/ab]) AND ("Palivizumab"[Mesh] OR "Synagis"[ti/ab] OR "MEDI 493"[ti/ab])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	13	1	0	0
((ab:(Niño)) OR (ab:(Pediátrico))) AND ((ab:(Cardiopatías Congénitas)) OR (ab:(cardiopatía))) AND ((ab:(univentricular)) OR (ab:(cianóticas)) OR (ab:(hemodinámicamente))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) OR (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND (ab:(Palivizumab))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	0	0	0	0
((ab:(Niño)) OR (ab:(Pediátrico))) AND ((ab:(Cardiopatías Congénitas)) OR (ab:(cardiopatía))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) OR (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND (ab:(Palivizumab))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	0	0	0	0
((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) OR (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND (ab:(Palivizumab))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	3	0	0	0

5. Búsqueda de evidencia

<p>((("Infant, Newborn"[Mesh] OR "Child"[Mesh]) AND ("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[ti/ab]) AND ("Hypoplastic Left Heart Syndrome"[Mesh])) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR</p>
--

"parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab]) AND ("hybrid approach "[ti/ab] OR "hybrid" [ti/ab])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	7	5	0	0
(("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[ti/ab]) AND ("Hypoplastic Left Heart Syndrome"[Mesh])) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab]) AND ("hybrid approach "[ti/ab] OR "hybrid" [ti/ab])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	8	0	0	0
("Hypoplastic Left Heart Syndrome"[Mesh]) AND AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab] OR "Patient –focused" [ti/ab] OR "Cooperative behavior"[MeSH:noexp]OR "Self – efficacy" [ti/ab] OR "Self-concept")					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	79	6	1	0
Títulos de artículos seleccionados					
- Psychosocial responses of parents to their infant's diagnosis of hypoplastic left heart syndrome.					
(("Infant, Newborn"[Mesh] OR "Child"[Mesh]) AND ("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[ti/ab]) AND ("Hypoplastic Left Heart Syndrome"[Mesh])) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti/abs] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti/abs] OR "patient* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Patient Perspectives"[ti/abs] OR "Patient views"[ti/abs] OR "Patient experience"[ti/abs] OR "parent* satisfaction"[ti/abs] OR "communit* satisfaction"[ti/abs] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti/abs] OR "Parental Perspectives"[ti/abs] OR "parents' views"[ti/abs] OR "experience"[ti/abs] OR "Quality of Life"[Mesh] OR "EuroQol"[ti/ab] OR "Patient – focused" [ti/ab] OR "Cooperative behavior"[MeSH:noexp]OR "Self – efficacy" [ti/ab] OR "Self-concept" OR "caregivers"[ti/ab] OR "Pediatric Quality of Life Inventory"[ti/ab]) AND ("hybrid approach "[ti/ab] OR "hybrid" [ti/ab]) AND ("Norwood"[ti/ab])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUBMED	Todos	1	0	0	0
((ab:(Síndrome del Corazón Izquierdo Hipoplásico)) OR (ab:(síndrome de hipoplasia del ventrículo izquierdo)) OR (ab:(síndrome de hipoplasia del ventrículo izquierdo)) OR (ab:(cardiopatía con hipoplasia del ventrículo izquierdo))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(approach hybrid)) OR					

((ab:(terapia híbrida)) OR (ab:(Tratamiento híbrido)) OR (ab:(Tratamiento híbrido)) OR (ab:(Procedimiento híbrido)) OR (ab:(terapia híbrida))) AND ((ab:(Norwood))) AND ((tw:(Grupos Focales)) OR (tw:(entrevista)) OR (tw:(Investigación Cualitativa)) OR (tw:(Cualitativa)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	0	0	0	0
((ab:(Síndrome del Corazón Izquierdo Hipoplásico)) OR (ab:(síndrome de hipoplasia del ventrículo izquierdo)) OR (ab:(síndrome de hipoplasia del ventrículo izquierdo)) OR (ab:(cardiopatía con hipoplasia del ventrículo izquierdo))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(approach hybrid)) OR (ab:(terapia híbrida)) OR (ab:(Tratamiento híbrido)) OR (ab:(Tratamiento híbrido)) OR (ab:(Procedimiento híbrido)) OR (ab:(terapia híbrida))) AND ((ab:(Norwood)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	0	0	0	0
((ab:(Síndrome del Corazón Izquierdo Hipoplásico)) OR (ab:(síndrome de hipoplasia del ventrículo izquierdo)) OR (ab:(síndrome de hipoplasia del ventrículo izquierdo)) OR (ab:(cardiopatía con hipoplasia del ventrículo izquierdo)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	18	1	0	0

P6. Búsqueda de evidencia

(("Infant"[Mesh] OR "Child"[Mesh] OR "Pediatrics"[Mesh]) AND ("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[tiab]) AND ("Malnutrition"[Mesh] OR "Severe Acute Malnutrition"[Mesh] OR "Pediatric Obesity"[Mesh] OR "Obesity"[Mesh] OR "Overweight"[Mesh])) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[tiab] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[tiab] OR "patient* satisfaction"[tiab] OR "communit* satisfaction"[tiab] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[tiab] OR "Patient Perspectives"[tiab] OR "Patient views"[tiab] OR "Patient experience"[tiab] OR "parent* satisfaction"[tiab] OR "communit* satisfaction"[tiab] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[tiab] OR "Parental Perspectives"[tiab] OR "parents' views"[tiab] OR "experience"[tiab] OR "Quality of Life"[Mesh] OR "EuroQol"[tiab] OR "Patient -focused"[tiab] OR "Cooperative behavior"[MeSH:noexp] OR "Self - efficacy" [tiab] OR "Self-concept" OR "caregivers"[tiab] OR "Pediatric Quality of Life Inventory"[tiab]) AND ("Nutritional"[tiab] OR "nutritional intervention"[tiab] OR "Nutritional treatment"[tiab] OR "Nutritional Therap"[tiab]) AND ("Focus group"[tiab] OR "Interview*"[tiab] OR "Qualitative Research"[Mesh])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	16	0	0	0
(("Infant"[Mesh] OR "Child"[Mesh] OR "Pediatrics"[Mesh]) AND ("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[tiab]) AND ("Malnutrition"[Mesh] OR "Severe Acute Malnutrition"[Mesh] OR "Pediatric Obesity"[Mesh] OR "Obesity"[Mesh] OR "Overweight"[Mesh])) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[tiab] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[tiab] OR "patient* satisfaction"[tiab] OR "Patient-Centered Care"[Mesh:noexp] OR "Patient Perspectives"[tiab] OR "Patient views"[tiab] OR "Patient experience"[tiab] OR "parent* satisfaction"[tiab] OR "Patient-Centered Care"[Mesh:noexp] OR "Parental Perspectives"[tiab] OR "parents' views"[tiab] OR "experience"[tiab] OR "Quality of Life"[Mesh] OR "EuroQol"[tiab] OR "Patient -focused"[tiab] OR "Cooperative behavior"[MeSH:noexp] OR "Self - efficacy"[tiab] OR "Self-concept"[All Fields] OR "caregivers"[tiab] OR "Pediatric Quality of Life Inventory"[tiab]) AND ("Nutritional"[tiab] OR "nutritional intervention"[tiab] OR "Nutritional					

treatment"[tiab]) AND (("2000/01/01"[PDAT] : "2017/12/31"[PDAT]) AND "humans"[MeSH Terms] AND ("infant"[MeSH Terms] OR "child"[MeSH Terms] OR "adolescent"[MeSH Terms])) AND (("2000/01/01"[PDAT] : "2017/12/31"[PDAT]) AND "humans"[MeSH Terms] AND ("infant"[MeSH Terms] OR "child"[MeSH Terms] OR "adolescent"[MeSH Terms]))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	1	0	0	0
("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[tiab]) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[tiab] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[tiab] OR "patient* satisfaction"[tiab] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[tiab] OR "Patient Perspectives"[tiab] OR "Patient views"[tiab] OR "Patient experience"[tiab] OR "parent* satisfaction"[tiab] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[tiab] OR "Parental Perspectives"[tiab] OR "parents' views"[tiab] OR "experience"[tiab] OR "Quality of Life"[Mesh] OR "EuroQol"[tiab] OR "Patient -focused"[tiab] OR "Cooperative behavior"[MeSH:noexp] OR "Self - efficacy"[tiab] OR "Self-concept"[All Fields] OR "caregivers"[tiab] OR "Pediatric Quality of Life Inventory"[tiab]) AND ("Nutritional"[tiab] OR "nutritional intervention"[tiab] OR "Nutritional treatment"[tiab]) AND ("infant"[MeSH Terms] OR "child"[MeSH Terms] OR "adolescent"[MeSH Terms]) OR "infant"[MeSH Terms] OR "infant"[MeSH Terms:noexp] OR "child, preschool"[MeSH Terms] OR "child"[MeSH Terms:noexp] OR "adolescent"[MeSH Terms])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	30	6	0	0
("Heart Diseases"[Mesh] OR "Heart Defects, Congenital"[Mesh] OR "Congenital heart disease"[ti]) AND ("Attitude to Health"[Mesh:noexp] OR "Community Participation"[Mesh] OR "Patient* participation"[ti] OR "Patient* satisfaction"[Mesh:noexp] OR "Patient* Preference"[Mesh:noexp] OR "Consumer Behavior"[Mesh:noexp] OR "consumer satisfaction"[ti] OR "patient* satisfaction"[ti] OR "communit* satisfaction"[ti] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti] OR "Patient Perspectives"[ti] OR "Patient views"[ti] OR "Patient experience"[ti] OR "parent* satisfaction"[ti] OR "communit* satisfaction"[ti] OR "Patient-Centered Care"[Mesh:noexp] OR "Share decision making"[ti] OR "Parental Perspectives"[ti] OR "parents' views"[ti] OR "experience"[ti] OR "Quality of Life"[Mesh] OR "EuroQol"[ti] OR "Patient -focused" [ti] OR "Cooperative behavior"[MeSH:noexp]OR "Self – efficacy" [ti] OR "Self-concept" OR "caregivers"[ti] OR "Pediatric Quality of Life Inventory"[ti]) AND ("Nutritional"[ti] OR "nutritional intervention"[ti] OR "Nutritional treatment"[ti] OR "Nutritional Therap"[ti])					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
PUDMED	Todos	11	3	1	0
((ab:(Infantes)) OR (ab:(Niño)) OR (ab:(Pediátrico))) AND ((ab:(Cardiopatías Congénitas)) OR (ab:(cardiopatía))) AND ((ab:(Malnutrición) OR (ab:(obesidad)) OR (ab:(sobrepeso))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(Nutricional)) OR (ab:(intervención nutricional)) OR (ab:(tratamiento nutricional)) OR (ab:(terapia nutricional)) OR (ab:(programa nutricional)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	0	0	0	0
((ab:(Infantes)) OR (ab:(Niño)) OR (ab:(Pediátrico))) AND ((ab:(Malnutrición) OR (ab:(obesidad)) OR (ab:(sobrepeso))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(Nutricional)) OR					

(ab:(intervención nutricional)) OR (ab:(tratamiento nutricional)) OR (ab:(terapia nutricional)) OR (ab:(programa nutricional)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	0	0	0	0
((ab:(Infantes)) OR (ab:(Niño)) OR (ab:(Pediátrico))) AND ((ab:(Actitud Frente a la Salud)) OR (ab:(Participación de la Comunidad)) OR (ab:(Participación del Paciente)) OR (ab:(Satisfacción del Paciente)) OR (ab:(Prioridad del Paciente)) OR (ab:(Preferencia del paciente)) OR (ab:(Comportamiento del Consumidor)) OR (ab:(Satisfacción del consumidor)) OR (ab:(perspectiva del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(perspectiva de la familia)) OR (ab:(Atención Dirigida al Paciente)) OR (ab:(experiencia del Paciente)) (ab:(experiencia de los padres)) OR (ab:(experiencia del paciente)) OR (ab:(experiencia de la madre)) OR (ab:(experiencia del padre)) OR (ab:(perspectiva de la madre)) OR (ab:(Calidad de vida)) OR (ab:(EuroQol)) OR (ab:(cuidadores)) OR (ab:(Pediatric Quality of Life Inventory))) AND ((ab:(Nutricional)) OR (ab:(intervención nutricional)) OR (ab:(tratamiento nutricional)) OR (ab:(terapia nutricional)) OR (ab:(programa nutricional)))					
Fuente	Tipo estudios	N°ro	N°stit/abs	N°manu	N°utilizado
LILACS	Todos	44	4	0	0